
Submit 5 Copies 10 Appropriate District	State of New M			Form C-103
District I 1625 N. French Dr., Hobbs, NM 88240	Energy, Minerals and Nat	ural Resources	WELL API NO.	May 27, 2004
757 - 1 - 24		30-015-34720		
District III RECEIVE 1220 South St. Francis Dr.		5. Indicate Type of Lease	FEE	
1000 Rio Brazos Rd., Aztec, NM 87410 District IV	111 1 9 2006 Santa Fe. NM 8		STATE 6. State Oil & Gas Lease	
1220 S. St. Francis Dr., Santa Fe, NM 87505	WA-UNITHEIK			
SUNDRY NOTICES AND REPORTS ON WELLS			7. Lease Name or Unit A	greement Name
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH		ELECTRA FEDERAL		
PROPOSALS.)  1. Type of Well: Oil Well  Gas Well  Other		8. Well Number 7		
2. Name of Operator		9. OGRID Number		
COG Operating LLC		229137		
3. Address of Operator 550 W. Texas Ave., Suite 1300 Midland, TX 79701		10. Pool name or Wildcat  LOCO HILLS; PADDOCK		
4. Well Location				
Unit Letter F	: 1650' feet from the North	line and10'	<del></del>	est line
Section 15	Township 17S	Range 30E	NMPM	County EDDY
	11. Elevation (Show whether Di	C, KKB, KT, GK, etc., V <b>GR</b>		1 <b>1</b>
Pit or Below-grade Tank Application				
		t fresh water well 100	O' Distance from nearest surface	ce water 1000
Pit Liner Thickness: 12 mil	Below-Grade Tank: Volume	bbls; Construction		
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data				
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:				
PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ REMEDIAL WORK TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ COMMENCE DRILLE				RING CASING
PULL OR ALTER CASING	<u> </u>	CASING/CEMEN		A 🗆
	<del></del>			
OTUED. Dis alanum	R-7	OTHER.		
OTHER: Pit closure  13. Describe proposed or com	poleted operations. (Clearly state all		d give pertinent dates, inclu	ding estimated date
13. Describe proposed or com of starting any proposed v	ppleted operations. (Clearly state all work). SEE RULE 1103. For Multi	pertinent details, and	d give pertinent dates, inclu tach wellbore diagram of pr	ding estimated date roposed completion
13. Describe proposed or com	pleted operations. (Clearly state all	pertinent details, and	d give pertinent dates, inclu tach wellbore diagram of p	ding estimated date roposed completion
13. Describe proposed or com of starting any proposed v or recompletion.	pleted operations. (Clearly state all	pertinent details, and ple Completions: At	tach wellbore diagram of pr	ding estimated date roposed completion
13. Describe proposed or com of starting any proposed v or recompletion.	npleted operations. (Clearly state all work). SEE RULE 1103. For Multi COG Operating LLC proposes to	pertinent details, and ple Completions: At	tach wellbore diagram of pr	ding estimated date roposed completion
Describe proposed or composed or starting any proposed or recompletion.  Remove fluids from pit.	npleted operations. (Clearly state all work). SEE RULE 1103. For Multi	pertinent details, and ple Completions: At close the drilling p	tach wellbore diagram of print as follows:	ding estimated date roposed completion
<ol> <li>Describe proposed or composed or starting any proposed or completion.</li> <li>Remove fluids from pit.</li> <li>A deep trench pit will be</li> </ol>	npleted operations. (Clearly state all work). SEE RULE 1103. For Multi COG Operating LLC proposes to	pertinent details, and ple Completions: At close the drilling pleaserve pit and line	tach wellbore diagram of print as follows:  ed with a 12 mil liner.	ding estimated date roposed completion
<ol> <li>Describe proposed or composed of starting any proposed or completion.</li> <li>Remove fluids from pit.</li> <li>A deep trench pit will be one</li> </ol>	repleted operations. (Clearly state all work). SEE RULE 1103. For Multi COG Operating LLC proposes to e constructed next to the existing capsulated in this pit and the line	pertinent details, and ple Completions: At close the drilling preserve pit and ling will be folded over	tach wellbore diagram of print as follows:  ed with a 12 mil liner. In the mud and cuttings.	ding estimated date roposed completion
<ol> <li>Describe proposed or composed of starting any proposed or completion.</li> <li>Remove fluids from pit.</li> <li>A deep trench pit will be one</li> </ol>	repleted operations. (Clearly state all work). SEE RULE 1103. For Multipool of the COG Operating LLC proposes to e constructed next to the existing capsulated in this pit and the line liner with excess of 3' on all sides	pertinent details, and ple Completions: At close the drilling preserve pit and ling will be folded over	tach wellbore diagram of print as follows:  ed with a 12 mil liner. In the mud and cuttings.	ding estimated date roposed completion
<ol> <li>Describe proposed or composed of starting any proposed or completion.</li> <li>Remove fluids from pit.</li> <li>A deep trench pit will be The contents will be end</li> <li>Cover liner with 20 mil I Pit and Below-Grade T</li> </ol>	repleted operations. (Clearly state all work). SEE RULE 1103. For Multipool COG Operating LLC proposes to e constructed next to the existing capsulated in this pit and the line liner with excess of 3' on all sides ank Guidelines.	pertinent details, and ple Completions: At close the drilling preserve pit and ling will be folded over	tach wellbore diagram of print as follows:  ed with a 12 mil liner. In the mud and cuttings.	ding estimated date roposed completion
<ol> <li>Describe proposed or composed of starting any proposed or completion.</li> <li>Remove fluids from pit.</li> <li>A deep trench pit will be The contents will be end</li> <li>Cover liner with 20 mil I</li> </ol>	repleted operations. (Clearly state all work). SEE RULE 1103. For Multipool COG Operating LLC proposes to e constructed next to the existing capsulated in this pit and the line liner with excess of 3' on all sides ank Guidelines.	pertinent details, and ple Completions: At close the drilling preserve pit and ling will be folded over	tach wellbore diagram of print as follows:  ed with a 12 mil liner. In the mud and cuttings.	ding estimated date roposed completion
<ol> <li>Describe proposed or composed of starting any proposed or completion.</li> <li>Remove fluids from pit.</li> <li>A deep trench pit will be The contents will be end.</li> <li>Cover liner with 20 mil I Pit and Below-Grade T</li> <li>Cover with a minimum 3</li> </ol>	repleted operations. (Clearly state all work). SEE RULE 1103. For Multipool COG Operating LLC proposes to e constructed next to the existing capsulated in this pit and the line liner with excess of 3' on all sides ank Guidelines.	pertinent details, and ple Completions: At close the drilling processor of the close the	tach wellbore diagram of print as follows:  ed with a 12 mil liner. In the mud and cuttings.	ding estimated date roposed completion
<ol> <li>Describe proposed or composed of starting any proposed or completion.</li> <li>Remove fluids from pit.</li> <li>A deep trench pit will be The contents will be end.</li> <li>Cover liner with 20 mil I Pit and Below-Grade T</li> <li>Cover with a minimum 3</li> </ol>	repleted operations. (Clearly state all work). SEE RULE 1103. For Multipools are constructed next to the existing capsulated in this pit and the line liner with excess of 3' on all sides and Guidelines.  3' of native soil.	pertinent details, and ple Completions: At close the drilling processor of the close the	tach wellbore diagram of print as follows:  ed with a 12 mil liner. In the mud and cuttings.	ding estimated date roposed completion
<ol> <li>Describe proposed or composed of starting any proposed or completion.</li> <li>Remove fluids from pit.</li> <li>A deep trench pit will be The contents will be end.</li> <li>Cover liner with 20 mil I Pit and Below-Grade T</li> <li>Cover with a minimum 3</li> </ol>	repleted operations. (Clearly state all work). SEE RULE 1103. For Multipools are constructed next to the existing capsulated in this pit and the line liner with excess of 3' on all sides and Guidelines.  3' of native soil.	pertinent details, and ple Completions: At close the drilling processor of the close the	tach wellbore diagram of print as follows:  ed with a 12 mil liner. In the mud and cuttings.	ding estimated date roposed completion
<ol> <li>Describe proposed or composed or starting any proposed or completion.</li> <li>Remove fluids from pit.</li> <li>A deep trench pit will be The contents will be end.</li> <li>Cover liner with 20 mill Pit and Below-Grade T</li> <li>Cover with a minimum of the Contour pit to prevent end.</li> </ol>	apleted operations. (Clearly state all work). SEE RULE 1103. For Multi- COG Operating LLC proposes to e constructed next to the existing capsulated in this pit and the line liner with excess of 3' on all sides ank Guidelines.  3' of native soil.  Prosion and ponding of rainwater above is true and complete to the	pertinent details, and ple Completions: At close the drilling plant reserve pit and ling r will be folded over as per option IV.E	tach wellbore diagram of print as follows:  ed with a 12 mil liner.  r the mud and cuttings.  3.3.(b) of the	that any pit or below-
13. Describe proposed or composed or starting any proposed or or recompletion.  1. Remove fluids from pit.  2. A deep trench pit will be The contents will be end.  3. Cover liner with 20 mill Pit and Below-Grade T.  4. Cover with a minimum of the contour pit to prevent end.  5. Contour pit to prevent end.  I hereby certify that the information grade tank has been/will be constructed of the contour pit to prevent end.	apleted operations. (Clearly state all work). SEE RULE 1103. For Multipoor Multipoor Proposes to the constructed next to the existing capsulated in this pit and the line liner with excess of 3' on all sides and Guidelines.  3' of native soil.  Prosion and ponding of rainwater above is true and complete to the processed according to NMOCD guidelines.	pertinent details, and ple Completions: At close the drilling please reserve pit and liner will be folded over as per option IV.E. as per option IV.E. pest of my knowledg , a general permit	tach wellbore diagram of profit as follows:  ed with a 12 mil liner.  or the mud and cuttings.  3.3.(b) of the  e and belief. I further certify or an (attached) alternative OC	that any pit or below-
13. Describe proposed or composed or starting any proposed or or recompletion.  1. Remove fluids from pit.  2. A deep trench pit will be The contents will be end.  3. Cover liner with 20 mill Pit and Below-Grade T.  4. Cover with a minimum of the contents of the pit and pit to prevent end.  5. Contour pit to prevent end.  I hereby certify that the information grade tank has been/will be constructed of SIGNATURE.	poleted operations. (Clearly state all work). SEE RULE 1103. For Multipole COG Operating LLC proposes to e constructed next to the existing capsulated in this pit and the line liner with excess of 3' on all sides ank Guidelines.  3' of native soil.  Prosion and ponding of rainwater above is true and complete to the preclosed according to NMOCD guidelines.	pertinent details, and ple Completions: At close the drilling plus reserve pit and ling reser	it as follows:  ed with a 12 mil liner.  or the mud and cuttings.  3.3.(b) of the  e and belief. I further certify or an (attached) alternative OC	that any pit or below- D-approved plan
13. Describe proposed or composed or starting any proposed or or recompletion.  1. Remove fluids from pit.  2. A deep trench pit will be The contents will be end.  3. Cover liner with 20 mill Pit and Below-Grade T.  4. Cover with a minimum of the contents of the pit and pit to prevent end.  5. Contour pit to prevent end.  I hereby certify that the information grade tank has been/will be constructed of SIGNATURE.	poleted operations. (Clearly state all work). SEE RULE 1103. For Multipole COG Operating LLC proposes to e constructed next to the existing capsulated in this pit and the line liner with excess of 3' on all sides ank Guidelines.  3' of native soil.  Prosion and ponding of rainwater above is true and complete to the preclosed according to NMOCD guidelines.	pertinent details, and ple Completions: At close the drilling plus reserve pit and ling reser	it as follows:  ed with a 12 mil liner.  or the mud and cuttings.  3.3.(b) of the  e and belief. I further certify or an (attached) alternative OC	that any pit or below- D-approved plan
13. Describe proposed or composed or starting any proposed or or recompletion.  1. Remove fluids from pit.  2. A deep trench pit will be The contents will be end.  3. Cover liner with 20 mill Pit and Below-Grade T.  4. Cover with a minimum of the contents of the pit and pit to prevent end.  5. Contour pit to prevent end.  I hereby certify that the information grade tank has been/will be constructed of SIGNATURE.	poleted operations. (Clearly state all work). SEE RULE 1103. For Multipole COG Operating LLC proposes to e constructed next to the existing capsulated in this pit and the line liner with excess of 3' on all sides ank Guidelines.  3' of native soil.  Prosion and ponding of rainwater above is true and complete to the preclosed according to NMOCD guidelines.	pertinent details, and ple Completions: At close the drilling plus reserve pit and ling reser	it as follows:  ed with a 12 mil liner.  or the mud and cuttings.  3.3.(b) of the  e and belief. I further certify or an (attached) alternative OC	that any pit or below- D-approved plan
13. Describe proposed or composed or starting any proposed or or recompletion.  1. Remove fluids from pit.  2. A deep trench pit will be The contents will be end.  3. Cover liner with 20 mill Pit and Below-Grade T.  4. Cover with a minimum of the contents of the pit and pit to prevent end.  5. Contour pit to prevent end.  I hereby certify that the information grade tank has been/will be constructed of SIGNATURE.	apleted operations. (Clearly state all work). SEE RULE 1103. For Multipoor Multipoor Proposes to the constructed next to the existing capsulated in this pit and the line liner with excess of 3' on all sides and Guidelines.  3' of native soil.  Prosion and ponding of rainwater above is true and complete to the processed according to NMOCD guidelines.	pertinent details, and ple Completions: At close the drilling plus reserve pit and ling reser	it as follows:  ed with a 12 mil liner.  or the mud and cuttings.  3.3.(b) of the  e and belief. I further certify or an (attached) alternative OC	that any pit or below- D-approved plan

NOV 03 2006

S

COG OPERATING LLC ELECTRA FEDERAL #7 API #: 30-015-34720 EDDY COUNTY, NM



Well Head



## ALLSTATE ENVIRONMENTAL SERVICES, LLC



P.O BOX 11322 MIDLAND, TEXAS 79702 OFFICE: (432) 682-3547 FAX: (432) 682-4182 Contractors License #94195

30-015-34720

October 30, 2006



New Mexico Oil Conservation Division District2 1301 Grand Avenue Artesia, New Mexico 88210

Dear Sir/Ma'am

Included in this mailing is the closure report for COG Operating Corp. Electra Federal #7 lease. As indicated in the summary the pit closure work was begun on October 24, 2006 and completed on October 30, 2006.

Any concern or questions regarding this site may be addressed to Randy Offield, Allstate Environmental Services, at 432-682-3547 or his e-mail address at allstateenviro@sbcglobal.net

Sincerely Mark Meadows for Randy Offield-Owner Allstate Environmental Services

Cc: COG Operating Corp-Artesia, N.M. Allstate Environmental Svcs. file