| Office | State of New Mexico | | | | | Form C-103 |
|--|--|--|--|---|--|--|
| District I | Energy, Minerals and Natural Resources | | es _ | May 27, 2004 | | |
| 1625 N. French Dr., Hobbs, NM 88240 | | | | - 1 | WELL API NO. 30-015-34741 | |
| District II 1301 W. Grand Ave., Artesia, NM 88210 OIL CONSERVATION DIVISION | | | 1 - | 5. Indicate Type of Lease | | |
| District III | 1000 Bio Person Pd. Agtes NIA 97410 | | | | | FEE 🗇 |
| District IV Santa Fe, NM 87505 | | | ŀ | 6. State Oil & Gas Lease | | |
| 1220 S. St. Francis Dr., Santa Fe, NM | | | | | | |
| 87505 | TICES AND REPORTS ON V | WELLS | | | 7. Lease Name or Unit Ag | greement Name |
| (DO NOT LISE THIS FORM FOR PROP | OSALS TO DRILL OR TO DEEPEN | N OR PLI | G BACK TO A | . | 7. Lease Haine of Office | greement rame |
| DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-1912 FOR PULL) | | | | - | CONTINENTAL A | A STATE |
| PROPOSALS.) 1. Type of Well: Oil Well | Gas Well Other | | | | 8. Well Number | 3 |
| 2. Name of Operator | | ••- | 1 9 2006 | | 9. OGRID Number | |
| | OG Operating LLC | | WITEDIA | | 229137 | |
| 3. Address of Operator 550 W. Texas Ave., Su | ite 1300 Mid | dland 1 | TX 79701 | | 10. Pool name or Wildcat EMPIRE; YESO | 96210 |
| 4. Well Location | 1411 | | | | Limite, 1200 | 302.0 |
| 4. Well Location Unit Letter C | : 505' feet from the No | orth | line and | 1002 | feet from the Wes | st line |
| Section 30 | | 7S | | 1902 29E | | County EDDY |
| Section 30 | 11. Elevation (Show wheth | | | | MMINI | County EDD1 |
| | 11. Dicvation (Show when | 3645° | • | n, eic./ | | 1. The state of th |
| Pit or Below-grade Tank Application | or Closure 🛛 | | | | | \ |
| Pit type DRILLING Depth to Gro | undwater 115' Distance fron | m nearest | fresh water we | ii <u>1000</u> | Distance from nearest surfac | ce water 1000' |
| Pit Liner Thickness: 12 mil | Below-Grade Tank: Volume | | bbls; Con | struction | Material | |
| 12. Check | Appropriate Box to Indi | icate Na | ature of No | otice, I | Report or Other Data | |
| | • • | | | • | • | |
| | NTENTION TO: | _ | | | SEQUENT REPORT | |
| PERFORM REMEDIAL WORK | | | REMEDIAL | | = | ING CASING |
| TEMPORARILY ABANDON [PULL OR ALTER CASING [| - | | CASING/C | | LING OPNS. PAND | A 📙 |
| FULL ON ALIEN CASING L | | | CASINO | PARTINI | ALAD II | |
| _ | _ | | | | | |
| OTHER: Pit closure | | | OTHER: | | | |
| 13. Describe proposed or con | | tate all p | OTHER: | ails, and | give pertinent dates, include | |
| 13. Describe proposed or com of starting any proposed v | upleted operations. (Clearly st work). SEE RULE 1103. For | tate all p | OTHER: | ails, and | give pertinent dates, include | |
| 13. Describe proposed or com of starting any proposed v or recompletion. | vork). SEE RULE 1103. For | ⊠ state all p r Multipl | OTHER: pertinent deta e Completio | ails, and ons: Att | give pertinent dates, includes ach wellbore diagram of pro | |
| 13. Describe proposed or com of starting any proposed v or recompletion. | | ⊠ state all p r Multipl | OTHER: pertinent deta e Completio | ails, and ons: Att | give pertinent dates, includes ach wellbore diagram of pro | |
| 13. Describe proposed or com of starting any proposed v or recompletion. | vork). SEE RULE 1103. For | ⊠ state all p r Multipl | OTHER: pertinent deta e Completio | ails, and ons: Att | give pertinent dates, includes ach wellbore diagram of pro | |
| 13. Describe proposed or composed or starting any proposed or completion. 1. Remove fluids from pit. | vork). SEE RULE 1103. For | itate all pr r Multipl | OTHER: pertinent deta e Completio | ails, and ons: Att | give pertinent dates, include ach wellbore diagram of proass as follows: | |
| Describe proposed or composed or composed or completion. Remove fluids from pit. A deep trench pit will be | vork). SEE RULE 1103. For COG Operating LLC propose constructed next to the expression of the expressi | itate all pr Multiple ses to continuous | OTHER: pertinent deta e Completio lose the dri eserve pit a | ails, and ns: Atti Illing pit | give pertinent dates, included the second se | |
| Describe proposed or composed or composed or completion. Remove fluids from pit. A deep trench pit will be | vork). SEE RULE 1103. For | itate all pr Multiple ses to continuous | OTHER: pertinent deta e Completio lose the dri eserve pit a | ails, and ns: Atti Illing pit | give pertinent dates, included the second se | |
| Describe proposed or composed or starting any proposed or completion. Remove fluids from pit. A deep trench pit will be The contents will be en Cover liner with 20 mill | vork). SEE RULE 1103. For COG Operating LLC propose constructed next to the excapsulated in this pit and the iner with excess of 3' on all | itate all pr Multiple ses to continuous | OTHER: Description Descriptio | ails, and ns: Atta illing pit and line ed over | give pertinent dates, includanch wellbore diagram of proas as follows: d with a 12 mil liner. the mud and cuttings. | |
| Describe proposed or composed or starting any proposed or recompletion. Remove fluids from pit. A deep trench pit will be The contents will be en | vork). SEE RULE 1103. For COG Operating LLC propose constructed next to the excapsulated in this pit and the iner with excess of 3' on all | itate all pr Multiple ses to continuous | OTHER: Description Descriptio | ails, and ns: Atta illing pit and line ed over | give pertinent dates, includanch wellbore diagram of proas as follows: d with a 12 mil liner. the mud and cuttings. | |
| Describe proposed or composed or starting any proposed or completion. Remove fluids from pit. A deep trench pit will be The contents will be en Cover liner with 20 mill | cook). SEE RULE 1103. For COG Operating LLC propose constructed next to the excapsulated in this pit and the iner with excess of 3' on all ank Guidelines. | itate all pr Multiple ses to continuous | OTHER: Description Descriptio | ails, and ns: Atta illing pit and line ed over | give pertinent dates, includanch wellbore diagram of proas as follows: d with a 12 mil liner. the mud and cuttings. | |
| Describe proposed or composed or starting any proposed or completion. Remove fluids from pit. A deep trench pit will be The contents will be en Cover liner with 20 mill Pit and Below-Grade T Cover with a minimum | vork). SEE RULE 1103. For COG Operating LLC propose constructed next to the excapsulated in this pit and the iner with excess of 3' on all ank Guidelines. | state all production of the state all production of the state all production of the state all state all state all state all state all production of the state all productions of the state all pro | OTHER: Description Descriptio | ails, and ns: Atta illing pit and line ed over | give pertinent dates, includanch wellbore diagram of proas as follows: d with a 12 mil liner. the mud and cuttings. | |
| Describe proposed or composed or starting any proposed or completion. Remove fluids from pit. A deep trench pit will be The contents will be en Cover liner with 20 mill Pit and Below-Grade T Cover with a minimum | cook). SEE RULE 1103. For COG Operating LLC propose constructed next to the excapsulated in this pit and the iner with excess of 3' on all ank Guidelines. | state all production of the state all production of the state all production of the state all state all state all state all state all production of the state all productions of the state all pro | OTHER: Description Descriptio | ails, and ns: Atta illing pit and line ed over | give pertinent dates, includanch wellbore diagram of proas as follows: d with a 12 mil liner. the mud and cuttings. | |
| Describe proposed or composed or starting any proposed or completion. Remove fluids from pit. A deep trench pit will be The contents will be en Cover liner with 20 mill Pit and Below-Grade T Cover with a minimum | vork). SEE RULE 1103. For COG Operating LLC propose constructed next to the excapsulated in this pit and the iner with excess of 3' on all ank Guidelines. | state all production of the state all production of the state all production of the state all state all state all state all state all production of the state all productions of the state all pro | OTHER: Description Descriptio | ails, and ns: Atta illing pit and line ed over | give pertinent dates, includanch wellbore diagram of proas as follows: d with a 12 mil liner. the mud and cuttings. | |
| Describe proposed or composed or starting any proposed or completion. Remove fluids from pit. A deep trench pit will be The contents will be en Cover liner with 20 mill Pit and Below-Grade T Cover with a minimum | vork). SEE RULE 1103. For COG Operating LLC propose constructed next to the excapsulated in this pit and the iner with excess of 3' on all ank Guidelines. | state all production of the state all production of the state all production of the state all state all state all state all state all production of the state all productions of the state all pro | OTHER: Description Descriptio | ails, and ns: Atta illing pit and line ed over | give pertinent dates, includanch wellbore diagram of proas as follows: d with a 12 mil liner. the mud and cuttings. | |
| Describe proposed or composed or starting any proposed or completion. Remove fluids from pit. A deep trench pit will be an the contents will be en the contents will be en the contents. Cover liner with 20 mill Pit and Below-Grade The Cover with a minimum to contour pit to prevent en the contents. | cook). SEE RULE 1103. For COG Operating LLC propose constructed next to the excapsulated in this pit and the iner with excess of 3' on all ank Guidelines. 3' of native soil. | state all production of the liner all sides and analysis analysis and analysis analysis and analysis analysis and analysis analysis and analysis and analysis and analysis and analysis analysis and analysis and analysis and analysis analys | OTHER: Description of the descri | ails, and ons: Atta illing pit and line ed over | give pertinent dates, includanch wellbore diagram of proas follows: as follows: ad with a 12 mil liner. the mud and cuttings. 3.(b) of the | roposed completion |
| Describe proposed or composed or starting any proposed or completion. Remove fluids from pit. A deep trench pit will be The contents will be en Cover liner with 20 mill Pit and Below-Grade T Cover with a minimum | constructed next to the excapsulated in this pit and the iner with excess of 3' on all ank Guidelines. The rosion and ponding of rains above is true and complete the constructed next to the excapsulated in this pit and the constructed next to the excapsulated in this pit and the constructed next to the excapsulated in this pit and the constructed next to the excapsulated in this pit and the excapsulated next to the e | state all production of the liner all sides and the liner all sides are all sides are all sides and the liner all sides are all sides are all sides and the liner all sides are all sides ar | OTHER: Description of the descri | ails, and ons: Atta illing pit and line ed over on IV.B. | give pertinent dates, includanch wellbore diagram of proas follows: ad with a 12 mil liner. the mud and cuttings. 3.(b) of the | that any pit or below- |
| 13. Describe proposed or composed or composed or recompletion. 1. Remove fluids from pit. 2. A deep trench pit will be The contents will be en 3. Cover liner with 20 mill Pit and Below-Grade T 4. Cover with a minimum 5. Contour pit to prevent end I hereby certify that the information grade tank has been/will be constructed. | coording LLC propose constructed next to the excapsulated in this pit and the iner with excess of 3' on all ank Guidelines. 3' of native soil. Prosion and ponding of raint above is true and complete for closed according to NMOCD guidelines. | state all production of the liner li | OTHER: pertinent deta e Completio lose the dri eserve pit a will be folde as per option est of my kno l, a general pe | ails, and ons: Attailing pit and line ed over on IV.B. | give pertinent dates, include ach wellbore diagram of properties as follows: as follows: ad with a 12 mil liner. the mud and cuttings. 3.(b) of the and belief. I further certify or an (attached) alternative OCI | that any pit or below- |
| Describe proposed or composed or composed or recompletion. Remove fluids from pit. A deep trench pit will be The contents will be en Cover liner with 20 mill Pit and Below-Grade T Cover with a minimum Contour pit to prevent expressions. | constructed next to the excapsulated in this pit and the iner with excess of 3' on all ank Guidelines. The rosion and ponding of rains above is true and complete the constructed next to the excapsulated in this pit and the constructed next to the excapsulated in this pit and the constructed next to the excapsulated in this pit and the constructed next to the excapsulated in this pit and the excapsulated next to the e | state all production of the liner of the besidelines | OTHER: Description of the descri | ails, and ons: Attailing pit and line ed over on IV.B. | give pertinent dates, include ach wellbore diagram of properties as follows: as follows: ad with a 12 mil liner. the mud and cuttings. 3.(b) of the and belief. I further certify or an (attached) alternative OCI | that any pit or below- |
| 13. Describe proposed or composed or composed or recompletion. 1. Remove fluids from pit. 2. A deep trench pit will be The contents will be en 3. Cover liner with 20 mill Pit and Below-Grade T 4. Cover with a minimum 5. Contour pit to prevent en I hereby certify that the information grade tank has been/will be constructed SIGNATURE | coording LLC propose constructed next to the excapsulated in this pit and the iner with excess of 3' on all ank Guidelines. 3' of native soil. Prosion and ponding of raint above is true and complete the closed according to NMOCD guidelines. | state all production of the liner li | OTHER: pertinent deta e Completio close the dri eserve pit a will be folde as per option est of my kno l, a general pe Regulator | ails, and ons: Attailing pit and line ed over on IV.B. | give pertinent dates, include ach wellbore diagram of produce as follows: as follows: ad with a 12 mil liner. the mud and cuttings. 3.(b) of the and belief. I further certify or an (attached) alternative OCI | that any pit or below-D-approved plan |
| 13. Describe proposed or composed or composed or recompletion. 1. Remove fluids from pit. 2. A deep trench pit will be The contents will be en 3. Cover liner with 20 mill Pit and Below-Grade T 4. Cover with a minimum 5. Contour pit to prevent en I hereby certify that the information grade tank has been/will be constructed SIGNATURE | coording LLC propose constructed next to the excapsulated in this pit and the iner with excess of 3' on all ank Guidelines. 3' of native soil. Prosion and ponding of raint above is true and complete for closed according to NMOCD guidelines. | state all production of the liner li | OTHER: pertinent deta e Completio close the dri eserve pit a will be folde as per option est of my kno l, a general pe Regulator | ails, and ons: Attailing pit and line ed over on IV.B. | give pertinent dates, include ach wellbore diagram of produce as follows: as follows: ad with a 12 mil liner. the mud and cuttings. 3.(b) of the and belief. I further certify or an (attached) alternative OCI | that any pit or below-D-approved plan |
| 13. Describe proposed or composed or composed or recompletion. 1. Remove fluids from pit. 2. A deep trench pit will be The contents will be en 3. Cover liner with 20 mill Pit and Below-Grade The Cover with a minimum service of the contents of the cont | coording LLC propose constructed next to the excapsulated in this pit and the iner with excess of 3' on all ank Guidelines. 3' of native soil. Prosion and ponding of raint above is true and complete the closed according to NMOCD guidelines. | state all production of the liner li | OTHER: pertinent deta e Completio close the dri eserve pit a will be folde as per option est of my kno l, a general pe Regulator | ails, and ons: Attailing pit and line ed over on IV.B. | give pertinent dates, include ach wellbore diagram of produce as follows: as follows: ad with a 12 mil liner. the mud and cuttings. 3.(b) of the and belief. I further certify or an (attached) alternative OCI | that any pit or below-D-approved plan |
| 13. Describe proposed or composed or composed or recompletion. 1. Remove fluids from pit. 2. A deep trench pit will be The contents will be en 3. Cover liner with 20 mill Pit and Below-Grade T 4. Cover with a minimum 5. Contour pit to prevent en I hereby certify that the information grade tank has been/will be constructed. SIGNATURE Type or print name Phyllis Ed | coording LLC propose constructed next to the excapsulated in this pit and the iner with excess of 3' on all ank Guidelines. 3' of native soil. Prosion and ponding of raint above is true and complete the closed according to NMOCD guidelines. | state all production of the liner li | OTHER: pertinent deta e Completio close the dri eserve pit a will be folde as per option est of my kno l, a general pe Regulator | ails, and ons: Attailing pit and line ed over on IV.B. | give pertinent dates, include ach wellbore diagram of produce as follows: as follows: ad with a 12 mil liner. the mud and cuttings. 3.(b) of the and belief. I further certify or an (attached) alternative OCI | that any pit or below-D-approved plan |

Accepted for record - NMOCD

12/21/00

COG OPERATING LLC CONTINENTAL A STATE #3


API #: 30-015-34741 EDDY COUNTY, NM RECEIVED SEP 2 1 2006

CLOSURE BEGAN:

9-8-06

CLOSURE COMPLETE:

9-13-06





ALLSTATE ENVIRONMENTAL SERVICES, LLC



P.O BOX 11322 MIDLAND, TEXAS 79702 OFFICE: (432) 682-3547 FAX: (432) 682-4182 Contractors License #94195

30-015-3474/

September 16, 2006



COG Operating, LLC. 550 W. Texas Ave., Suite 1300 Midland, Texas 79701

Dear Sir/Ma'am

Included in this mailing are two copies of the closure report for the Continental A State #3 in Eddy County, New Mexico. One copy is for your records and the other is for the OCD.

Any concern or questions regarding this site may be addressed to Mark Meadows, General Manager, Allstate Environmental Services, at 432-682-3547 or his e-mail address at mark@basinbroadband.com

Sincerely,

Mark Meadows General Manager Allstate Environmental Services

Cc: Allstate Environmental Services - file