<u>District I</u> 1625 N. French Dg., Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artesia, NM 88210 District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

#### State of New Mexico **Energy Minerals and Natural Resources**

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD Displact Office.

For downstream facilities, submit to canta February and the confice of the confict of

Pi	t or	Belo	w-Grade	Tank	Registr	ration	or C	Closure
Ic n	it or	helow-c	rrade tank co	wered by	v a "gener	al nlan"	) Ves	No M

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes \( \subseteq \) No \( \subseteq \)								
Type of action: Registration of a pit or below-grade tank 🗵 Closure of a pit or below-grade tank 🗆								
Type of action: Registration of a pit or below-grade tank  Closure of a pit or below-grade tank  Operator: Pogo Producing Company  Telephone: 432-685-8100 e-mail address: wrigthc@pogoproducing.com								
Operator: Pogo Producing Company Telephone: 432-685-8100 e-mail address: wrigthc@pogoproducing.com  Address: P. O. Box 10340, Midland, TX 79702-7340								
Facility or well name: Pure Gold A Federal #14 API #: 30.015.35307 U/L or Qtr/Qtr B Sec 21 T 23S R 31E								
County: Eddy Latitude 32.295778 Longitude 103.780139 NAD: 1927 ☑ 1983 ☐								
Surface Owner: Federal State Private Indian								
Pit	Below-grade tank							
Type: Drilling 🛛 Production 🗌 Disposal 🗍	Volume:bbl Type of fluid:							
Workover ☐ Emergency ☐	Construction material:							
Lined ☑ Unlined ☐	Double-walled, with leak detection? Yes  If not, explain why not.							
Liner type: Synthetic ☑ Thickness 12 mil Clay ☐								
Pit Volume 16000 bbl								
	Less than 50 feet	(20 points)						
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)						
high water elevation of ground water.)	100 feet or more X	( 0 points) 0						
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)						
water source, or less than 1000 feet from all other water sources.)	No X	( 0 points) 0						
	Less than 200 feet	(20 points)						
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)						
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more X	( 0 points) 0						
	Ranking Score (Total Points)							
	Ranking Score (Total Folias)							
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's								
your are burying in place) onsite 🗌 offsite 🗋 If offsite, name of facility	(3) Attach a general of	description of remedial action taken including						
remediation start date and end date. (4) Groundwater encountered: No 🔲 Y	es If yes, show depth below ground surface	ft. and attach sample results.						
(5) Attach soil sample results and a diagram of sample locations and excavat	ions.							
Additional Comments:								
A Company of the Comp								
		1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.1.						
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank								
has been/will be constructed or closed according to NMOCD guidelines 🖂, a general permit 🗔, or an (attached) alternative OCD-approved plan 🗖.								
Date: 01/02/07								
Printed Name/Title Cathy Wright, Sr. Eng Tech Signature								
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or								
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or								
regulations.								
Approval: Printed Name/Title Line U. Signature Date: 1867								
Printed Name/Title Printed Name/Title Date: 18167								
Wither the Sylvitori								

Water Resources National Water Information System:

Data Category: Site Information → New Mexico

Geographic Area:

GO

# Site Map for New Mexico

Web Interface

USGS 322114103524801 22S.30E.33.212243

Available data for this site

Site map

Eddy County, New Mexico Hydrologic Unit Code Latitude 32°21'14", Longitude 103°52'48" NAD27 Land-surface elevation 3,161.57 feet above sea level NGVD29 The depth of the well is 248 feet below land surface. This well is completed in the RUSTLER FORMATION (312RSLR) local aguifer. Location of the site in New Mexico. Site map. USGS Station 322114103524801 USGS Station 3221141035 ZOOM IN <u>2X</u>, <u>4X</u>, <u>6X</u>, <u>8X</u>, or ZOOM OUT <u>2X</u>, <u>4X</u>. <u>6X</u>. <u>8X</u>. Maps are generated by US Census Bureau TIGER Mapping Service.

Ouestions about sites/data? Feedback on this web site NWIS Site Inventory for New Mexico: Site Map http://waterdata.usgs.gov/nm/nwis/nwismap?

Top Explanation of terms

Retrieved on 2006-12-19 16:22:53 EST Department of the Interior, U.S. Geological Survey

http://nwis.waterdata.usgs.gov/nm/nwis/nwismap/?site no=322114103524801&

12/19/2006

Water Resources National Water Information System: Web Interface

Data Category: Ground Water Geographic Area: New Mexico

\_\_\_\_ Go

## **Ground-water levels for New Mexico**

Search Results -- 1 sites found

Search Criteria

site\_no list = • 322114103524801


Save file of selected sites to local disk for future upload

#### USGS 322114103524801 22S.30E.33.212243

Available data for this site

Ground-water: Field measurements 🕱

GO



### Great Circle Calculator.


### By Ed Williams

You need Javascript enabled if you want this page to do anything useful! For Netscape, it's under Options/Network Preferences/Languages.

### Compute true course and distance between points.

Enter lat/lon of points, select distance units and earth model and click "compute". Lat/lons may be entered in DD.DD, DD:MM.MM or DD:MM:SS.SS formats.

Note that if either point is very close to a pole, the course may be inaccurate, because of its extreme sensitivity to position and inevitable rounding error.



## Compute lat/lon given radial and distance from a known point

Enter lat/lon of initial point, true course and distance. Select distance units and earth model and click "compute". Lat/lons may be entered in DD.DD, DD:MM.MM or DD:MM:SS.SS formats.

Note that the starting point cannot be a pole.

Reset

Compute

Input data

Lat1 Lon1

0:00.00 N → 0:00.00 W →

Course 1-2 Distance 1-2

360 0.0