Submit to Appropriate District Office Form C-105 State Lease - 6 copies State of New Mexico Revised June 10, 2003 Fee Lease - 5 copies District I Energy, Minerals and Natural Resources Well API No. 1625 N. French Dr., Hobbs, NM 88240 30-015-34941 District II 1301 W. Grand Avenue, Artesia, NM 88210 Oil Conservation Division 5. Indicate Type of Lease Month - Year District III FEE STATE 1220 South St. Francis Dr. 1000 Rio Brazos Rd, Aztec, NM 87410 MAY 3 2007 District IV Santa Fe. NM 87505 State Oil & gas Lease No. 1220 S. St. Francis Dr., Santa Fe, NM 87505 ARTESIA NIM WELL COMPLETION OR RECOMPLETION REPORT AND LOG 1a Type of Well: 7. Lease Name and Unit Agreement Name Oil Well ✓ Gas Well ☐ Dry ☐ Other b. Type of Completion: ☑ New Well ☐ Work Over Deepen Plug Back Diff, Resyr.. Ocotillo 6 State 8. Well No. 2. Name of Operator **DEVON ENERGY PRODUCTION COMPANY, LP** 3. Address of Operator 9. Pool name or Wildcat 20 NORTH BROADWAY, OKC OK 73102-8260 Sheep Draw; Morrow 4. Well Location **Unit Letter** 1330 feet from the NORTH line and 690 feet from the **EAST** line Section 235 Township 26E Range **NMPM EDDY** County New Mexico 13. Elevations (DR, RKB, RT, GL)* 10. Date Spudded 11. Date T.D. Reached 12. Date Completed 14. Elev. Casinghead 12/24/2006 1/24/2006 3/7/2007 3077 16. Plug Back T.D.: 15. Total Depth: MD 18. Intervals Rotary Tools Cable Tools 17. If Multiple Compl. How Many 11.715 11,670 Drilled BY Zones No 19. Producing Intervals(s), of this completion - Top, Bottom, Name 20. Was Directional Survey Made 11,262' -11,275' Morrow No 21. Type Electric and Other Logs Run 22. Was Well Cored **BHC; CNL; IND; HNGRST** 23 CASING RECORD (Report all strings set in well) Casing Size Weight LB./FT. Depth Set Hole Size Cementing Record Amount Pulled 13 3/8" 48# J-55 714' 17 1/2" 650 sx CI C, 141 to pit 9 5/8" 40# J-55 1629 12 1/4" 550 sx CI C, 167 to pit 5 1/2" 17# P-110 11715' 8 3/4" 3020 sx CI H/C 53 to pit Liner Record 25 **Tubing Record** Bottom Size top Sacks Cement Screen Size Depth Set Packer Set 2 7/8" 11,207 11,200' 27. Acid, Shot, Fracture, Cement, Squeeze, ETC. 26. Perforation record (interval, size, and number) Depth Interval **Amount and Kind Material Used** 11262-11275 11262-11275; (4SPF) 52 holes Acidize w/1000 gals isosol + 100 bll slrs. Frac w/54,000# 18/40 sn + 29,000# gals Soectra-Star 3000.0 28 **PRODUCTION** Date First Production Production Method (Flowing, Gas lift, pumping - Size and type pump) Well Status (Prod. Or Shut-In) 3/7/2007 Flowing **Producing** Date of Test Hours Tested Choke Size Prod'n For Test Oil - BbL Gas - MCF Water - Bbl Gas - Oil Ratio 4/9/2007 20/64" #DIV/0! Flowing Tubing Press. Casing Pressure Calculated 24-Oil - Bbl. Gas - MCF Water - Bbl Oil Gravity - API (Corr). 99 Test Witnessed By 29. Disposition of Gas (Sold, used for fuel, vented, etc.) Sold 30. List Attachments 31. I hereby certify that the information/shown on both sides of this form as true and complete to the best of my knowledge and belie Printed **SIGNATURE** Name Stephanie A. Ysasaga Title Sr. Staff Engineering Technician DATE 4/10/2007 E-mail Address: Stephanie. Ysasaga@dvn.com

This Form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem test. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

T. Canyon	New Mexi			ATIONS TOPS IN CONFO	Northwestern New			
T. Strawn								IT. Penn "B"
Salt					d	T. Penn "C"		
Delaware							T. Penn "D"	
Sone Spring Lm			1583'					
The content of the		nas I m						
T. Montoya	•							
Penn 9433' T. Simpson T. Gallup T. Ignacio Otzte								
T. McKee Base Greenhom T. Granite		opinig 0 <u>0</u>						
T. Dakota								
Morrow 10832' T. Gr. Wash T. Morrison T.								
Total content								
T. Entrada T. T. Wingate T. Wingate T.		_n —						
T. T. T. T. T. T. T. T. T. T.								
Volfcamp	-						····	
T. T. T. Permian T. Permian T. Permian T			11000					
T. T. T. T. T. OIL OR GAS SANDS OR ZONE	•							
OIL OR GAS SANDS OR ZONE 1, from		ugh (C) —						
1, from	JISCO (DO	ugii ()			11.1 01111			
2, from	1. from .		ta		No. 3. fr	om		SANDS OR ZONES
IMPORTANT WATER SANDS lude data on rate of water inflow and elevation to which water rose in hole 1, from								
Thicknes In Thickness in	1, from . 2, from .		to	levation to which water rose in h	nole feet feet			
	. 1, from . . 2, from .		to	levation to which water rose in h	nole feet feet feet			
From To Feet Lithology From To Feet Lithology	1, from . 2, from .		to	levation to which water rose in h	nole feet feet feet		ary)	
	1, from . 2, from . 3, from .		to t	levation to which water rose in h	nole feet feet feet feet	f necess	ary` Thickness in	
	1, from . 2, from . 3, from .		to t	levation to which water rose in h	nole feet feet feet feet	f necess	ary` Thickness in	
	1, from . 2, from . 3, from .		to t	levation to which water rose in h	nole feet feet feet feet	f necess	ary` Thickness in	
	1, from . 2, from . 3, from .		to t	levation to which water rose in h	nole feet feet feet feet	f necess	ary` Thickness in	
	1, from . 2, from . 3, from .		to t	levation to which water rose in h	nole feet feet feet feet	f necess	ary` Thickness in	
	1, from . 2, from . 3, from .		to t	levation to which water rose in h	nole feet feet feet feet	f necess	ary` Thickness in	
	1, from . 2, from . 3, from .		to t	levation to which water rose in h	nole feet feet feet feet	f necess	ary` Thickness in	
	1, from . 2, from . 3, from .		to t	levation to which water rose in h	nole feet feet feet feet	f necess	ary` Thickness in	
	1, from . 2, from . 3, from .		to t	levation to which water rose in h	nole feet feet feet feet	f necess	ary` Thickness in	
	1, from . 2, from . 3, from .		to t	levation to which water rose in h	nole feet feet feet feet	f necess	ary` Thickness in	
	1, from . 2, from . 3, from .		to t	levation to which water rose in h	nole feet feet feet feet	f necess	ary` Thickness in	
	1, from . 2, from . 3, from .		to t	levation to which water rose in h	nole feet feet feet feet	f necess	ary` Thickness in	
	1, from . 2, from . 3, from .		to t	levation to which water rose in h	nole feet feet feet feet	f necess	ary` Thickness in	
	1, from . 2, from . 3, from .		to t	levation to which water rose in h	nole feet feet feet feet	f necess	ary` Thickness in	
	1, from . 2, from . 3, from .		to t	levation to which water rose in h	nole feet feet feet feet	f necess	ary` Thickness in	
	1, from . 2, from . 3, from .		to t	levation to which water rose in h	nole feet feet feet feet	f necess	ary` Thickness in	
	1, from . 2, from . 3, from .		to t	levation to which water rose in h	nole feet feet feet feet	f necess	ary` Thickness in	
	1, from . 2, from . 3, from .		to t	levation to which water rose in h	nole feet feet feet feet	f necess	ary` Thickness in	
	1, from . 2, from . 3, from .		to t	levation to which water rose in h	nole feet feet feet feet	f necess	ary` Thickness in	
	1, from . 2, from . 3, from .		to t	levation to which water rose in h	nole feet feet feet feet	f necess	ary` Thickness in	



McVAY DRILLING COMPANY

P.O. Box 2450 Hobbs, New Mexico 88241 (505) 397-3311 FAX: 39-DRILL

Well Name and Number: Ocotillo 6 St # 1

Location: Sec 6, T23S, R26E, Eddy County, NM

Operator: Devon

Drilling Contractor: McVay Drilling Company

The undersigned certifies that he is an authorized representative of the drilling contractor who drilled the above described well and that he has conducted deviation tests and obtained the following results:

Degrees @	Depth	Degrees @ Depth		
1 1/4	250	1	7149	
2	475	1 ¾	7647	
2 1/2	714	1 1/2	8115	
2	847	1	8585	
1 1/4	1061	1	9084	
1	1310	1 1/4	9557	
1 1/4	1629	3/4	10050	
1/2	2121	1	10542	
3/4	2620	1	11021	
1	3105	1/2	11690	
1	3583			
1	4057			
3/4	4535			
3/4	5005			
1/2	5504			
3/4	6002			
1 1/4	6499			
1	6683			

Drilling Contractor: McVay Drilling Company

Subscribed and sworn to before me this 200 day of Coprid

2007

My Commission Expires: B-16.09

Lea County, New Mexico

