

Submit to Appropriate District Office
State Lease - 6 copies
Fee Lease - 5 copies

District I
1625 N. French, Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-105
Revised June 10, 2003

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO.
30-015-34683

5. Indicate Type Of Lease
STATE ☐ FEE ☒

6. State Oil & Gas Lease No.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:
OIL WELL ☐ GAS WELL ☐ DRY ☒ OTHER ☐
b. Type of Completion:
NEW WELL ☒ WORK OVER ☐ DEEPEN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ OTHER ☐
Month - Year
APR 23 2007
OCD - ARTESIA, NM

7. Lease Name or Unit Agreement Name
OXY Peso

2. Name of Operator
OXY USA WTP Limited Partnership 192463

8. Well No.
1

3. Address of Operator
P.O. Box 50250 Midland, TX 79710-0250

9. Pool name or Wildcat
Illinois Camp Morrow

4. Well Location
Unit Letter F : 1650 Feet From The north Line and 1850 Feet From The west Line
Section 24 Township 18S Range 27E NMPM Eddy County

10. Date Spudded 12/27/06 11. Date T.D. Reached 2/4/07 12. Date Compl. (Ready to Prod.) --- 13. Elevations (DF & RKB, RT, GR, etc.) 3579' 14. Elev. Casinghead

15. Total Depth 10489' 16. Plug Back T.D. --- 17. If Multiple Compl. How Many Zones? 18. Intervals Drilled By 19. Producing Interval(s), of this completion - Top, Bottom, Name --- 20. Was Directional Survey Made No

21. Type Electric and Other Logs Run DLL\MLL\CZDL\DSL\MAAL\CNL\GRL 22. Was Well Cored No

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
13-3/8"	48#	427'	17-1/2"	450sx-Surf-Circ	N/A
9-5/8"	36#	2502'	12-1/4"	950sx-Surf-Circ	N/A

24. LINER RECORD					25. TUBING RECORD		
SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET

26. Perforation record (interval, size, and number)				27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.	
				DEPTH INTERVAL	AMOUNT AND KIND MATERIAL USED

28. PRODUCTION
Date First Production Production Method (Flowing, gas lift, pumping - Size and type pump) Well Status (Prod. or Shut-in) P&A

Date of Test Hours Tested Choke Size Prod'n For Test Period Oil - Bbl. Gas - MCF Water - Bbl. Gas - Oil Ratio
Flow Tubing Press. Casing Pressure Calculated 24-Hour Rate Oil - Bbl. Gas - MCF Water - Bbl. Oil Gravity - API - (Corr.)

29. Disposition of Gas (Sold, used for fuel, vented, etc.) Test Witnessed By

30. List Attachments
C-103. Deviation Survey. Logs

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief
Signature David Stewart Printed Name David Stewart Title Sr. Reg Analyst Date 4/20/07
E-mail address david.stewart@oxy.com

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northeastern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	T. Strawn 9356'	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt	T. Atoka 9730'	T. Pictured Cliffs	T. Penn. "D"
T. Yates	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison
T. Queen	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres	T. Simpson	T. Gallup	T. Ignacio Otzte
T. Glorieta	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	T.
T. Blinebry	T. Gr. Wash	T. Morrison	T.
T. Tubb	T. Delaware Sand	T. Todilto	T.
T. Drinkard	T. Bone Springs 3556'	T. Entrada	T.
T. Abo	T. Morrow 9918'	T. Wingate	T.
T. Wolfcamp 7313'		T. Chinle	T.
T. Penn	T.	T. Permain	T.
T. Cisco (Bough C)	T.	T. Penn "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from _____ to _____
 No. 2, from _____ to _____

No. 3, from _____ to _____
 No. 4, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet
 No. 2, from _____ to _____ feet
 No. 3, from _____ to _____ feet

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology	From	To	Thickness in Feet	Lithology
0	382	382	Halite				
382	3356	2974	Anhyd, Dolom, Sndst, Shale				
3356	7313	3957	Anhyd, Sndst, Shale				
7313	8234	921	Lmest, Shale, Chert				
8234	9356	1122	Lmest, Shale, Chert, Dolom				
9356	9730	374	Lmest, Chert, Shale				
9730	9918	188	Lmest, Sndst, Shale, Chert				
9918	10260	342	Sndst, Lmest, Chert, Shale				
10260	10354	94	Shale				
10354	10406	52	Lmest				

**McVAY DRILLING COMPANY**

P.O. Box 2450
Hobbs, New Mexico 88241
(505) 397-3311
FAX: 39-DRILL

Month - Year
APR 23 2007
OCD - ARTESIA, NM

Well Name and Number: Oxy Peso # 1

Location: Sec 24, T18S, R27E Eddy County, NM

Operator: Oxy

Drilling Contractor: McVay Drilling Company

S

The undersigned certifies that he is an authorized representative of the drilling contractor who drilled the above described well and that he has conducted deviation tests and obtained the following results:

Degrees @ Depth

1/4	427
3/4	915
1	1390
3/4	1892
1/2	2362
1/4	2548
1 1/2	3050
1 3/4	3332
1	3582
3/4	3834
3/4	4117
5	4615
5 1/2	4680
6	4805
6 1/2	4910
7	5004
7 1/2	5049
7 3/4	5136
6 1/2	6324
6 1/2	5419
5 1/2	5638
5	5795
4 1/2	5921
4 1/2	5950
4	6046
4	6328

Degrees @ Depth

5	6423
5	6579
3 1/4	6703
3	6735
3 1/2	6798
3 3/4	6523
3 1/2	7017
3 1/4	7174
2	7268
2 1/2	7392
2	7516
1 1/2	7683
1	7998
1 3/4	8152
1 1/2	8279
1	7998
1 1/2	7683
2 1/4	7392
2	7516
2	10356
2	10479

Drilling Contractor: McVay Drilling Company

By: H.H. Crandall Jr.

Subscribed and sworn to before me this 14th day of February, 2007

Tina FLEMING
Notary Public

Lea County, New Mexico

My Commission Expires: 8/16/09



Scientific Drilling International

Survey Report

Company: OCCIDENTAL PERMIAN LTD.
 Field: Illinois Camp
 Site: Eddy County, NM
 Well: Oxy Peso #1
 Wellpath: VH - Job #32K0107051

Date: 01/29/2007 Time: 20:45:05 Page: 1
 Co-ordinate(NE) Reference: Site: Eddy County, NM, Grid North
 Vertical (TVD) Reference: SITE 0.0
 Section (VS) Reference: Well (0.00N,0.00E,309.58Azi)
 Survey Calculation Method: Minimum Curvature Db: Sybase


Survey: 01/14/07 Start Date: 01/14/2007
 KSRG 0'-6172'
 Company: Scientific Drilling Internatio Engineer: Rehders/Rando
 Tool: Keeper;Keeper Surface Readout Tied-to: From Surface

Survey

MD ft	Incl deg	Azim deg	TVD ft	VS ft	N/S ft	E/W ft	DLS deg/100ft	ClsD ft	ClsA deg
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
100.00	0.13	219.53	100.00	0.00	-0.09	-0.07	0.13	0.11	219.53
200.00	0.18	117.43	200.00	-0.15	-0.25	0.00	0.24	0.25	181.16
300.00	0.17	132.41	300.00	-0.46	-0.42	0.24	0.05	0.49	149.84
400.00	0.32	253.05	400.00	-0.45	-0.60	0.09	0.43	0.61	171.82
500.00	0.34	253.78	500.00	-0.13	-0.77	-0.47	0.02	0.90	211.31
600.00	0.37	263.04	600.00	0.26	-0.89	-1.07	0.06	1.39	230.35
700.00	0.46	271.21	699.99	0.80	-0.92	-1.79	0.11	2.01	242.88
800.00	0.47	279.37	799.99	1.47	-0.84	-2.60	0.07	2.73	252.03
900.00	0.49	286.72	899.99	2.21	-0.65	-3.41	0.06	3.48	259.17
1000.00	0.54	289.30	999.98	3.05	-0.37	-4.27	0.06	4.28	264.99
1100.00	0.53	286.21	1099.98	3.92	-0.09	-5.16	0.03	5.16	269.01
1200.00	0.69	291.91	1199.97	4.92	0.26	-6.16	0.17	6.16	272.46
1300.00	0.79	300.73	1299.96	6.17	0.84	-7.31	0.15	7.36	276.56
1400.00	0.82	309.97	1399.95	7.57	1.65	-8.45	0.13	8.61	281.07
1500.00	0.88	309.61	1499.94	9.05	2.60	-9.59	0.06	9.94	285.18
1600.00	0.94	306.10	1599.93	10.64	3.58	-10.85	0.08	11.42	288.25
1700.00	0.90	308.02	1699.92	12.24	4.54	-12.13	0.05	12.95	290.53
1800.00	0.98	305.90	1799.90	13.88	5.53	-13.44	0.09	14.53	292.36
1900.00	0.90	307.21	1899.89	15.52	6.50	-14.76	0.08	16.13	293.79
2000.00	0.91	313.49	1999.88	17.09	7.53	-15.96	0.10	17.64	295.25
2100.00	0.98	307.31	2099.86	18.74	8.59	-17.21	0.12	19.24	296.52
2200.00	0.98	316.85	2199.85	20.44	9.73	-18.48	0.16	20.89	297.77
2300.00	0.97	313.61	2299.83	22.14	10.94	-19.68	0.06	22.51	299.07
2400.00	1.06	309.81	2399.82	23.91	12.12	-21.00	0.11	24.25	299.98
2500.00	1.00	310.89	2499.80	25.70	13.28	-22.37	0.06	26.02	300.69
2600.00	0.94	310.00	2599.79	27.40	14.38	-23.66	0.06	27.69	301.29
2700.00	1.04	308.26	2699.77	29.12	15.47	-25.00	0.10	29.40	301.75
2800.00	1.26	298.88	2799.75	31.11	16.56	-26.68	0.29	31.40	301.83
2900.00	1.33	298.62	2899.73	33.33	17.65	-28.66	0.07	33.65	301.63
3000.00	1.26	301.28	2999.70	35.56	18.77	-30.62	0.09	35.91	301.52
3100.00	1.23	302.17	3099.68	37.71	19.92	-32.46	0.04	38.09	301.53
3200.00	1.22	299.89	3199.66	39.82	21.02	-34.29	0.05	40.22	301.50
3300.00	1.24	295.48	3299.63	41.92	22.01	-36.19	0.10	42.36	301.31
3400.00	1.26	295.22	3399.61	44.04	22.95	-38.17	0.02	44.53	301.02
3500.00	1.29	297.61	3499.58	46.20	23.94	-40.16	0.06	46.75	300.80
3600.00	1.30	294.20	3599.56	48.40	24.93	-42.19	0.08	49.00	300.57
3700.00	1.42	286.63	3699.53	50.63	25.74	-44.41	0.22	51.33	300.10
3800.00	1.43	287.51	3799.50	52.93	26.47	-46.79	0.02	53.76	299.50
3900.00	1.42	283.75	3899.47	55.20	27.14	-49.18	0.09	56.18	298.89
4000.00	1.53	285.09	3999.44	57.53	27.79	-51.68	0.12	58.67	298.27
4100.00	1.68	286.95	4099.40	60.10	28.56	-54.37	0.16	61.41	297.72
4200.00	1.93	287.56	4199.35	63.01	29.50	-57.37	0.25	64.51	297.21
4300.00	2.20	292.12	4299.28	66.41	30.73	-60.76	0.32	68.09	296.83
4400.00	2.38	291.30	4399.20	70.21	32.20	-64.47	0.18	72.07	296.54
4500.00	3.29	290.81	4499.08	74.90	33.98	-69.09	0.91	76.99	296.19
4600.00	4.46	293.85	4598.85	81.36	36.57	-75.33	1.19	83.73	295.90
4700.00	5.72	296.32	4698.45	89.95	40.35	-83.35	1.28	92.60	295.83
4800.00	6.24	298.80	4797.91	100.14	45.18	-92.58	0.58	103.01	296.01



Scientific Drilling



OCCIDENTAL PERMIAN LTD.

Field: Illinois Camp
Site: Eddy County, NM
Well: Oxy Peso #1
Wellpath: VH - Job #32K0107051
Survey: 01/14/07


This survey is correct to the best of my knowledge
and is supported by actual field data.

.....*R. Wharton*.....Company Representative

Notorized this date 30th of January, 2007.

Deborah Sue Bynum
Notary Signature

County of Midland
State of Texas





Scientific Drilling International

Survey Report

Company: OCCIDENTAL PERMIAN LTD.
Field: Illinois Camp
Site: Eddy County, NM
Well: Oxy Peso #1
Wellpath: VH - Job #32K0107051

Date: 01/29/2007 Time: 20:45:05 Page: 2
Co-ordinate(NE) Reference: Site: Eddy County, NM, Grid North
Vertical (TVD) Reference: SITE 0.0
Section (VS) Reference: Well (0.00N,0.00E,309.58Azi)
Survey Calculation Method: Minimum Curvature Db: Sybase


Survey

MD ft	Incl deg	Azim deg	TVD ft	VS ft	N/S ft	E/W ft	DLS deg/100ft	ClsD ft	ClsA deg
4900.00	6.68	305.39	4897.27	111.28	51.17	-102.08	0.86	114.19	296.62
5000.00	7.00	308.68	4996.56	123.17	58.34	-111.58	0.51	125.91	297.60
5100.00	7.61	316.54	5095.75	135.84	66.96	-120.89	1.17	138.20	298.98
5200.00	7.60	318.72	5194.87	148.94	76.73	-129.81	0.29	150.79	300.59
5300.00	7.33	319.27	5294.03	161.76	86.54	-138.34	0.28	163.17	302.03
5400.00	6.97	321.34	5393.25	173.98	96.11	-146.29	0.44	175.03	303.30
5500.00	6.32	324.32	5492.58	185.25	105.32	-153.29	0.74	185.98	304.49
5600.00	5.70	327.26	5592.03	195.30	113.97	-159.18	0.69	195.78	305.60
5700.00	5.13	329.59	5691.58	204.24	122.00	-164.13	0.61	204.51	306.62
5800.00	4.72	327.77	5791.21	212.35	129.34	-168.59	0.44	212.49	307.49
5900.00	4.48	329.10	5890.89	219.94	136.17	-172.79	0.26	220.00	308.24
6000.00	4.07	325.05	5990.61	227.04	142.43	-176.83	0.51	227.06	308.85
6100.00	4.17	323.80	6090.35	233.98	148.27	-181.01	0.13	233.98	309.32
6172.00	3.88	319.79	6162.17	238.92	152.24	-184.13	0.56	238.92	309.58




Scientific
Drilling

Field: ~~XXXXXX~~ Camp
Site: Eddy County, NM
Well: Oxy Peso #1
Wellpath: VH - Job #32K0107051
Survey: 01/14/07



South(-)/North(+) [50ft/in]



West(-)/East(+) [50ft/in]