

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION

1220 South St. Francis Dr.

Santa Fe, NM 87505

JUN 13 2007

WELL API NO.

30-015-28384

5. Indicate Type Of Lease

STATE ☒ FEE ☐

6. State Oil & Gas Lease No.

A E-9706

OCD-ARTESIA

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well:

OIL WELL ☐GAS WELL ☒DRY ☐OTHER ☐

b. Type of Completion:

NEW ☐WORK ☐WELL ☐OVER ☐DEEPEN ☐PLUG ☐BACK ☐DIFF. ☐RESVR. ☒OTHER ☐

2. Name of Operator

Marathon Oil Company

3. Address of Operator

P.O. Box 3487 Houston, TX 77253-3487

4. Well Location

Unit Letter K : 1650 Feet From The South Line and 2310 Feet From The West LineSection 2Township 21-SRange 23-E

NMPM

Eddy

County

10. Date Spudded

03/22/2007

11. Date T.D. Reached

04/11/2007

12. Date Compl. (Ready to Prod.)

05/25/2007

13. Elevations (DF & RKB, RT, GR, etc.)

3736' GR

14. Elev. Casinghead

15. Total Depth

9756 MD

16. Plug Back T.D.

9608

17. If Multiple Compl. How

Many Zones? No

18. Intervals

Drilled By

Rotary Tools

All

Cable Tools

19. Producing Interval(s), of this completion - Top, Bottom, Name

9480' - 9512' Morrow

20. Was Directional Survey Made

Yes

21. Type Electric and Other Logs Run

Compensated Neutron, Digital Spectralog & Dual Laterlog

22. Was Well Cored

No

23. CASING RECORD (Report all strings set in well)

CASING SIZE	WEIGHT LB./FT.	DEPTH SET	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
9 5/8"	36#	1285'	14 3/4"	1055 sks	
7"	23 & 26#	8042'	8 3/4"	1300 sks	

24. LINER RECORD

SIZE	TOP	BOTTOM	SACKS CEMENT	SCREEN	SIZE	DEPTH SET	PACKER SET
4 1/2"	7188'	9660'	340		2 3/8"	9334'	9426

26. Perforation record (interval, size, and number)

9480' - 9488', 9492' - 9512'
 .380 diameter 25gram charge
 168 holes

27. ACID, SHOT, FRACTURE, CEMENT, SQUEEZE, ETC.

DEPTH INTERVAL

9480' - 9512'

AMOUNT AND KIND MATERIAL USED

36300 gals CO2 / 40,250 lbs

20/40 Ceramic

28. PRODUCTION

Date First Production 05/31/2007		Production Method (Flowing, gas lift, pumping - Size and type pump) Flowing				Well Status (Prod. or Shut-in) Active	
Date of Test 06/07/2007	Hours Tested 24	Choke Size 17/64	Prod'n For Test Period	Oil - Bbl. 0	Gas - MCF 680	Water - Bbl. 20	Gas - Oil Ratio N/A
Flow Tubing Press. 600	Casing Pressure 0	Calculated 24-Hour Rate	Oil - Bbl. 0	Gas - MCF 680	Water - Bbl. 20	Oil Gravity - API - (Corr.) N/A	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

Sold

Test Witnessed By

Jerry Harrison

30. List Attachments

Logs, Deviation Survey, Wellbore Diagram

31. I hereby certify that the information shown on both sides of this form is true and complete to the best of my knowledge and belief

Signature Charles E. Kendrick

Printed Name

Charles E. Kendrick

Title Reg Compliance Rep Date 06/08/2007

E-mail address

cekendrix@marathonoil.com

INSTRUCTIONS

This form is to be filed with the appropriate District Office of the Division not later than 20 days after the completion of any newly-drilled or deepened well. It shall be accompanied by one copy of all electrical and radio-activity logs run on the well and a summary of all special tests conducted, including drill stem tests. All depths reported shall be measured depths. In the case of directionally drilled wells, true vertical depths shall also be reported. For multiple completions, Items 25 through 29 shall be reported for each zone. The form is to be filed in quintuplicate except on state land, where six copies are required. See Rule 1105.

INDICATE FORMATION TOPS IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE

Southeastern New Mexico		Northeastern New Mexico	
T. Anhy	T. Canyon	T. Ojo Alamo	T. Penn. "B"
T. Salt	T. Strawn	T. Kirtland-Fruitland	T. Penn. "C"
B. Salt	T. Atoka	T. Pictured Cliffs	T. Penn. "D"
T. Yates	T. Miss	T. Cliff House	T. Leadville
T. 7 Rivers	T. Devonian	T. Menefee	T. Madison
T. Queen	T. Silurian	T. Point Lookout	T. Elbert
T. Grayburg	T. Montoya	T. Mancos	T. McCracken
T. San Andres	T. Simpson	T. Gallup	T. Ignacio Otzte
T. Glorieta	T. McKee	Base Greenhorn	T. Granite
T. Paddock	T. Ellenburger	T. Dakota	T.
T. Blinebry	T. Gr. Wash	T. Morrison	T.
T. Tubb	T. Delaware Sand	T. Todilto	T.
T. Drinkard	T. Bone Springs	T. Entrada	T.
T. Abo	T.	T. Wingate	T.
T. Wolfcamp		T. Chinle	T.
T. Penn	T.	T. Permain	T.
T. Cisco (Bough C)	T.	T. Penn "A"	T.

OIL OR GAS SANDS OR ZONES

No. 1, from _____ to _____

No. 3, from ----- to -----

No. 2, from ----- to -----

No. 4, from ----- to -----

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet _____

No. 2, from _____ to _____ feet _____

No. 3. from ----- to ----- feet

LITHOLOGY RECORD (Attach additional sheet if necessary)

From	To	Thickness in Feet	Lithology

From	To	Thickness in Feet	Lithology



Actual Wellpath Report

#20 AWP ST01

Page 1 of 5



INTEQ

REFERENCE WELLPATH IDENTIFICATION

Operator	Marathon Oil Company	Slot	#20_SHL
Area	Eddy County, NM	Well	North Indian Basin Unit #20
Field	Indian Basin Field	Wellbore	#20 AWP ST01
Facility	Indian Basin	Sidetrack from	#20 AWP at 8042.00 MD

REPORT SETUP INFORMATION

Projection System	NAD27 / TM New Mexico State Planes, Eastern Zone (3001), US feet	Software System	WellArchitect™ 1.2
North Reference	Grid	User	GomeOscR
Scale	0.999915	Report Generated	04/12/07 at 08:12:55
Wellbore last revised	04/03/07	Database/Source file	WA_Midland/#20_AW

WELLPATH LOCATION

	Local coordinates		Grid coordinates		Geographic coordinates	
	North [feet]	East [feet]	Easting [US feet]	Northing [US feet]	Latitude [°]	Longitude [°]
Slot Location	-7426.65	-7969.70	425898.50	547431.50	32 30 17.172N	104 34 25.321W
Facility Reference Pt			433867.50	554857.50	32 31 30.826N	104 32 52.438W
Field Reference Pt			0.00	0.00	30 59 24.512N	105 55 44.137W

WELLPATH DATUM

Calculation method	Minimum curvature	Rig on #20_SHL (RT) to Facility Vertical Datum	0.00 feet
Horizontal Reference Pt	Slot	Rig on #20_SHL (RT) to Mean Sea Level	0.00 feet
Vertical Reference Pt	Rig on #20_SHL (RT)	Facility Vertical Datum to Mud Line (Facility)	0.00 feet
MD Reference Pt	Rig on #20_SHL (RT)	Section Origin	N 0.00, E 0.00 ft
Field Vertical Reference	Mean Sea Level	Section Azimuth	227.07°



Actual Wellpath Report

#20 AWP ST01

Page 2 of 5



INTEQ

REFERENCE WELLPATH IDENTIFICATION

Operator	Marathon Oil Company	Slot	#20_SHL
Area	Eddy County, NM	Well	North Indian Basin Unit #20
Field	Indian Basin Field	Wellbore	#20 AWP ST01
Facility	Indian Basin	Sidetrack from	#20 AWP at 8042.00 MD

WELLPATH DATA (135 stations)

MD [feet]	Inclination [°]	Azimuth [°]	TVD [feet]	Vert Sect [feet]	North [feet]	East [feet]	DLS [°/100ft]
0.00	0.000	0.000	0.00	0.00	0.00	0.00	0.00
100.00	0.260	106.180	100.00	-0.12	-0.06	0.22	0.26
200.00	0.620	107.710	200.00	-0.50	-0.29	0.95	0.36
300.00	0.620	122.620	299.99	-0.90	-0.75	1.92	0.16
400.00	0.600	127.100	399.99	-1.12	-1.35	2.80	0.05
500.00	0.620	122.480	499.98	-1.35	-1.96	3.67	0.05
600.00	0.470	124.530	599.97	-1.58	-2.48	4.46	0.15
700.00	0.680	211.430	699.97	-1.09	-3.22	4.49	0.81
800.00	1.650	205.740	799.95	0.82	-5.03	3.56	0.98
900.00	1.330	212.890	899.92	3.29	-7.30	2.30	0.37
1000.00	1.470	210.800	999.89	5.64	-9.37	1.02	0.15
1100.00	0.920	211.580	1099.86	7.65	-11.16	-0.06	0.55
1200.00	1.040	207.030	1199.85	9.27	-12.65	-0.89	0.14
1300.00	1.040	215.590	1299.83	11.01	-14.20	-1.84	0.16
1400.00	1.100	229.410	1399.82	12.86	-15.56	-3.09	0.26
1500.00	1.130	227.710	1499.80	14.81	-16.85	-4.55	0.04
1600.00	1.030	234.680	1599.78	16.69	-18.03	-6.01	0.16
1700.00	1.140	231.820	1699.76	18.57	-19.17	-7.53	0.12
1800.00	1.110	227.100	1799.74	20.53	-20.44	-9.02	0.10
1900.00	1.090	243.140	1899.72	22.41	-21.52	-10.58	0.31
2000.00	1.110	240.920	1999.70	24.26	-22.43	-12.27	0.05
2100.00	1.220	228.730	2099.68	26.27	-23.60	-13.92	0.27
2200.00	1.130	240.270	2199.66	28.29	-24.79	-15.58	0.25
2300.00	1.120	232.720	2299.64	30.23	-25.88	-17.21	0.15
2400.00	0.850	218.670	2399.63	31.66	-26.36	-18.72	0.81
2500.00	0.870	235.480	2499.62	32.87	-26.67	-20.08	0.63
2600.00	1.470	206.100	2599.60	34.82	-28.26	-21.27	0.83
2700.00	0.950	225.020	2699.58	36.85	-29.99	-22.42	0.65
2800.00	0.900	245.250	2799.57	38.42	-30.91	-23.72	0.33
2900.00	1.110	229.150	2899.55	40.13	-31.87	-25.17	0.35
3000.00	1.050	220.590	2999.53	42.01	-33.20	-26.50	0.17
3100.00	1.020	227.480	3099.52	43.81	-34.50	-27.75	0.13
3200.00	1.150	228.370	3199.50	45.71	-35.77	-29.15	0.13
3300.00	1.380	227.680	3299.47	47.91	-37.24	-30.79	0.23
3400.00	1.430	231.100	3399.44	50.36	-38.84	-32.66	0.10
3500.00	1.400	234.300	3499.41	52.82	-40.33	-34.62	0.08
3600.00	1.210	236.630	3599.39	55.07	-41.63	-36.49	0.20
3700.00	1.310	224.790	3699.36	57.26	-43.02	-38.18	0.28
3800.00	1.070	231.860	3799.34	59.33	-44.41	-39.72	0.28
3900.00	1.110	224.580	3899.3	61.23	-45.6	-41.13	0.13



Actual Wellpath Report

#20 AWP ST01

Page 3 of 5



INTEQ

REFERENCE WELLPATH IDENTIFICATION

Operator	Marathon Oil Company	Slot	#20_SHL
Area	Eddy County, NM	Well	North Indian Basin Unit #20
Field	Indian Basin Field	Wellbore	#20 AWP ST01
Facility	Indian Basin	Sidetrack from	#20 AWP at 8042.00 MD

WELLPATH DATA (135 stations)

MD [feet]	Inclination [°]	Azimuth [°]	TVD [feet]	Vert Sect [feet]	North [feet]	East [feet]	DLS [°/100ft]
4000.00	0.970	237.930	3999.31	63.03	-46.81	-42.53	0.28
4100.00	0.970	235.670	4099.29	64.69	-47.74	-43.95	0.04
4200.00	1.110	242.300	4199.28	66.46	-48.67	-45.50	0.18
4300.00	0.970	256.780	4299.26	68.13	-49.31	-47.18	0.30
4400.00	1.040	273.440	4399.24	69.40	-49.44	-48.91	0.30
4500.00	0.990	278.880	4499.23	70.66	-49.26	-50.67	0.11
4600.00	1.280	310.430	4599.21	71.32	-48.41	-52.38	0.68
4700.00	1.460	308.610	4699.18	71.64	-46.89	-54.22	0.19
4800.00	1.600	311.230	4799.15	71.97	-45.17	-56.27	0.16
4900.00	1.860	322.010	4899.10	71.97	-42.97	-58.32	0.42
5000.00	2.440	329.530	4999.03	71.37	-39.86	-60.40	0.64
5100.00	2.510	325.540	5098.94	70.59	-36.22	-62.71	0.19
5200.00	2.680	323.000	5198.83	70.02	-32.55	-65.36	0.21
5300.00	2.610	327.020	5298.73	69.39	-28.77	-68.01	0.20
5400.00	2.560	329.730	5398.63	68.50	-24.93	-70.37	0.13
5500.00	2.290	327.000	5498.54	67.67	-21.33	-72.59	0.29
5600.00	2.160	326.110	5598.46	67.03	-18.09	-74.72	0.13
5700.00	2.170	327.520	5698.39	66.39	-14.92	-76.79	0.05
5800.00	1.980	340.540	5798.32	65.36	-11.70	-78.38	0.51
5900.00	1.780	343.320	5898.27	63.75	-8.53	-79.14	0.46
6000.00	1.780	351.810	5998.22	61.95	-5.45	-79.54	0.05
6100.00	1.470	354.360	6098.18	60.29	-2.63	-79.89	0.32
6200.00	1.130	335.690	6198.16	59.19	-0.46	-80.42	0.54
6300.00	1.160	297.260	6298.14	59.22	0.90	-81.73	0.75
6400.00	1.530	270.820	6398.11	60.54	1.39	-83.98	0.73
6500.00	1.650	273.150	6498.07	62.52	1.49	-86.77	0.12
6600.00	0.940	252.240	6598.05	64.26	1.31	-88.99	0.84
6700.00	0.860	266.340	6698.03	65.58	1.02	-90.52	0.23
6800.00	0.860	275.330	6798.02	66.66	1.04	-92.01	0.13
6900.00	0.360	326.210	6898.02	67.11	1.37	-92.94	0.69
7000.00	0.130	182.130	6998.02	67.14	1.52	-93.12	0.47
7100.00	1.350	135.250	7098.01	67.18	0.57	-92.29	1.26
7200.00	3.560	128.130	7197.91	66.66	-2.19	-89.02	2.23
7300.00	3.440	141.630	7297.72	66.42	-6.46	-84.71	0.83
7400.00	1.830	148.930	7397.62	66.99	-10.18	-82.03	1.64
7500.00	1.380	155.020	7497.58	67.69	-12.64	-80.69	0.48
7600.00	1.280	150.240	7597.55	68.31	-14.70	-79.63	0.15
7700.00	1.470	152.800	7697.52	68.92	-16.81	-78.49	0.20
7800.00	1.020	151.710	7797.50	69.49	-18.73	-77.48	0.45
7870.00	1.120	153.630	7867.48	69.84	-19.89	-76.88	0.15



Actual Wellpath Report

#20 AWP ST01

Page 4 of 5



INTEQ

REFERENCE WELLPATH IDENTIFICATION

Operator	Marathon Oil Company	Slot	#20_SHL
Area	Eddy County, NM	Well	North Indian Basin Unit #20
Field	Indian Basin Field	Wellbore	#20 AWP ST01
Facility	Indian Basin	Sidetrack from	#20 AWP at 8042.00 MD

WELLPATH DATA (135 stations)

MD [feet]	Inclination [°]	Azimuth [°]	TVD [feet]	Vert Sect [feet]	North [feet]	East [feet]	DLS [°/100ft]
8042.00	0.534	255.954	8039.47	71.02	-21.59	-76.91	0.78
8060.00	0.890	229.500	8057.47	71.24	-21.70	-77.10	2.64
8092.00	0.890	231.600	8089.47	71.73	-22.02	-77.49	0.10
8121.00	0.800	284.800	8118.46	72.06	-22.11	-77.86	2.62
8153.00	0.800	296.300	8150.46	72.26	-21.95	-78.27	0.50
8185.00	1.430	115.300	8182.46	72.19	-22.02	-78.11	6.97
8217.00	2.800	125.800	8214.44	71.89	-22.65	-77.12	4.43
8248.00	4.300	128.300	8245.38	71.57	-23.82	-75.59	4.86
8280.00	5.700	135.700	8277.25	71.35	-25.70	-73.54	4.81
8312.00	6.700	138.800	8309.07	71.37	-28.24	-71.20	3.29
8344.00	6.860	144.800	8340.84	71.68	-31.20	-68.87	2.27
8375.00	7.400	152.500	8371.60	72.46	-34.49	-66.88	3.54
8407.00	8.000	161.700	8403.32	73.94	-38.43	-65.23	4.28
8439.00	8.700	167.300	8434.98	76.08	-42.91	-64.00	3.35
8471.00	9.500	172.200	8466.57	78.82	-47.88	-63.11	3.48
8503.00	10.600	178.600	8498.08	82.29	-53.44	-62.68	4.89
8534.00	11.500	183.480	8528.51	86.42	-59.38	-62.80	4.18
8566.00	12.400	189.800	8559.82	91.47	-65.95	-63.58	4.96
8598.00	12.600	196.100	8591.06	97.19	-72.69	-65.13	4.30
8630.00	12.700	203.100	8622.29	103.40	-79.28	-67.48	4.80
8662.00	13.100	210.000	8653.48	110.08	-85.65	-70.67	4.97
8693.00	13.800	213.700	8683.63	117.04	-91.77	-74.48	3.58
8725.00	15.000	218.300	8714.63	124.84	-98.20	-79.16	5.18
8757.00	16.200	221.100	8745.45	133.38	-104.81	-84.66	4.43
8788.00	17.600	222.500	8775.11	142.35	-111.58	-90.67	4.70
8820.00	19.100	223.900	8805.48	152.40	-118.87	-97.57	4.89
8852.00	20.580	223.910	8835.58	163.25	-126.69	-105.10	4.63
8884.00	21.800	225.300	8865.41	174.80	-134.92	-113.23	4.12
8916.00	22.800	227.400	8895.02	186.94	-143.30	-122.02	4.00
8948.00	23.900	227.800	8924.40	199.62	-151.85	-131.38	3.47
8980.00	24.900	228.100	8953.54	212.84	-160.70	-141.20	3.15
9011.00	26.100	229.200	8981.52	226.18	-169.52	-151.22	4.16
9043.00	26.800	227.770	9010.17	240.43	-178.97	-161.89	2.96
9075.00	28.200	227.400	9038.56	255.20	-188.93	-172.80	4.41
9106.00	29.200	226.400	9065.75	270.09	-199.11	-183.66	3.58
9138.00	30.700	226.700	9093.47	286.06	-210.09	-195.26	4.71
9170.00	32.200	227.300	9120.77	302.76	-221.48	-207.47	4.79
9202.00	33.800	227.800	9147.61	320.19	-233.24	-220.33	5.07
9233.00	35.300	228.000	9173.14	337.76	-245.02	-233.38	4.85
9265.00	36.300	229.500	9199.09	356.47	-257.36	-247.45	4.16



Actual Wellpath Report

#20 AWP ST01

Page 5 of 5



REFERENCE WELLPATH IDENTIFICATION

Operator	Marathon Oil Company	Slot	#20_SHL
Area	Eddy County, NM	Well	North Indian Basin Unit #20
Field	Indian Basin Field	Wellbore	#20 AWB ST01
Facility	Indian Basin	Sidetrack from	#20 AWB at 8042.00 MD

WELLPATH DATA (135 stations)

MD [feet]	Inclination [°]	Azimuth [°]	TVD [feet]	Vert Sect [feet]	North [feet]	East [feet]	DLS [°/100ft]
9297.00	37.600	229.500	9224.67	375.69	-269.85	-262.08	4.06
9329.00	39.100	229.900	9249.76	395.52	-282.70	-277.22	4.75
9360.00	40.600	230.200	9273.56	415.36	-295.45	-292.45	4.88
9392.00	42.100	230.590	9297.58	436.47	-308.93	-308.74	4.76
9424.00	43.300	230.200	9321.10	458.13	-322.76	-315.46	3.84
9455.00	44.600	229.900	9343.42	479.62	-336.58	-341.95	4.25
9487.00	45.800	230.300	9365.96	502.29	-351.14	-359.37	3.85
9519.00	47.200	229.500	9387.99	525.47	-366.09	-377.12	4.74
9550.00	48.700	229.500	9408.75	548.47	-381.04	-394.63	4.84
9582.00	50.000	230.600	9429.60	572.71	-396.63	-413.24	4.83
9614.00	51.200	230.900	9449.91	597.39	-412.27	-432.39	3.82
9645.00	51.500	232.800	9469.27	621.51	-427.23	-451.43	4.88
9677.00	52.100	235.000	9489.06	646.48	-442.04	-471.74	5.72
9709.00	52.590	236.910	9508.61	671.51	-456.22	-492.74	4.97
9756.00	52.500	237.000	9537.20	708.26	-476.57	-524.01	0.24

TARGETS

Name	MD [feet]	TVD [feet]	North [feet]	East [feet]	Grid East [us survey feet]	Grid North [us survey feet]	Latitude [°]	Longitude [°]	Shape
#20 BHL		9400.00	-449.54	-499.54	425399.00	546982.00	32 30 12.712N	104 34 31.142W	point

WELLPATH COMPOSITION Ref Wellbore: #20 AWB ST01 Ref Wellpath: #20 AWP ST01

Start MD [feet]	End MD [feet]	Positional Uncertainty Model	Log Name/Comment	Wellbore
0.00	8042.00	Generic gyro - northseeking (Standard)	Gyro	#20 AWB
8042.00	9756.00	NaviTrak (Standard)	MWD 01	#20 AWB ST01





Marathon Oil Company


Location: Eddy County, NM
Field: Indian Basin
Facility: Indian Basin
Well: North Indian Basin Unit #20
Wellbore: #20 AWB ST01

Plot reference: 1945 AMP 3111	Grid System: NAD83 / 1983 New Mexico State Plane, Eastern Zone (NAD83), US feet
True vertical depths are referenced to RIG on #20_SHL (RT)	North Reference: Grid north
Measured depths are referenced to RIG on #20_SHL (RT)	Scale: True distance
RIG on #20_SHL (RT) is Mean Sea Level, 0 feet	Depths are in feet
Mean Sea Level is Indian Basin (Facility - Indian Basin), 0 feet	Created by: GeoMech on 4/12/2007
Coordinates are in feet referenced to RIG	

BAKER
HUGHES
INTERQ



BGGM (1945.0 to 2008.0) Dip: 60.35° Field: 49177.6 nT
Magnetic North is 8.62 degrees East of True North (at 01/17/07)
Grid North is 0.13 degrees West of True North
To correct azimuth from Magnetic to Grid add 8.74 degrees




7 in Casing: 0.53° Inc, 8042.00ftMD, 8039.47ftTVD, 71.02ftVS

Azimuth 227.07° with reference 0.00 N, 0.00 E from wellhead



North Indian Basin Unit No. 20
Re-completion to Morrow 2 Directional

Marathon Oil Company
North Indian Basin Unit No. 20
8-Jun-07



Surface Casing
9 5/8" 36# J-55 set @ 1285' Cmtd w/ 1055 sks
Circulated 728 sks to pit.

Top of liner @ 7195'

Squeezed Upper Penn Perforations
7488' - 7786'

Production Casing 7" 23 & 26 # K-55 Set @ 8042'
Cemented in 2 stages
1 st stage 450 sx circ 110 sx off DV tool
2 nd stage 825 sx circ. 88 sx to pit.

Original Lateral Hole collapsed to 8266'

6 1/8" open hole

Open Hole Directional Drill Abandoned
TD - MD 8919' TVD 8905'

PLS Pkr @ 9623

Morrow Perfs 9480'-9512'

PBTD @ 9608' (Cmt & Fill)
Bottom of 4 1/2" 11.6# liner @ 9660'

TD@9756'

Well Name & Number:	North Indian Basin Unit No. 20		Lease	E -9706 / North Indian Basin Unit	
County or Parish:	Eddy	State/Prov.	New Mexico	Country:	USA
Perforations: (MD)	9480' - 9512'		(TVD)	8905	
Date Completed:				RKB:	
Prepared By:	Charles Kendrix		Last Revision Date:	06/08/07	