

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well Oil Well Gas Well Dry Other
 b. Type of Completion: New Well Work Over Deepen Plug Back Diff. Reserv.,
 Other

5. Lease Serial No.
NM-2357

2. Name of Operator
Yates Petroleum Corporation

6. If Indian, Allottee or Tribe Name

3. Address **105 S. 4th Str., Artesia, NM 88210** 3a. Phone No. (include area code) **505-748-1471**

7. Unit or CA Agreement Name and No.

4. Location of Well (Report location clearly and in accordance with Federal requirements)
At Surface **1180'FNL & 660'FWL (Unit D, NWNW)**

8. Lease Name and Well No.
Federal HJ #13

At top prod. Interval reported below **Same as above**

9. API Well No.
30-005-63495

At total depth **Same as above**

10. Field and Pool, or Exploratory
Wildcat Wolfcamp

11. Sec., T., R., M., on Block and Survey or Area
Section 31-T6S-R26E

12. County or Parish 13. State
Chaves New Mexico

14. Date Spudded **RH 6/3/03 RT 6/4/03** 15. Date T.D. Reached **6/21/03** 16. Date Completed **8/4/03**
 D & A Ready to Prod.

17. Elevations (DF, RKB, RT, GL)*
3725'GR 3738'KB

18. Total Depth: MD **5390'** 19. Plug Back T.D.: MD **4880'** 20. Depth Bridge Plug Set: MD **5187'**
 TVD **NA** TVD **NA** TVD **NA**

21. Type Electric & Other Mechanical Logs Run (Submit copy of each)
CNL, Azimuthal Laterolog, Borehole Compensated Sonic

22. Was Well cored? No Yes (Submit analysis)
 Was DST run? No Yes (Submit report)
 Directional Survey? No Yes (Submit copy)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	State Cementer Depth	No. of Skis & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
	16"		Surface	40'		Conductor		Surface	
14-3/4"	11-3/4"	42#	Surface	925'		888 sx		Surface	
11"			Surface	1600'					
7-7/8"	4-1/2"	11.6#	Surface	5390'		545 sx		3120' CBL	

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2-3/8"	4750'	4750'						

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) Wolfcamp	4816'	4828'	5292'-5302'	.42"	21	Squeeze
B)			5014'-5022'		48	under plug
C)			4816'-4828'	.42"	72	Producing
D)						

26. Perforation Record

Perforated Interval	Size	No. Holes	Perf. Status
5292'-5302'	.42"	21	Squeeze
5014'-5022'		48	under plug
4816'-4828'	.42"	72	Producing

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and Type of Material
	See Attached Sheet


ARMANDO A. LOPEZ
PETROLEUM ENGINEER

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
8/5/03	8/21/03	24	⇒	0	255	6	NA	NA	Flowing
Choke Size	Tbg. Press. Flwg.	Csg. Press. Packer	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas: Oil Ratio	Well Status	
20/64"	140 psi		⇒	0	255	6	NA	Producing	

28a. Production-Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			⇒						
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas: Oil Ratio	Well Status	
			⇒						



SEP 19 2003

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production ⇒	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr. Rate ⇒	Oil BBL	Gas MCF	Water BBL	Gas: Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production ⇒	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg.	Csg. Press.	24 Hr. Rate ⇒	Oil BBL	Gas MCF	Water BBL	Gas: Oil Ratio	Well Status	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

sold

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Description, Contents, etc.	Name	Top
					Meas Depth
				San Andres	544'
				Glorieta	1510'
				Yeso	1622'
				Tubb	3054'
				Abo	3692'
				Wolfcamp	4470'
				Wolfcamp B Zone	4564'
				Spear	4688'
				Cisco	4942'
				George	5040'
				Strawn	5086'
				Pre-Cambrian	5168'

32. Additional remarks (include plugging procedure):

33. Circle enclosed attachments:

1. Electrical/Mechanical Logs (1 full set req'd.)
 2. Geologic Report
 3. DST Report
 4. Directional Survey
 5. Sundry Notice for plugging and cement verification
 6. Core Analysis
 7. Other: Deviation Survey

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)*

Name (please print) Tina Huerta Title Regulatory Compliance Supervisor

Signature  Date September 16, 2003

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

YATES PETROLEUM CORPORATION
Federal HJ #13
Section 31-T6S-R26E
Chaves County, New Mexico

Form 3160-4 continued:

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

<u>Depth Interval</u>	<u>Amount and Type of Material</u>
5292'-5302'	Acidize w/1000g 7-1/2% IC HCL Squeeze w/150 sx Class "H"
5014'-5022'	Acidize w/800g 7-1/2% IC acid and 72 balls Frac w/45,500g 65Q foamed 35# x-linked gelled 7% KCL water carrying 60,000# 20/40 Ottawa sand
4816'-4828'	Frac w/58,000g 65Q CO2 foamed 35# x-linked gelled 7% KCL water carrying 80,000# 20/40 Ottawa sand 2000g 7-1/2% IC HCL

District I
1625 N. French Dr., Hobbs, NM 88240

Form C-102
Revised August 15, 2000

District II
811 South First, Artesia, NM 88210

Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

District III
1000 Rio Brazos Rd., Aztec, NM 87410

District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505



WELL LOCATION AND ACREAGE DEDICATION PLAT

¹ API Number 30-005-63495		² Pool Code 82730		³ Pool Name Pecos Slope Abo	
⁴ Property Code 12267		⁵ Property Name Federal HJ			⁶ Well Number 13
⁷ OGRID No. 025575		⁸ Operator Name Yates Petroleum Corporation			⁹ Elevation 3725'GR

¹⁰ Surface Location

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
D	31	6S	26E		1180	North	660	West	Chaves


¹¹ Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County

¹² Dedicated Acres 160	¹³ Joint or Infill	¹⁴ Consolidation Code	¹⁵ Order No.
--------------------------------------	-------------------------------	----------------------------------	-------------------------

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

¹⁶ 				¹⁷ OPERATOR CERTIFICATION <i>I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief.</i> Signature 	
				Printed Name Tina Huerta	
				Title Regulatory Compliance Supervisor	
				Date September 19, 2003	
¹⁸ SURVEYOR CERTIFICATION <i>I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my belief.</i>				Date of Survey Signature and Seal of Professional Surveyor:	
See Original Plat				Certificate Number	



Artesia Fishing Tool Co., Inc.

Oil Well Drilling Contractors
PO Box 1370 Artesia, NM 88211-1370
505/746-6651 746-3518 fax 748-2205

June 25, 2003

Yates Petroleum Corporation
105 S. Fourth
Artesia, NM 88210


RE: Federal HJ #13
1180' FNL & 660' FWL
Sec. 31, T6S, R26E
Chaves County, New Mexico

Gentlemen:

The following is a Deviation Survey for the above captioned well.


DEPTH	DEVIATION	DEPTH	DEVIATION
519'	1/2°	3392'	3/4°
1023'	1/2°	4082'	1 1/4°
1519'	3/4°	4262'	1 1/4°
1850'	1/4°	4510'	1 1/2°
2278'	1/2°	4850'	1°
25713'	3/4°	5141'	1°
3155	3/4°	5390'	1°

Very truly yours,



Eddie C. LaRue
Vice President

STATE OF NEW MEXICO }
COUNTY OF EDDY }

The foregoing was acknowledged before me
This 25th day of June, 2003.



Notary Public



03-1218

Serving Southeast New Mexico and West Texas Since 1974