District I 1625 N French Dr , Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to

appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

## Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No Type of action. Registration of a pit or below-grade tank.

.111 19 2007 OCD-ARTESIA

Form C-144

March 12, 2004

Owner Marhob Energy Cornoration		Telephone <b>505-748-3303</b> e	e-mail address land2@marbob.com
Operator Marbob Energy Corporation		•	•
Address PO Box 227, Artesia, NM 88211-0227			1320' FNL & 660' FEL
Facility or well name Red Ryder State Com	<b>#1</b> API #	<b>30-015-35150</b> U/L or Qtr/Qtr <b>NEN</b>	NE Sec 25 T 25S R 27E
County <b>Eddy</b> Latitude	Longitude	NAD 1927 🗌 1983 🗍 Surfac	ce Owner Federal 🔲 State 🔯 Private 🗀 Indian 🗀
<u>Pit</u>		Below-grade tank	
Type Drilling ☑ Production ☐ Disposal ☐		Volumebbl Type of fluid	
Workover		Construction material	
Lined 🖾 Unlined 🗌		Double-walled, with leak detection? Yes  If not, explain why not	
Liner type Synthetic ☑ Thickness 12 mil Clay ☐ Volume			
bbl			
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water )		Less than 50 feet	(20 points)
		50 feet or more, but less than 100 feet	(10 points)
		100 feet or more	( 0 points) <b>0 points</b>
Wellhead protection area. (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)		Yes	(20 points)
		No	( 0 points) 0 points
Distance to surface water (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses)		Less than 200 feet	(20 points)
		200 feet or more, but less than 1000 feet	(10 points)
		1000 feet or more	( 0 points) <b>0 points</b>
		Ranking Score (Total Points)	0 points
If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks (2) Indicate disposal location.			
onsite 🗌 offsite 🔲 If offsite, name of facility			
date (4) Groundwater encountered No 🗌 Yes 🔲 If yes, show depth below ground surfaceft and attach sample results (5) Attach soil sample results and a			
diagram of sample locations and excavations.			
I hereby certify that the information above is true and complete to the best of my knowledge and belief I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .  Date July 18, 2007			
Printed Name/Title: Gerald Herrera Signature A. Harring			
Printed Name/Title: Gerald Herrera Signature			
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.			
Approval USGS information show		ion snows this area	
Date to be water sensi		itive. Please submit	
Printed Name/Titlea plan for this typ		pe area or schedule	
can be reviewed		e other water data	
		1.	

## Marbob Energy Corporation Attachment to OCD Form C-144

## Pit or Below-Grade Tank Registration or Closure


IIII 19 2007 OCD-ARTESIA

Pit Closure

Red Ryder State Com #1

1320' FNL & 660' FEL Section 25 T-25S R-27E Eddy County, New Mexico

(1) Facility diagram



(2) Disposal location:

Fluids will be disposed at an approved disposal facility.

(3) General description of remedial action:

Transfer cuttings to ends, dig deep bury pit in center of pit, line with 12 mil plastic. Use material to stiffen cuttings. Transfer stiffened cuttings into lined pits, leaving mounded for drainage. Cap with 20 mil liner. Cover with three feet of cover material.

(4) Groundwater encountered:

No

(5) Soil sample:

N/A