District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III

1000 Rio Brazos Road, Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

Form C-144 March 12, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Feoffice OCD APP 30 MANA NAME OF THE STATE NAME OF THE STATE NAME OF THE STATE office

Pit or Below-Grade Tank Registration or Closure
Is pit or below-grade tank covered by a "general plan"? Yes \( \subseteq \) No \( \overline{\mathbb{X}} \)
Type of action: Registration of a pit or below-grade tank \( \overline{\mathbb{X}} \) Closure of a pit or below-grade tank \( \supremathcap{\mathbb{Z}} \)

Operator: FAIRWAY RESOURCES OPERATING, LLC.	Telephone: 817-416-1946	e-mail address:	
Address: 538 SILICON DRIVE SUITE 101 SOUTH			
Facility or well name: MIDNIGHT MATADOR "A" #Pi #: 30 OL			
County: EDDY Latitude 32°47 '30" Longitude 104	<u>° 14 ' 47"</u> NAD: 1927 □ 1983 □ Surfac	ce Owner Federal 🥻 State	Private Indion.
Pit	Below-grade tank		HOTH, A THE AM
Type: Drilling 🖫 Production 🗌 Disposal 🗍	Volume:bbl Type of fluid:		
Werkever ☐ Emergency ☐	Below-grade tank  Volume:bbl Type of fluid:  Construction material:  Double-walled, with leak detection? Yes  If not, explain why not.		
Lined Vulined			
Liner type: Synthetic [X] Thickness 12 mil Clay [ Volume		·	
_12M_bbl			
	Less than 50 feet	(20 points)	
Depth to ground water (vertical distance from bottom of pit to seasonal high	50 feet or more, but less than 100 feet 10	(10 points)	10
water elevation of ground water.) 60+	100 feet or more	( 0 points)	
Wellhead protection area: (Less than 200 feet from a private domestic	Yes No 0	(20 points)	0
water source, or less than 1000 feet from all other water sources.)	No U	( 0 points)	· ·
	Less than 200 feet	(20 points)	
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)	
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more 0	, · · · · · · · · · · · · · · · · · · ·	0
		( o points)	
	Ranking Score (Total Points) 10		10
If this is a pit closure: (1) attach a diagram of the facility showing the pit's	relationship to other equipment and tanks. (2) Ir	ndicate disposal location:	
onsite offsite If offsite, name of facility	(3) Attach a general description of remedial	action taken including ren	nediation start date and end
date. (4) Groundwater encountered: No [] Yes [] If yes, show depth below	w ground surfaceft. and attach sa	ample results. (5) Attach se	oil sample results and a
diagram of sample locations and exeavations.			
Your certification and NMOCD approval of this application/closure does not observise endanger public health or the environment. Nor does it relieve the orgulations.	general permit 60 an (attached) alternate  Signature 60 contents  relieve the operator of liability should the contents	OCD-approved plan   ONICE  ts of the pit or tank contam	inate ground water or
Approval: Strator	Signature Jew W	S.	
Date: S11107  Printed Name/Title Signature Sig			
Sale Sale Sale Sale Sale Sale Sale Sale			