

District I
1625 N French Dr. Hobbs NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec NM 87412
District IV
1220 S St Francis Dr. Santa Fe NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Form C-144
June 1, 2004

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐
Type of action: Registration of a pit or below grade tank ☐ Closure of a pit or below grade tank ☒

Operator: Yates Petroleum Corporation Telephone 505-748-4500 e-mail address: mikes@yppcm.com

Address 105 South 4th Street, Artesia, NM 88210

Facility or well name Conoco AGK Federal #4 API # 30-015-26735 U/L or Qtr/Qtr P Sec 26 T 20S R 24E

County Eddy Latitude 32.55004 Longitude 104.55205 NAD: 1927 ☒ 1983 ☐

Surface Owner Federal ☒ State ☐ Private ☐ Indian ☐

Pit
Type Drilling ☒ Production ☐ Disposal ☐
Work over ☐ Emergency ☐
Lined ☒ Unlined ☐
Liner type: Synthetic ☒ Thickness 12 mil Clay ☐
Pit Volume 20000 bbl

Below-grade tank
Volume: _____ bbl Type of fluid: _____
Construction material: _____
Double-walled, with leak detection? Yes ☐ If not, explain why not _____

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water)

Less than 50 feet	(20 points)
50 feet or more, but less than 100 feet	(10 points)
100 feet or more	(0 points) XXXX

Wellhead protection area (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)

Yes	(20 points)
No	(0 points) XXXX

Distance to surface water (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses)

Less than 200 feet	(20 points)
200 feet or more, but less than 1000 feet	(10 points)
1000 feet or more	(0 points) XXXX

Ranking Score (Total Points)

0 POINTS

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility NA (3) Attach a general description of remedial action taken including remediation start date and end date
(4) Groundwater encountered? No ☐ Yes ☐ If yes, show depth below ground surface _____ ft and attach sample results
(5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments Closure workplan for drilling pit. The drilling pit contents will be mixed to stiffen the pit contents. An encapsulation trench will be excavated and lined with a 12 mil synthetic liner on former drilling pit site. Drilling pit contents will then be emplaced into the encapsulation trench. A 20 mil synthetic liner will then be placed over the pit contents with a minimum of a 3' over lap of the underlying trench areas. The encapsulation trench will then be backfilled to grade using a minimum of 3' of clean soil and like material. A one call and 48 hour notice will be provided to the Oil Conservation Division before pit closure actions begin.

Pit Closure actions to begin by NA Ending date NA

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☒, or an (attached) alternative OCD-approved plan ☐.

Date: 03/19/2007

Printed Name/Title Mike Stubblefield / Environmental Regulatory Agent

Signature *Mike Stubblefield*

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Notify OCD 24 hours prior to beginning pit closure.

Jim W. Brown
District II Supervisor
Signature

Date: 4/10/07

Samples are to be obtained from pit area and analysis submitted to NMOCD prior to back-filling

AUG 02 2007

Accepted for record
NMOCD

PIT CLOSURE FINAL
DATE 9/6/2007

MARTIN YATES III
1912 - 1985
FRANK W. YATES
1936 - 1986



105 SOUTH FOURTH STREET
ARTESIA, NEW MEXICO 88210-2118
TELEPHONE (505) 748-1471

S. P. YATES
CHAIRMAN OF THE BOARD
JOHN A. YATES
PRESIDENT
PEYTON YATES
EXECUTIVE VICE PRESIDENT
RANDY G. PATTERSON
SECRETARY
DENNIS G. KINSEY
TREASURER

I certify that on 6/14/2007, tests were conducted on soil samples from the

30-015-26735 UT. P 26-205-24C Conoco AGK Federal #4

All soil samples were 5 spot composite samples taken from the bottom of the excavated D.P. Area, 16' depth

Following are the results of those tests.

EPA Method 9074, TPH NE corner D.P. - 0 ppm, SE corner D.P. - 0 ppm
NW corner D.P. - 85 ppm, SW corner D.P. - 0 ppm, Middle D.P. - 0 ppm.
EPA Method 9253 NE corner D.P. - 141 ppm Cl., SE corner D.P. - 141 ppm Cl.
NW corner D.P. - 429 ppm Cl., SW corner D.P. - 148 ppm Cl., Middle D.P. - 366 ppm Cl.
PID Meter, BTEX NE corner D.P. - 0 ppm, SE corner D.P. - 0 ppm
NW corner D.P. - 10 ppm, SW corner D.P. - 0 ppm, Middle D.P. - 0 ppm

All testing was done at Yates Petroleum Corporation or on location.

Respectfully,

Mike Stubblefield
Environmental Regulatory Agent