<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 8821 District III 1000 Rio Brazos Road, Aztec, NM 87410

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. 1220 S. St. Francis Dr., Santa Fe, NM 87505 Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe

## Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes X No

AUG 08 2007

Form C-144

June 1, 2004

Type of action: Registr	tration of a pit or b	elow-grade ta	nk Closure of a pit	or below-grade	tank X	OCD-ARTESIA
Derator: SDX Resources, Inc. To			e-mail address: cmorgan@sdxresources.com			
uddress: PO Box 5061, Midland, TX 79704			c-man addresscn	ioi ganto suxi c.	ources.com	
'acility or well name: _Berry A Federal #31Y			IJ/L or Otr/Otr G	Sec. 22	T 17S R 27	E
county: _Eddy 1968' FNL 1980' FEL Lo						
Jounty. Eddy 1700 THE 1700 TEE	Angitude		1720. 1727 🗖 1705 (	Surrace on	101 1 000101 11 0	
'it	В	Below-grade t	ank			
<u>ype:</u> Drilling ☐ Production ☐ Disposal ☐ Workover X Emergency ☐		Volume:bbl Type of fluid:				
		Construction material:				
ined X Unlined	D	Double-walled, with leak detection? Yes  If not, explain why not.				
iner type: Synthetic X Thickness _12_mil Clay [						
it Volume _1500bbl						
	L	ess than 50 fe	et .		(20 points)	
Depth to ground water (vertical distance from bottom of pit to seasonal high vater elevation of ground water.)		50 feet or more, but less than 100 feet			(10 points)	10
		100 feet or more			( 0 points)	
	v	 (es			(20 points)	
Vellhead protection area: (Less than 200 feet from a private dom	nestic	اده No				0
vater source, or less than 1000 feet from all other water sources.)		NO			( 0 points)	•
Distance to surface water: (horizontal distance to all wetlands, pla	L	ess than 200 f	eet		(20 points)	
rigation canals, ditches, and perennial and ephemeral watercourses.)		200 feet or mor	e, but less than 1000 fee	t	(10 points)	
rigation canais, ditches, and perennial and epitemeral watercours	10	.000 feet or me	ore		( 0 points)	0
	R	Ranking Score	(Total Points)			10
If this is a pit closure: (1) attach a diagram of the facility show	ving the nit's relativ	ionshin to othe	r aquinment and tanks	(2) Indicate dis	nocal location:	(check the angite hav if
			•			
your are burying in place) onsite X offsite \( \Boxed{I} \) If offsite, name of						
remediation start date and end date. (4) Groundwater encountered		If yes, show o	epth below ground surfa	.ce	ft. and attac	ch sample results. (5) Attach
soil sample results and a diagram of sample locations and excava						
Additional Comments: Dig out workover pit. Dig & line encaps	sulation pit. Encap	psulate any co	ntaminated soil from wo	rkover pit. Ca	p encapsulation	pit with 20 mil liner. Cover
with top soil. Return surface to original contour.			44 - 44 - 4 - 4 - 4 - 4 - 4 - 4 - 4 - 4			4
		<u> </u>	4			
IS/M ICPCIA	mag	M				
	. ,					
			1 1' C 7 C 42			
I hereby certify that the information above is true and complete to been/will be constructed or closed according to NMOCD gu Date: _8/7/07						
Printed Name/TitleChuck Morgan, Engineer	Sig	gnature	Showle !	Many	·	
Your certification and NMOCD approval of this application/clos otherwise endanger public health or the environment. Nor does i regulations.						
Approval:			l.1	./	· · · · · · · · · · · · · · · · · ·	Data -
Printed Name/Title		Signature Sig	ned By Mily	Beneau	<u> Da</u> Da	<sub>te:</sub> AUG 1 0 2007
	burial trench is to					

NOTIFY OCD 24 HOURS PRIOR to beginning closure and 24 HOURS PRIOR to obtaining samples. Samples are to be obtained from pit area and analyses submitted to OCD prior to back-filling.

in pit area, samples are to be obtained and analyses submitted to OCD PRIOR to lining trench.