

Submit 3 Copies To Appropriate District
Office
District I
1625 N. French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-35650
5. Indicate Type of Lease STATE ☐ FEE ☒
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: PO B 1 Fee
8. Well Number 1HY
9. OGRID Number 7377
10. Pool name or Wildcat Cottonwood Creek; WC, West (Gas)

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

150 817 2007
OCD-ARTESIA

1. Type of Well: Oil Well ☐ Gas Well ☒ Other	2. Name of Operator EOG Resources Inc.
3. Address of Operator P.O. Box 2267 Midland, Texas 79702	4. Well Location Unit Letter H : 3450 feet from the South line and 660 feet from the East line Section 1 Township 16S Range 24E NMPM County Eddy
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3557' GR	
Pit or Below-grade Tank Application ☐ or Closure ☐ Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____ Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____	

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
CASING TEST AND CEMENT JOB ☐

OTHER: **completion** ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

6/22/07 TD @ 8234 MD
6/24/07 Ran 188 jts 5 1/2", 17 #, N-80 casing set @ 8200'.
Cemented w/ 420 sx Interfill C, 11.9 ppg, 2.38 yield; 880 sx 50/50 POZ Premium, 14.4 ppg, 1.24 yield. Did not circulate. Ran temperature survey, TOC @ 700'. Released rig.
6/28/07 MIRU for completion. Tested 5 1/2" casing to 1700 psi. Test good.
7/06/07 Perforated from 7460' to 8090', 0.42", 32 holes.
7/10/07 Frac w/ 72 bbls 15% HCL, 565 bbls XL gel, 57667 lbs 100 Mesh, 84372 lbs 30/50 Brown sand, 28440 lbs 20/40 White sand, 6380 bbls load water.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE Stan Wagner TITLE Regulatory Analyst DATE 7/19/07

Type or print name **Stan Wagner**

E-mail address:

Telephone No. **432 686 3689**

For State Use Only

APPROVED BY FOR RECORDS ONLY TITLE _____ DATE AUG 8 2007

Conditions of Approval, if any:

Submit 3 Copies To Appropriate District
Office
District I
1625 N French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

Form C-103
May 27, 2004

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-35650
5. Indicate Type of Lease STATE ☐ FEE ☒
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: Po B 1 Fee
8. Well Number 1HY
9. OGRID Number 7377
10. Pool name or Wildcat Cottonwood Creek; WC, West (Gas)

Pit or Below-grade Tank Application ☐ or Closure ☐
Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____
Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:
Oil Well ☐ Gas Well ☒ Other ☐
AUG 07 2007
OCD-ARTESIA

2. Name of Operator
EOG Resources Inc.

3. Address of Operator
P.O. Box 2267 Midland, Texas 79702

4. Well Location
Unit Letter **H** : **3450** feet from the **South** line and **660** feet from the **East** line
Section **1** Township **16S** Range **24E** NMPM County **Eddy**

11. Elevation (Show whether DR, RKB, RT, GR, etc.)
3557' GR

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO:	SUBSEQUENT REPORT OF:
PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐	REMEDIAL WORK ☐ ALTERING CASING ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐	COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐	CASING TEST AND CEMENT JOB ☐
OTHER: ☐	OTHER: completion ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

7/10/07 Perforated from 6620' to 7250', 0.42", 32 holes.
Frac w/ 72 bbls 15% HCL acid, 565 bbls XL gel, 52218 lbs 100 Mesh, 85899 lbs 30/50 Brown sand, 29626 lbs 20/40 White sand, 6037 bbls load water.

7/11/07 Perforated from 5780' to 6410', 0.42", 32 holes.
Frac w/ 72 bbls 15% HCL acid, 565 bbls XL gel, 51337 lbs 100 Mesh, 82887 lbs 30/50 Brown sand, 31027 lbs 20/40 White sand, 5974 bbls load water.

7/12/07 Perforated from 4900' to 5550', 0.42", 32 holes.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE Stan Wagner TITLE Regulatory Analyst DATE 7/19/07
Type or print name Stan Wagner E-mail address: _____ Telephone No. 432 686 3689

For State Use Only

APPROVED BY FOR RECORDS ONLY TITLE _____ DATE AUG 8 2007
Conditions of Approval, if any: _____

Submit 3 Copies To Appropriate District
Office
District I
1625 N French Dr., Hobbs, NM 87240
District II
1301 W. Grand Ave., Artesia, NM 88210
District III
1000 Rio Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals and Natural Resources

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-103
May 27, 2004

SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)		WELL API NO. 30-015-35650
1. Type of Well: Oil Well ☐ Gas Well ☒ Other		5. Indicate Type of Lease STATE ☐ FEE ☒
2. Name of Operator EOG Resources Inc.		6. State Oil & Gas Lease No.
3. Address of Operator P.O. Box 2267 Midland, Texas 79702		7. Lease Name or Unit Agreement Name: Po B 1 Fee
4. Well Location Unit Letter H : 3450 feet from the South line and 660 feet from the East line Section 1 Township 16S Range 24E NMPM County Eddy		8. Well Number 1HY
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3557' GR		9. OGRID Number 7377
Pit or Below-grade Tank Application ☐ or Closure ☐ Pit type _____ Depth to Groundwater _____ Distance from nearest fresh water well _____ Distance from nearest surface water _____ Pit Liner Thickness: _____ mil Below-Grade Tank: Volume _____ bbls; Construction Material _____		10. Pool name or Wildcat Cottonwood Creek; WC, West (Gas)

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data	
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐ TEMPORARILY ABANDON ☐ CHANGE PLANS ☐ PULL OR ALTER CASING ☐ MULTIPLE COMPLETION ☐ OTHER: ☐	SUBSEQUENT REPORT OF: REMEDIAL WORK ☐ ALTERING CASING ☐ COMMENCE DRILLING OPNS. ☐ PLUG AND ABANDONMENT ☐ CASING TEST AND CEMENT JOB ☐ OTHER: completion ☒

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

7/12/07 Frac w/ 72 bbls 15% HCL acid, 565 bbls XL gel, 52000 lbs 100 Mesh, 75000 lbs 30/50 Brown sand, 30000 lbs 20/40 White sand, 5909 bbls load water.
Flow back.
7/13/07 Turned to sales.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐ , a general permit ☐ or an (attached) alternative OCD-approved plan ☐

SIGNATURE Stan Wagner TITLE Regulatory Analyst DATE 7/19/07

Type or print name Stan Wagner

E-mail address:

Telephone No. 432 686 3689

For State Use Only **FOR RECORDS ONLY**

APPROVED BY _____ TITLE _____ DATE AUG 8 2007

Conditions of Approval, if any:

The Horizontal Displacement (in Feet) at
 Measured Depth 4041.00 is 17.78 in a Direction of 125.36 Degrees

Pathfinder Energy

Survey Report

Company: EOG Resources Field: Thames Field Site: Po B 1 Fee #1HY Well: Po B 1 Fee #1HY Wellpath: OH		Date: 7/2/2007 Time: 10:17:42 Co-ordinate(NE) Reference: Well: Po B 1 Fee #1HY, Grid North Vertical (TVD) Reference: RKB 3576.0 Section (VS) Reference: Well (0.00N,0.00E,268.16Azi) Survey Calculation Method: Minimum Curvature Db: Sybase		Page: 1						
Field: Thames Field Eddy, Co NM USA Map System: US State Plane Coordinate System 1927 Geo Datum: NAD27 (Clarke 1866) Sys Datum: Mean Sea Level		Map Zone: New Mexico, Eastern Zone Coordinate System: Well Centre Geomagnetic Model: igrf2005								
Site: Po B 1 Fee #1HY										
Site Position: From: Map Position Uncertainty: 0.00 ft Ground Level: 3556.00 ft		Northing: 710991.80 ft Easting: 438104.60 ft Latitude: 32 57 15.935 N Longitude: 104 32 6.422 W North Reference: Grid Grid Convergence: -0.11 deg								
Well: Po B 1 Fee #1HY										
Well Position: +N/-S 0.00 ft +E/-W 0.00 ft Position Uncertainty: 0.00 ft		Slot Name: Well Position: +N/-S 0.00 ft +E/-W 0.00 ft Position Uncertainty: 0.00 ft Northing: 710991.80 ft Easting: 438104.60 ft Latitude: 32 57 15.935 N Longitude: 104 32 6.422 W								
Wellpath: OH										
Current Datum: RKB Magnetic Data: 6/14/2007 Field Strength: 49392 nT Vertical Section: Depth From (TVD) ft		Height: 3576.00 ft Drilled From: Surface Tie-on Depth: 0 00 ft Above System Datum: Mean Sea Level Declination: 8.55 deg Mag Dip Angle: 60.80 deg +N/-S ft +E/-W ft Direction deg								
0.00		0.00 0.00 268.16								
Survey: Pathfinder MWD										
Company: Pathfinder Energy Tool:		Start Date: 6/19/2007 Engineer: Tied-to: From: Definitive Path								
Survey: Pathfinder MWD										
MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	Tool/Comment
4041.00	1.46	58.41	4040.48	-10.29	14.50	-14.16	0.00	0.00	0.00	Tie-in to Gyro @ 4041' MD
4107.00	1.32	54.83	4106.46	-9.41	15.84	-15.53	0.25	-0.21	-5.42	
4130.00	0.88	346.76	4129.45	-9.09	16.02	-15.72	5.59	-1.90	-295.94	KOP @ 4130' MD/TVD, Begin
4139.00	1.14	321.91	4138.45	-8.95	15.94	-15.65	5.59	2.86	-276.16	
4170.00	3.69	284.18	4169.42	-8.46	14.79	-14.51	9.27	8.23	-121.71	
4202.00	6.95	278.39	4201.28	-7.93	11.87	-11.61	10.31	10.19	-18.09	
4234.00	10.38	274.90	4232.91	-7.40	7.08	-6.84	10.84	10.72	-10.91	
4266.00	13.54	272.45	4264.21	-6.99	0.47	-0.24	10.00	9.87	-7.66	
4297.00	16.80	272.28	4294.13	-6.66	-7.64	7.85	10.52	10.52	-0.55	
4329.00	19.96	274.04	4324.49	-6.09	-17.71	17.90	10.03	9.87	5.50	
4361.00	22.69	274.56	4354.30	-5.21	-29.31	29.46	8.55	8.53	1.62	
4392.00	25.85	275.33	4382.56	-4.11	-42.00	42.12	10.24	10.19	2.48	
4424.00	30.07	275.65	4410.81	-2.67	-56.94	56.99	13.20	13.19	1.00	
4456.00	35.26	275.90	4437.74	-0.93	-74.11	74.11	16.22	16.22	0.78	
4487.00	40.36	275.56	4462.23	0.96	-93.02	92.94	16.47	16.45	-1.10	
4519.00	45.20	275.14	4485.71	2.98	-114.65	114.50	15.15	15.12	-1.31	
4551.00	49.59	272.76	4507.37	4.59	-138.14	137.92	14.77	13.72	-7.44	
4583.00	54.08	271.13	4527.14	5.43	-163.28	163.02	14.59	14.03	-5.09	
4615.00	59.36	270.16	4544.69	5.72	-190.02	189.74	16.69	16.50	-3.03	
4629.89	61.81	269.97	4552.00	5.74	-202.98	202.69	16.49	16.45	-1.26	PBHL
4646.00	64.46	269.78	4559.28	5.71	-217.36	217.06	16.49	16.45	-1.20	
4679.00	70.35	270.94	4571.96	5.91	-247.81	247.49	18.14	17.85	3.52	
4711.00	74.66	271.52	4581.57	6.56	-278.31	277.96	13.58	13.47	1.81	
4742.00	77.73	271.67	4588.97	7.40	-308.40	308.01	9.91	9.90	0.48	

Pathfinder Energy

Survey Report

Company: EOG Resources Field: Thames Field Site: Po B 1 Fee #1HY Well: Po B 1 Fee #1HY Wellpath: OH	Date: 7/2/2007 Time: 10:17:42 Page: 2 Co-ordinate(NE) Reference: Well: Po B 1 Fee #1HY, Grid North Vertical (TVD) Reference: RKB 3576.0 Section (VS) Reference: Well (0.00N,0.00E,268.16Azi) Survey Calculation Method: Minimum Curvature Db: Sybase
--	--

Survey: Pathfinder MWD

MD ft	Incl deg	Azim deg	TVD ft	+N/-S ft	+E/-W ft	VS ft	DLS deg/100ft	Build deg/100ft	Turn deg/100ft	Tool/Comment
4774.00	79.40	270.89	4595.31	8.10	-339.76	339.32	5.74	5.22	-2.44	
4806.00	81.34	270.00	4600.67	8.34	-371.31	370.85	6.65	6.06	-2.78	
4837.00	83.71	269.35	4604.70	8.17	-402.04	401.57	7.92	7.65	-2.10	
4894.56	87.77	270.63	4608.97	8.16	-459.43	458.93	7.39	7.05	2.22	EOC @ 4895' MD/ 4620' TVD
4933.00	90.48	271.48	4609.56	8.87	-497.85	497.31	7.39	7.05	2.21	
5028.00	91.89	272.81	4607.60	12.42	-592.76	592.06	2.04	1.48	1.40	
5123.00	91.10	273.99	4605.12	18.06	-687.56	686.63	1.49	-0.83	1.24	
5219.00	91.10	274.59	4603.28	25.24	-783.27	782.06	0.62	0.00	0.62	
5314.00	92.68	276.14	4600.14	34.11	-877.80	876.25	2.33	1.66	1.63	
5409.00	90.66	275.19	4597.37	43.48	-972.29	970.39	2.35	-2.13	-1.00	
5504.00	94.18	276.62	4593.36	53.25	-1066.68	1064.43	4.00	3.71	1.51	
5600.00	91.10	274.60	4588.94	62.62	-1162.10	1159.50	3.84	-3.21	-2.10	
5695.00	91.98	276.34	4586.39	71.67	-1256.63	1253.69	2.05	0.93	1.83	
5790.00	91.01	274.03	4583.91	80.25	-1351.21	1347.94	2.64	-1.02	-2.43	
5885.00	90.31	270.50	4582.81	84.00	-1446.11	1442.67	3.79	-0.74	-3.72	
5978.00	91.54	270.07	4581.31	84.47	-1539.09	1535.59	1.40	1.32	-0.46	
6073.00	88.99	267.88	4580.87	82.77	-1634.06	1630.57	3.54	-2.68	-2.31	
6168.00	91.63	268.98	4580.36	80.16	-1729.02	1725.56	3.01	2.78	1.16	
6295.00	91.54	269.94	4576.85	78.97	-1855.96	1852.47	0.76	-0.07	0.76	
6414.56	93.37	270.65	4571.72	79.58	-1975.40	1971.83	1.64	1.53	0.60	EOH @ 6415' MD, Begin Build
6421.00	93.47	270.69	4571.34	79.66	-1981.83	1978.26	1.64	1.53	0.60	
6481.20	91.78	269.61	4568.58	79.82	-2041.97	2038.35	3.33	-2.81	-1.79	EOB @ 6481' MD, 92° INC,
6549.00	89.87	268.40	4567.61	78.64	-2109.74	2106.14	3.33	-2.81	-1.79	
6675.00	90.92	267.08	4566.74	73.67	-2235.64	2232.12	1.34	0.83	-1.05	
6801.00	93.12	269.02	4562.30	69.39	-2361.47	2358.03	2.33	1.75	1.54	
6926.00	92.15	267.10	4556.55	65.16	-2486.26	2482.89	1.72	-0.78	-1.54	
7052.00	91.80	266.87	4552.21	58.54	-2612.01	2608.79	0.33	-0.28	-0.18	
7178.00	91.10	267.36	4549.02	52.20	-2737.81	2734.73	0.68	-0.56	0.39	
7304.00	90.31	266.96	4547.47	45.95	-2863.65	2860.70	0.70	-0.63	-0.32	
7431.00	89.78	265.96	4547.37	38.11	-2990.40	2987.64	0.89	-0.42	-0.79	
7557.00	91.80	267.99	4545.63	31.46	-3116.20	3113.59	2.27	1.60	1.61	
7652.00	93.03	267.98	4541.63	28.13	-3211.06	3208.50	1.29	1.29	-0.01	
7778.00	90.75	266.25	4537.48	21.79	-3336.81	3334.40	2.27	-1.81	-1.37	
7904.00	89.60	265.94	4537.09	13.21	-3462.52	3460.31	0.95	-0.91	-0.25	
8031.00	90.48	265.55	4537.00	3.78	-3589.17	3587.20	0.76	0.69	-0.31	
8158.00	91.01	265.97	4535.35	-5.60	-3715.81	3714.08	0.53	0.42	0.33	Final MWD Survey @ 8158'
8234.00	91.01	265.97	4534.01	-10.94	-3791.61	3790.01	0.00	0.00	0.00	Proj. to Bit @ 8234' MD

Targets

Name	Description Dip. Dir.	TVD ft	+N/-S ft	+E/-W ft	Map Northing ft	Map Easting ft	Latitude Deg Min Sec			Longitude Deg Min Sec		
PBHL		4552.00	-127.20	-3963.20	710864.60	434141.40	32	57	14	599	N	104 32 52.932 W

Annotation

MD ft	TVD ft	
4041.00	4040.48	Tie-in to Gyro @ 4041' MD
4130.00	4129.45	KOP @ 4130' MD/TVD, Begin Build @ 11.94° DLS
4894.56	4608.97	EOC @ 4895' MD/ 4620' TVD, Begin Hold
6414.56	4571.72	EOH @ 6415' MD, Begin Build @ 3°/100'
6481.20	4568.58	EOB @ 6481' MD, 92° INC, Begin Hold to TD
8158.00	4535.35	Final MWD Survey @ 8158' MD
8234.00	4534.01	Proj. to Bit @ 8234' MD




Field: Thames Field
 Site: Po B 1 Fee #1HY
 Well: Po B 1 Fee #1HY
 Wellpath: OH
 Survey: Pathfinder MWD

PATHFINDER


No	MD	Inc	Az	TVD	+N/-S	+E/-W	DLeg	TFace	VSec
47	7178.00	91.10	267.36	4549.02	52.20	-2737.81	0.68	145.01	2734.73
48	7304.00	90.31	266.96	4547.47	45.95	-2863.65	0.70	-153.14	2860.70
49	7431.00	89.78	265.96	4547.37	38.11	-2990.40	0.89	-117.92	2987.64
50	7557.00	91.80	267.99	4545.63	31.46	-3116.20	2.27	45.13	3113.59
51	7652.00	93.03	267.98	4541.63	28.13	-3211.06	1.29	-0.47	3208.50
52	7778.00	90.75	266.25	4537.48	21.79	-3336.81	2.27	-142.79	3334.40
53	7904.00	89.60	265.94	4537.09	13.21	-3462.52	0.95	-164.91	3460.31
54	8031.00	90.48	265.55	4537.00	7.78	-3589.17	0.76	-23.90	3587.20
55	8158.00	91.01	265.97	4535.35	-5.60	-3715.81	0.53	38.39	3714.08
56	8234.00	91.01	265.97	4534.01	-10.94	-3791.61	0.00	0.00	3790.01

—	Po B 1 Fee #1HY, OH, Plan #2 6-18-07 Post Gyro
- - -	OH
---	Pathfinder MWD

Po B 1 Fee #1HY	
Site Centre Northing	710991.80
Easting	438104.60
Ground Level	3556.00
Positional Uncertainty	0.00
Convergence	-0.11



Name	TVD	+N/-S	+E/-W	Shape
PBHL	4552.00	-127.20	-3963.20	Point



OH			
Rig Ref Datum	RKB	3576.00ft	
V Section Angle	Origin +N/-S	Origin +E/-W	Starting From TVD
268.16°	0.00	0.00	0.00

No	TVD	MD	Annotation
1	4040.48	4041.00	Tie-in to Gyro @ 4041' MD
2	4129.45	4130.00	KOP @ 4130' MD/TVD, Begun Build @ 11.94° DLS
3	4608.97	4894.56	EOB @ 4895' MD/ 4620' TVD, Begun Hold
4	4571.72	6414.56	EOH @ 6415' MD, Begun Build @ 3°/100'
5	4568.58	6481.20	EOB @ 6481' MD, 92° INC, Begun Hold to TD
6	4535.35	8158.00	Final MWD Survey @ 8158' MD
7	4534.01	8234.00	Proj to Bit @ 8234' MD

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rto Brazos Rd., Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy, Minerals & Natural Resources Department
OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-102
Revised October 12, 2005
Submit to Appropriate District Office
State Lease-4 Copies
Fee Lease-3 Copies

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API Number 30-015-35650	Pool Code 75260	Pool Name Cottonwood Creek; Wolfcamp, West (Gas)
Property Code 35559	Property Name PO "B" 1 FEE	Well Number 1HY
OCRD No. 7377	Operator Name EOG RESOURCES, INC.	Elevation 3557'

Surface Location


UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
16	1	16 SOUTH	24 EAST, N.M.P.M.		3450'	SOUTH	660'	EAST	EDDY

Bottom Hole Location If Different From Surface

UL or lot no.	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
13	1	16 SOUTH	24 EAST, N.M.P.M.		3439	SOUTH	828	WEST	EDDY

Dedicated Acres 320	Joint or Int'l	Consolidation Code	Order No.
------------------------	----------------	--------------------	-----------

No allowable will be assigned to this completion until all interests have been consolidated or a non-standard unit has been approved by the division.



OPERATOR CERTIFICATION

I hereby certify that the information contained herein is true and complete to the best of my knowledge and belief, and that this organization either owns a working interest or unleased mineral interest in the land including the proposed bottom hole location or has a right to drill this well at this location pursuant to a contract with an owner of such a mineral or working interest, or to a voluntary pooling agreement or a compulsory pooling order heretofore entered by the division.

Stan Wagner 8/1/07
Signature Date

Stan Wagner
Printed Name

SURVEYOR CERTIFICATION

I hereby certify that the well location shown on this plat was plotted from field notes of a survey made by me or under my supervision, and that the same is true and correct to the best of my belief.

RECEIVED
NEW MEXICO
15079
29, 2007
Date of Survey
Signature and Seal of
Professional Surveyor
Jimmy J. Asel 6/1/2007
Certificate Number 15079

WOF 060307WL-c REV. A (N)



EOG Resources, Inc.
4000 North Big Spring, Suite 500
Midland, TX 79705
(915) 686-3600

August 1, 2007

AUG 07 2007
OCD-ARTESIA

State of New Mexico
Oil Conservation Division – District 2
1301 W. Grand Avenue
Artesia, New Mexico 88210

Re: Request for exception to Rule 107 J
Tubingless Completion
Po B 1 Fee No. 1HY

EOG Resources, Inc. requests an exception to NMOCD Rule 107 J regarding required production tubing. EOG requests a tubingless completion for our Po B 1 Fee No. 1HY to allow greater flowback after frac stimulation.

Our plan is to install production tubing as soon as flow decreases, which should occur within 6 months.

Thank you for your consideration of this request. If additional information is needed, please contact me at 432 686-3689.

Sincerely,

EOG Resources, Inc.

A handwritten signature in black ink, appearing to read "Stan Wagner", with a long horizontal flourish extending to the right.

Stan Wagner
Regulatory Analyst

AUG 07 2007
OCD-ARTESIA

Keltic Services, Inc
Box 1857
Artesia, NM
88211

505 748 3759

Temperature Survey

Company	EOG RESOURCES	Date	06/24/07
Well	PO B1 FEE #2 1-HY	Time Plug Down	300 hrs
		Time Start Survey	700 hrs
		Time End Survey	800 hrs
Casing String	PRODUCTION	Depth Reached	1200 ft
Cement Top	700 ft.		
Gauge	205		
Operator:	Julian	Witness:	LYNN CLAYTON

Keltic Services Inc
Temperature SurveyCompany EOG RESOURCES
Well PO B1 FEE E #1-HYDate 6/24/07
Plug Down 300 hrs
Survey Start 700 hrs
Operator Julian

Cement Top 700 ft

Depth ft	Temp. °F	Comments
30	83.3	
200	85.7	
400	87.0	
600	87.2	
700	87.7	CT
800	89.6	
1000	91.1	
1200	91.9	

