

District I  
1625 N French Dr, Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Lordsburg, NM 87410  
District IV  
1220 S St Francis Dr, Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-144  
March 12, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

SEP 04 2007

Is pit or below-grade tank covered by a "general plan"? Yes ☒ No ☐

Type of action Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒ **OCD-ARTESIA**

Operator **Marbob Energy Corporation**

Telephone **505-748-3303**

e-mail address **land2@marbob.com**

Address **PO Box 227, Artesia, NM 88211-0227**

**1980' FNL & 660' FWL**

Facility or well name **Moody 17 Fee Com #2**

API # **30-015-35605**

U/L or Qtr/Qtr **SWNW Sec 17 T 25S R 28E**

County **Eddy**

Latitude \_\_\_\_\_ Longitude \_\_\_\_\_ NAD 1927 ☐ 1983 ☐ Surface Owner Federal ☐ State ☐ Private ☒ Indian ☐

**Pit**

Type Drilling ☒ Production ☐ Disposal ☐

Workover ☐ Emergency ☐

Lined ☒ Unlined ☐

Liner type Synthetic ☒ Thickness **12** mil Clay ☐ Volume \_\_\_\_\_ bbl

**Below-grade tank**

Volume \_\_\_\_\_ bbl Type of fluid \_\_\_\_\_

Construction material \_\_\_\_\_

Double-walled, with leak detection? Yes ☐ If not, explain why not \_\_\_\_\_

Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)

Less than 50 feet

(20 points)

50 feet or more, but less than 100 feet

(10 points)

☐ 100 feet or more

( 0 points)

**0 points**

Wellhead protection area (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources )

Yes

(20 points)

☒ No

( 0 points)

**0 points**

Distance to surface water (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses )

Less than 200 feet

(20 points)

200 feet or more, but less than 1000 feet

(10 points)

☐ 1000 feet or more

( 0 points)

**0 points**

**Ranking Score (Total Points)**

**0 points**

**If this is a pit closure:** (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks (2) Indicate disposal location.

onsite ☐ offsite ☐ If offsite, name of facility \_\_\_\_\_ (3) Attach a general description of remedial action taken including remediation start date and end date (4) Groundwater encountered No ☐ Yes ☐ If yes, show depth below ground surface \_\_\_\_\_ ft and attach sample results (5) Attach soil sample results and a diagram of sample locations and excavations

I hereby certify that the information above is true and complete to the best of my knowledge and belief I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☒, or an (attached) alternative OCD-approved plan ☐.

Date **August 30, 2007**

Printed Name/Title: **Gerald Herrera**

Signature *G. Herrera*

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval

**SEP 5 2007**

**Gerry Guye  
Compliance Officer**

Date

Printed Name/Title

Signature

**See Attached  
Stipulations**

Marbob Energy Corporation  
Attachment to OCD Form C-144


Pit or Below-Grade Tank Registration or Closure

Pit Closure

**Moody 17 Fee Com #2**

1980' FNL & 660' FWL  
Section 17 T-25S R-28E  
Eddy County, New Mexico

(1) Facility diagram



(2) Disposal location:

*Fluids will be disposed at an approved disposal facility.*

(3) General description of remedial action:

- a. Mix contents of pit (with material from location for pad reduction) to stiffen.*
- b. Push to one end of pit, use other end for capsulation pit(s).*
- c. Capsulation pit(s) will not be deeper than 12'*  
*OCD's water map shows water at 67'. This keeps up 55' above ground water.*
- d. Line pits with 12 mil plastic.*
- e. Transfer contents into lined pits.*
- f. Cap with 20 mil liner*
- g. Cover with 3' of cover dirt.*
- h. Re-seed to BLM requirements.*

(4) Groundwater encountered:

*No*

(5) Soil sample:

*N/A*

### **Stipulations for Closure Of Pit**

Samples are to be obtained from pit area and analysis submitted to NMOCD prior to back filling. Notify NMOCD 24 hours prior to obtaining samples.

If burial trench is to be constructed in the pit area, samples are to be obtained from that area and analyses submitted to NMOCD prior to lining the pit, but after contaminated soils have been excavated from trench area.

Notify NMOCD 24 hours prior to beginning closure.

If pit is situated in an agricultural area pit contents must be hauled to an NMOCD approved disposal area.