

015-34606

Mr. Robin Terrell
Mewbourne Oil Company
POB 5270
Hobbs, New Mexico 88240

12 September 2007

Mr. Mike Bratcher
OIL CONSERVATION DIVISION
1301 West Grand Ave.
Artesia, NM 88210

Re: Closure Statement for Long Draw "10" Fee Com # 1

Dear Mr. Bratcher:

Mewbourne Oil Company (MOC) has closed the drilling pit on the above mentioned wellsite. The contents of the pit were placed in an onsite encapsulation trench that met all rules and regulations set by the NMOCD. After the pit contents were placed in the trench soil samples were taken from the pit floor. The samples indicated that there was no contamination and that the pit could be closed. The pit was then contoured back to the original topography. The pit was closed on 8/31/07.

Sincerely,

Robin Terrell
Production Engineer

Enclosure: Lab analysis of soil samples, pictures, C-144, Initial closure plan.

Accepted for record
NMOCD

2

100001
1625 N. French Dr., Hobbs, NM 88240
District II
1001 W. Grand Avenue, Artesia, NM 88210
District III
1000 E. Thomas Road, Aztec, NM 87400
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

Form C-144
June 1, 1994
Permitting and production facilities, subject to
approval NMOCED District Office.
For downstream facilities, subject to Santa Fe
office.

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general permit"? Yes ☐ No ☒

Type of entry: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator: Mimboune Oil Co. Telephone: (505) 393-5965 e-mail address: _____
Address: P.O. Box 5370 Hobbs NM 88241
Facility or well name: Long Draw 10 Pit Cont #1 API #: 30-015-34606 U/L or Q/L #: L Sec: 10 T: 205 R: 25E
County: Eddy Latitude: N32°35'10.0" Longitude: W101°28'45.0" MWD: 1997 ☐ 1998 ☐
Surface Owner: Federal ☐ State ☐ Private ☒ Indian ☐

Pit Type: Drilling <input checked="" type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Wellbore: <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input checked="" type="checkbox"/> Thickness: <u>12</u> mil Clay <input type="checkbox"/> Pit Volume: _____ MM		Below-grade tank Volume: _____ MM Type of tank: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> No <input checked="" type="checkbox"/> If not, explain why not: _____	
Depth to ground water (vertical distance from bottom of pit to nearest high water elevation of ground water.)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) (0 points)	 <u>150'</u>
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes No	(20 points) (0 points)	 <u>No</u>
Distance to surface water: (Horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points)	 <u>1000 feet or more</u>
Ranking Score (Total Points)		<u>0</u>	

With a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the circle box if you are burying in place) circle ☒ offsite ☐ If offsite, name of facility: N/A. (3) Attach a ground description of remedial action taken including remediation start date and end date. (4) Groundwater monitoring: No ☒ Yes ☐ If yes, show depth below ground surface: N/A ft. and attach sample results.

(5) Attach soil sample results and a diagram of sample locations and orientations.

Additional Comments: Refer to Attached Pit Closure Plan

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been fully constructed or closed according to NMOCED guidelines ☐ a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

Date: 5/24/07
Printed Name/Title: Dusty L. Wilson/Fill Agent Signature: [Signature]

Your certification and NMOCED approval of this application does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other Federal, state, or local laws and/or regulations.

Approve: _____
Printed Name/Title: _____ Signature: [Signature] Date: 6/6/07

Notify OCD 24 hours prior to beginning pit closure.

Samples are to be obtained from pit area and analysis submitted to NMOCED prior to back-filling

(E)

New Mexico Environmental Services

Hobbs, New Mexico

Reserve Pit Remediation

SURFACE PIT CLOSURE PLAN

PIT PARAMETERS

COMPANY: Mewbourne Oil Co.

WELL SITE: Long Draw 10 Fee Com #1

LEGAL DESCRIPTION: Unit L Sec 10 T20s R25e, 1980
FSL 660 FWL, Eddy co.

The reserve pit inset on this leasehold is being permitted to close as per New Mexico OCD "Pit and Below Grade Tank Guidelines" dated November 1, 2004.

This pit was excavated and formed to the dimensions roughly 150' X 150' X 6' deep. A 12 mil membrane liner and pad was used to prevent leakage to the surface soils. A visual examination of the membrane liner indicates that the liner had maintained its integrity.

After the drilling and completion phase of this project, the water phase of the pit contents were pumped and hauled to an approved water injection facility. It is estimated that the volume of solids remaining are to +/- 1800 yards. The burial cell is to be excavated and lined with a minimum 12 mil membrane that complies with ASTM Standards: D-5747, D-5199, D-5994, and D-4833. The cuttings will be loaded as to allow for > 36" freeboard to ground level. After the cuttings are loaded the 12 mil liner will be folded over the top, and a 20 mil minimum thickness liner meeting the minimum requirements as outlined in ASTM Standard Methods: D-5747, D-5199, D-5994, D-4833; will be used to cap and cover to an extended area that exceeds three feet in all directions from the

edge of the burial cell. This cap will be constructed as to slope and allow for water runoff from burial cell.

A minimum of 36" of top soil will be used to cover the burial cell. This soil must be capable of supporting plant growth. A seed mixture will be used as to conform to local BLM and OCD requirements.

After the drilling solids are buried, the natural contour of the surrounding soils will be mechanically shaped as to prevent erosion of the well site until vegetation is established.

NEW MEXICO ONE CALL
Locate Request ConfirmationTicket #:2007290962
Work to Begin Date:

07/19/2007

Reason Code:STANDARD LOCATE
Time: 07:48:00 AM

CALLER INFORMATION

MARLAENA LEWIS
NEW MEXICO ENVIRONMENTAL SRVC.Excavator Type:HOMEOWNER
Tel.:(505)392-9575

DIG LOCATION

City:RURAL EDDY
Subdivision:
Address : To:
Street : *LONG DRAW 10 FEE COM #1
Nearest Intersecting Street :

Second Intersecting Street :Additional Dig Information:
W0707170741220 FROM NORTH BYPASS & 285 IN CARLSBAD
, GO N ON 285 15M TO ROCK DAISY RD, T/W 4.9M, T/S
ON LEASE RD AND FOLLOW MAIN RD 2.5M ONTO LOCATION

Remarks: SPOT 600 FT RADIUS OF WELL HEAD

Township: 20S Range: 25E Section 1/4: 10 SW

Type of Work: PIT RECLAMATION

The following utility owners have been notified of
your proposed excavation site:
ENTERPRISE FIELD SERVICES - CARLSBAD

IMPORTANT CONFIRMATION NOTICE

Your fax request has been received and processed. It is your responsibility to review the information provided on this faxback confirmation ticket and ensure it has been correctly interpreted from your request. Notify us immediately of any corrections or errors. Acceptance of this faxback confirmation ticket means you accept responsibility for the accuracy of the information contained in the ticket and you agree to indemnify New Mexico One Call Systems, Inc. of all liability, claims, fees, or damages, including reasonable attorney fees arising from or resulting from the use of the information provided on this confirmation ticket.

New Mexico Law requires you to wait two working days from the date and time of this confirmation notice before you begin excavation. This request is valid for ten working days. Only the facility owners listed on this ticket will be notified.

07/16/2007 MON 19:09 [TX/RX NO 7364] 001

TRACE ANALYSIS, INC.

6701 Aberdeen Avenue, Suite 9
200 East Sunset Road, Suite E
5002 Basin Street, Suite A1
8808 Camp Bowie Blvd. West, Suite 180

Lubbock, Texas 79424 800•378•1296
El Paso, Texas 79922 888•588•3443
Midland, Texas 79703
Ft. Worth, Texas 76116

806•794•1296 FAX 806•794•1298
915•585•3443 FAX 915•585•4944
432•689•6301 FAX 432•689•6313
817•201•5260 FAX 817•560•4336

E-Mail: lab@traceanalysis.com

Analytical and Quality Control Report

Dusty Wilson
New Mexico Environmental
P.O. Box 310
Hobbs, NM, 88241

Report Date: August 17, 2007

Work Order: 7081522



Project Location: 1980/S 660/N Sec 10 T205 R25E Eddy, Co. NM
Project Name: Newbourne Long Draw 10 Fed Com #1
Project Number: API 30-015-34606

Enclosed are the Analytical Report and Quality Control Report for the following sample(s) submitted to TraceAnalysis, Inc.

Sample	Description	Matrix	Date	Time	Date
			Taken	Taken	Received
133167	Sample #001 SE 1/4 7'	soil	2007-08-14	13:20	2007-08-15
133168	Sample #002 NE 1/4 7'	soil	2007-08-14	13:38	2007-08-15
133169	Sample #003 NW 1/4 7'	soil	2007-08-14	13:56	2007-08-15
133170	Sample #004 SW 1/4 7'	soil	2007-08-14	14:08	2007-08-15
133171	Sample #005 BG	soil	2007-08-14	14:30	2007-08-15

These results represent only the samples received in the laboratory. The Quality Control Report is generated on a batch basis. All information contained in this report is for the analytical batch(es) in which your sample(s) were analyzed.

This report consists of a total of 6 pages and shall not be reproduced except in its entirety, without written approval of TraceAnalysis, Inc.

Dr. Blair Leftwich, Director

Standard Flags

B - The sample contains less than ten times the concentration found in the method blank.

Case Narrative

Samples for project Newbourn Long Draw 10 Fed Com #1 were received by TraceAnalysis, Inc. on 2007-08-15 and assigned to work order 7081522. Samples for work order 7081522 were received intact at a temperature of 4.0 deg.C.

Samples were analyzed for the following tests using their respective methods.

Test	Method
Chloride (Titration)	SM 4500-Cl B

Results for these samples are reported on a wet weight basis unless data package indicates otherwise.

A matrix spike (MS) and matrix spike duplicate (MSD) sample is chosen at random from each preparation batch. The MS and MSD will indicate if a site specific matrix problem is occurring, however, it may not pertain to the samples for work order 7081522 since the sample was chosen at random. Therefore, the validity of the analytical data reported has been determined by the laboratory control sample (LCS) and the method blank (MB). These quality control measures are performed with each preparation batch to ensure data integrity.

All other exceptions associated with this report have been footnoted on the appropriate analytical page to assist in general data comprehension. Please contact the laboratory directly if there are any questions regarding this project.

Analytical Report

Sample: 133167 - Sample #001 SE 1/4 7'

Analysis:	Chloride (Titration)	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
QC Batch:	40157	Date Analyzed:	2007-08-16	Analyzed By:	MM
Prep Batch:	34753	Sample Preparation:	2007-08-16	Prepared By:	JS

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		262	mg/Kg	20	5.00

Sample: 133168 - Sample #002 NE 1/4 7'

Analysis:	Chloride (Titration)	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
QC Batch:	40158	Date Analyzed:	2007-08-16	Analyzed By:	MM
Prep Batch:	34754	Sample Preparation:	2007-08-16	Prepared By:	JS

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		158	mg/Kg	20	5.00

Sample: 133169 - Sample #003 NW 1/4 7'

Analysis:	Chloride (Titration)	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
QC Batch:	40158	Date Analyzed:	2007-08-16	Analyzed By:	MM
Prep Batch:	34754	Sample Preparation:	2007-08-16	Prepared By:	JS

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		110	mg/Kg	20	5.00

Sample: 133170 - Sample #004 SW 1/4 7'

Analysis:	Chloride (Titration)	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
QC Batch:	40158	Date Analyzed:	2007-08-16	Analyzed By:	MM
Prep Batch:	34754	Sample Preparation:	2007-08-16	Prepared By:	JS

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		310	mg/Kg	20	5.00

Sample: 133171 - Sample #005 BG

Analysis:	Chloride (Titration)	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
QC Batch:	40158	Date Analyzed:	2007-08-16	Analyzed By:	MM
Prep Batch:	34754	Sample Preparation:	2007-08-16	Prepared By:	JS

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		<20.0	mg/Kg	4	5.00

Method Blank (1) QC Batch: 40157

QC Batch: 40157 Date Analyzed: 2007-08-16 Analyzed By: MM
Prep Batch: 34753 QC Preparation: 2007-08-16 Prepared By: JS

Parameter	Flag	MDL Result	Units	RL
Chloride		<3.25	mg/Kg	5

Method Blank (1) QC Batch: 40158

QC Batch: 40158 Date Analyzed: 2007-08-16 Analyzed By: MM
Prep Batch: 34754 QC Preparation: 2007-08-16 Prepared By: JS

Parameter	Flag	MDL Result	Units	RL
Chloride		<3.25	mg/Kg	5

Laboratory Control Spike (LCS-1)

QC Batch: 40157 Date Analyzed: 2007-08-16 Analyzed By: MM
Prep Batch: 34753 QC Preparation: 2007-08-16 Prepared By: JS

Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride	100	mg/Kg	1	100	<3.25	100	90 - 110

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride	97.5	mg/Kg	1	100	<3.25	98	90 - 110	2	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Laboratory Control Spike (LCS-1)

QC Batch: 40158 Date Analyzed: 2007-08-16 Analyzed By: MM
Prep Batch: 34754 QC Preparation: 2007-08-16 Prepared By: JS

Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride	96.1	mg/Kg	1	100	<3.25	96	90 - 110

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	LCSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride	91.9	mg/Kg	1	100	<3.25	92	90 - 110	4	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Matrix Spike (MS-1) Spiked Sample: 133167

QC Batch: 40157 Date Analyzed: 2007-08-16 Analyzed By: MM
Prep Batch: 34753 QC Preparation: 2007-08-16 Prepared By: JS

Param	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride	¹ 380	mg/Kg	20	2000	262	6	84.6 - 117		

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride	² 349	mg/Kg	20	2000	262	4	84.6 - 117	8	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Matrix Spike (MS-1) Spiked Sample: 133175

QC Batch: 40158 Date Analyzed: 2007-08-16 Analyzed By: MM
Prep Batch: 34754 QC Preparation: 2007-08-16 Prepared By: JS

Param	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride	³ 4440	mg/Kg	100	10000	4140	3	84.6 - 117		

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit	RPD	RPD Limit
Chloride	⁴ 4270	mg/Kg	100	10000	4140	1	84.6 - 117	4	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Standard (ICV-1)

QC Batch: 40157 Date Analyzed: 2007-08-16 Analyzed By: MM

Param	Flag	Units	ICVs True Conc.	ICVs Found Conc.	ICVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		mg/Kg	100	99.3	99	85 - 115	2007-08-16

¹ Matrix spike recoveries out of control limits due to matrix spike being diluted out. Use LCS/LCSD to demonstrate analysis is under control.

² Matrix spike recoveries out of control limits due to matrix spike being diluted out. Use LCS/LCSD to demonstrate analysis is under control.

³ Matrix spike recoveries out of control limits due to matrix spike being diluted out. Use LCS/LCSD to demonstrate analysis is under control.

⁴ Matrix spike recoveries out of control limits due to matrix spike being diluted out. Use LCS/LCSD to demonstrate analysis is under control.

Standard (CCV-1)

QC Batch: 40157

Date Analyzed: 2007-08-16

Analyzed By: MM

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		mg/Kg	100	101	101	85 - 115	2007-08-16

Standard (ICV-1)

QC Batch: 40158

Date Analyzed: 2007-08-16

Analyzed By: MM

Param	Flag	Units	ICVs True Conc.	ICVs Found Conc.	ICVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		mg/Kg	100	99.5	100	85 - 115	2007-08-16

Standard (CCV-1)

QC Batch: 40158

Date Analyzed: 2007-08-16

Analyzed By: MM

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		mg/Kg	100	101	101	85 - 115	2007-08-16

TraceAnalysis, Inc.

email: lab@traceanalysis.com

6701 Aberdeen Avenue, Suite 9
Lubbock, Texas 79424
Tel (806) 794-1296
Fax (806) 794-1298
1 (800) 378-1298

5002 Basin Street, Suite A1
Midland, Texas 79703
Tel (432) 689-6301
Fax (432) 689-6313

200 East Sunset Rd., Suite E
El Paso, Texas 79922
Tel (915) 585-3443
Fax (915) 585-4944
1 (888) 588-3443

6015 Harris Pkwy., Suite 110
Ft. Worth, Texas 76132
Tel (817) 201-5260

Company Name: New Mexico Environmental Services Phone #: (505) 392-8584
Address: (Street, City, Zip) P.O. Box 310 Hobbs NM 88242 Fax #: (505) 392-3085
Contact Person: Dusty Wilson E-mail: dustytrails73@hotmail.com
Invoice to: Same
Project #: API # 30-025-34606 Project Name: Newbourne, Long Draw 10 Fee Cont # 1
Project Location (including state): 1980/5 664N Sec 10 T20S R25E Edgemoor NM Sampler Signature: [Signature]

LAB # (LAB USE ONLY)	FIELD CODE	# CONTAINERS	Volume / Amount	MATRIX				PRESERVATIVE METHOD					SAMPLING	
				WATER	SOIL	AIR	SLUDGE	HCl	HNO ₃	H ₂ SO ₄	NaOH	ICE	DATE	TIME
133167	Sample #001 SE 1/4 7'	1	4oz	X								X	8/14/07	1:20 pm
168	Sample #002 NE 1/4 7'			X								X		1:38 pm
169	Sample #003 NW 1/4 7'			X								X		1:56 pm
170	Sample #004 SW 1/4 7'			X								X		2:08 pm
171	Sample #005 BG			X								X		2:30 pm

Relinquished by: [Signature] Date: 8/14/07 Time: 7:30 AM
Received by: [Signature] Date: 8/15/07 Time: 7:30 AM
Relinquished by: [Signature] Date: 8/15/07 Time: 11:00
Received at Laboratory by: [Signature] Date: 08/15/07 Time: 11:00

Submission of samples constitutes agreement to Terms and Conditions listed on reverse side of C. O. C.

ORIGINAL COPY

ANALYSIS REQUEST
(Circle or Specify Method No.)

MTBE	8021B / 602 / 8260B / 624																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
------	---------------------------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--





LAB USE ONLY

Intact CLN
Headspace Y (N)
Temp 4
Log-in-Review MM

REMARKS:

- ☐ Dry Weight Basis Required
☐ TRRP Report Required
☐ Check If Special Reporting Limits Are Needed

Carrier # Carry K





2002/13/20

