<u>District I</u> 1625 N. French Dr , Hobbs, NM 88240 District II
1301 W. Grand Avenue, Artes
District III 1000 Rio Brazos Road, Azte <u>District IV</u> 1220 S. St. Francis Dr., Santa Fe, NM 87

MUST BE APPROVED BEFORE CLOSURE MAY COMMENCE.

State of New Mexico Energy Minerals and Natural Resources

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

SED 13 2007

Form C-144

June 1, 2004

Pit or Below	-Grade	Tank	Registration	or Closure
--------------	--------	------	--------------	------------

Is pit or below-grade tan	lk covered by a "general plan"? Yes ☐ Nor below-grade tank ☒ Closure of a pit or below-g	Io ⊠ SEP 13 2007			
Type of action. Registration of a pit of	of below-grade tank \(\omega\) Closure of a pit of below-g	OCD-ARTESIA			
Operator: Fairway Resources Operating LLC Telephone: 817-416-1946 e-mail address: kpearce@fairwayresoures.com					
Address: 538 Silicon Drive, Suite 101, Southlake, TX 76092					
Facility or well name: South Red Lake Unit II #21 API #: 30-015-01219 U/L or Qtr/Qtr K Sec 36 T 17S R 27E					
County: Eddy Latitude 32.7896600 Longitude -1042350100 NAD 1927 ☐ 1983 ☒					
Surface Owner: Federal ☐ State ☒ Private ☐ Indian ☐					
<u>Pit</u>	Below-grade tank				
Type. Drilling Production Disposal	Volume:bbl Type of fluid:				
Workover ☐ Emergency ☑ P&A	Construction material.				
Lined \(\sum \) Unlined \(\sum \)	Double-walled, with leak detection? Yes If not, explain why not.				
Liner type: Synthetic ☑ Thickness 12 mil Clay ☐					
Pit Volume 150 bbl					
	Less than 50 feet	(20 points)			
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points) 10			
high water elevation of ground water) 60'+	100 feet or more	(0 points)			
Wellhead protection area (Less than 200 feet from a private domestic	Yes	(20 points)			
water source, or less than 1000 feet from all other water sources)	<u>No</u>	(0 points) 0			
	Less than 200 feet	(20 points)			
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses)	1000 feet or more	(0 points) 0			
		10			
	Ranking Score (Total Points)	10			
If this is a pit closure: (1) Attach a diagram of the faculity showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location. (check the onsite box if					
your are burying in place) onsite \square offsite \square If offsite, name of facility_	(3) Attach a genera	al description of remedial action taken including			
remediation start date and end date. (4) Groundwater encountered No 🔲	Yes If yes, show depth below ground surface	ft. and attach sample results.			
(5) Attach soil sample results and a diagram of sample locations and excava	tions				
Additional Comments:					
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank					
has been/will be constructed or closed according to NMOCD guidelines ⊠, a general permit □, or an (attached) alternative OCD-approved plan □.					
D. 00117007					
Date: 9/11/2007 Printed Name/Title Van Berger Engineer					
Printed Name/Title Ken Pearce – Engineer Signature					
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations					
Approval:	Signed By Mily Br	SEP 2 5 2007			
Printes Nacrondition of Approval, A DETAILED CLOSURE PLAN					