30 015 24080

(Rev. 5-65)		UNTED					TUUP 1908)	TE* other in-	F	orm ar udget I	pproved. Bureau No. 42–R355.5	
10/	DEPAR	RTMENT C				R	struc	tions on rse side)	5. LEASE DE	BIONATI	ION AND SERIAL NO	
		GEOLOGIC	AL SU	RVEY					NM 1484	6		
WELL CO	MPLETION	OR RECO	MPLETI	ON I	REPORT	AN	ID LO	G *			TTEE OR TRIBE NAMI	
1a. TYPE OF WE	LL: 01 W:	L X WELL	DF	RY 🗌	Other				7. UNIT AORE	EMBNT	NAME	
b. TYPE OF COM		SEP- PLUG	niff									
WELL X	OVER L.J E		RESV		Other				S. FARM OR	LEASE	NAME -	
2. NAME OF OPERA					NO	V 0	5 2007		Federal	_384		
DEPCO I	DC. ERATOR						RTESIA		1			
800 Cent	ral, Odess	a, TX 7976	51						10. FIELD AN	D POOL	, OR WILDCAT	
							ts)*				(Q.Gr. S.A.	
B-	990 FNL &	2300 FEL, S	Sec. 4,	T-18	-S, R-29	9–E			OR AREA	, м., о	R'BLOCK AND SURVEY	
At top prod. in	terval reported b	elow										
At total depth									_Sec4.	1.85	5. 29E	
			14. PER	14. PERMIT NO. DATE ISSUED					12. COUNTY C		13. STATE	
15. DATE SPUDDED	1 16 ping mp	REACHED 17. DAT	TE COMPL (Pendu ti	o prod) to			•	Eddy	10 p	New Mexic	
				neuay i	18			F, REB, 1	RT, GR, ETC.)*	10. E.	ENV. CASINGLIAND	
$\frac{4-27-82}{20. \text{ total depth, MD}}$	5-4-82 & TVD 21. PL	UG, BACK T.D., MD &	$\frac{19-82}{\text{TVD}}$ 22.		TIPLE COMPL.	35	30 GR		ROTARY TOOL	8	CABLE TOOLS	
:3250'		3140		HOW M	ANY*		DRII	TED BY	0-3250			
24. PRODUCING INTE	EVAL(S), OF THIS	S COMPLETION-TO	P, BOTTOM,	NAME (M	ID AND TVD)	,				25.	WAS DIRECTIONAL SUBVEY MADE	
											•	
2627-270 26. TYPE ELECTRIC	8 20 .45	" holes (Gr	ayburg))						1 27. WA	NO AS WELL CORED	
											*	
DL.I. & CN 28.	t-a	CAS	ING RECOR	RD (Rep	ort all string	s set i	n well)				No	
CASING SIZE	WEIGHT, LB.	/FT. DEPTH S	(MD) TE	нон	LE SIZE	·	CEM	ENTING	RECORD		AMOUNT PULLED	
10_3/4	40.50#				3/4				7 yds.	_	None	
	20 & 2	3249		8	3/4"		1890	sx. C	irc 75 sx	• -	None	
						-	···			-		
29.		LINER RECORD				1	30.	<u></u>	UBING RECO	RD	.,	
· SIZE	TOP (MD) BOTTOM (MD) SAG			MENT*	SCREEN (MD) SIZE				DEPTH SET (MD) -	PACKER SET (MD)	
							2 3/8	11	2756'.	-		
31. PERFORATION RE	CORD (Interval 8	ize and number)	1	<u> </u>		1	, and	TD 1 CT				
		27-29', 263	4-37'.		B2.				URE, CEMENT			
.45 110105	26	52-54!, 270	6-08',									
(20) holes)) gal 15% DS-30 acid)00 gal. Mini-Max III-40				
							•	000# 20/40 sd.				
00.4				PROP	Hamron			30,0	00#_10/20	_ba_		
33. FIRST PRODUCT	TION PROD	OUCTION METHOD (Flowing, gas		UCTION mping—size	and t1	pe of pum	(D)	WELLS	TATUS	(Producing or	
5-25-82		umping	2" ¥ 1	1/2"	x 12'	• : •		.,	shut	(n)	lucing	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N.		OIL—BBL.		GAS-MC	F.	WATER-BBL.		AS-OIL RATIO	
6-4-82	24	2"		->	:_3	2	4	9	24		1531	
FLOW. TUBING PRESS.	CASING PRESSU	RE CALCULATED 24-HOUR RAT	E OIL-BE	BL.	GAS	MCF.		WATER-	BBL	IL GRA	AVITY-API (CORR.)	
34. DISPOSITION OF G	45 AS (Sold, used for	r fuel, vented, etc.)	1 3	32		49	<u>: 1</u>		Z4 TEST WITNESS	ED PT	*38. ***	
,		•					•		TEST WITHERS	BU, BI		
35. LIST OF ATTACH	Vented aw Ments	ating P.L.	connect	TOU		. 15		!	<u> </u>		<u> </u>	
CNLDLL	& DEVIATI	ON SURVEY			٠,	7 . 3	i				557-27	
36. I hereby certify	that the foregoi	ng and attached in	formation i	is compl	ete and corre	ct as	determine	d from a	ill available rec	ords		
signed A	1 Jenne	R.L.Den	ney TITI	LE(Chief Pr	odu	ction	Clerk	DATE	6_	9-82	
	,									. 13		

Federal 384-#1

INSTRUCTIONS

30:015 24080

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments

should be listed on this form, see item 35.

1/cm 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments.

Items 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

1tem 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

FOR	MATION	1		тор	i	во	ттом		4	i		DE	SCRIPTIO	ON, CONT	ENTS, ET	2.	-		NAME			тор		
!`		•		1				ľ	111		,	;	ı					-			MEAS. DEPTH	TRUEVER	at. DEP	
}- }	•	-			- ! .				-		1	į.		•				77	QUE! GRAY	EN YBURG		2020 2360		
	•	15								: 1	,	:	1						SAN	ANDRES		2850		
		Ę	1 -		v − t				1 1	:		!			-					,				
	-		1		3) 04				1	,	,			į.								1	
		ſ .		- 1		1 a 1			,, -4	:		;	;	1	; :									
		٠, ١	-	, ,				.,	7	;	i •	3	•		į									
,	,		i i		\$1.7 \$1,	5		•				1											,	
) *		 ا د			1 2 2	-							; •	• • • •	į		1	· .		-		_	1	
	, t	11	- -	ļ	2	-714			(n	: :		1	4		; ;-					,	:	; 	;	
		INT		15	200				i.	-} -i '			,			i			, -		-	,		

BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220-6292 (505) 234-5972

Permanent Abandonment of Federal Wells Conditions of Approval

Failure to comply with the following Conditions of Approval may result in a Notice of Incidents of Noncompliance (INC) in accordance with 43 CFR 3163.1.

- 1. Plugging operations shall commence within <u>ninety (90)</u> days from the approval date of this Notice of Intent to Abandon. If you are unable to plug the well by the 90th day provide the appropriate BLM office, prior to the 90th day, with the reason for not meeting the deadline and a date when the appropriate BLM office can expect the well to be plugged. Failure to do so will result in enforcement action.
- 2. <u>Notification:</u> Contact the appropriate BLM office at least 24 hours prior to the commencing of any plugging operations. For wells in Chaves and Roosevelt County, call (505) 627-0272, in Eddy County call (505) 361-2822; for wells in Lea County call (505) 393-3612.
- 3. <u>Blowout Preventers:</u> A blowout preventer (BOP), as appropriate, shall be installed before commencing any plugging operation. The minimum BOP requirement is a 2M system for a well not deeper than 9090 feet; a 3M system for a well not deeper than 13636 feet; and a 5M system for a well not deeper than 22727 feet.
- 4. <u>Mud Requirement:</u> Mud shall be placed between all plugs. Minimum consistency of plugging mud shall be obtained by mixing at a rate of 25 sacks (50 pounds each) of gel per 100 barrels of water. Minimum nine (9) pounds per gallon.
- 5. <u>Cement Requirement:</u> Sufficient cement shall be used to bring any required plug to the specified depth and length. Any given cement volumes on the proposed plugging procedure are merely estimates and not final. Unless specific approval is received, no plug except the surface plug shall be less than 25 sacks of cement. In lieu of a cement plug in cased hole, a bridge plug set within 50 feet to 100 feet above the perforations shall be capped with 50 feet of cement. If a bailer is used to cap this plug, 35 feet of cement shall be sufficient.

Unless otherwise specified in the approved procedure, the cement plug shall consist of either class "C" for up to 7500 feet of depth, mixed at 14.8 lbs./gal with 6.3 gallons of fresh water per sack or class "H" for deeper than 7500 feet plugs, mixed at 16.4 lbs./gal with 4.3 gallons of fresh water per sack.

- 6. <u>Dry Hole Marker:</u> All casing shall be cut-off at the base of the cellar or 3 feet below final restored ground level (whichever is deeper). The well bore shall then be capped with a 4-inch pipe, 10 feet in length, 4 feet above the ground and embedded in cement. The following information shall be permanently inscribed on the dry hole marker: Well name and number, the name of the operator, the lease serial number, the surveyed location (the quarter-quarter section, section, township and range or other authorized survey designation acceptable to the authorized officer; such as metes and bounds).
- 7. <u>Subsequent Plugging Reporting:</u> Within 30 days after plugging work is completed, file one original and five copies of the Subsequent Report of Abandonment, Form 3160-5 to BLM. The report should give in detail the manner in which the plugging work was carried out, the extent (by depths) of cement plugs placed, and the size and location (by depths) of casing left in the well. <u>Show date well was plugged.</u>

Following the submittal and approval of the Subsequent Report of Abandonment, surface restoration conditions of approval shall be developed and furnished to you.

SUPERIOR TO STATE OF THE STATE

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

Carlsbad Field Office 620 E. Greene St. Carlsbad, NM 88220

Interim Reclamation Procedures for Permanently Abandoned Federal Wells

- 1. After Subsequent Report of Abandonment, Form 3160-5, is filed and approved by the BLM the surface protection specialist (SPS) will conduct a surface inspection of the abandonment. The SPS will establish the reclamation requirements the operator will need to complete. **DO NOT START RECLAMATION UNTIL THE SPS HAS INSPECTED THE LOCATION.**
- 2. The reclamation requirements will be given to an environmental protection specialist (EPS). The EPS will issue the operator a Notice of Written Order outlining the reclamation requirements. **DO NOT START RECLAMATION UNTIL A NOTICE OF WRITTEN ORDER FOR RECLAMATION HAS BEEN RECEIVED.** The EPS will be responsible for all further abandonment work and inspections.
- 3. Notification: CONTACT THE EPS 3 DAYS PRIOR TO RECLAMATION WORK. This notification gives the EPS an opportunity to discuss by phone or on location the reclamation requirements, any special concerns and the timeframes. It also allows the EPS an opportunity to witness various aspects of the reclamation work to determine if an adequate seedbed has been prepared and all reclamation requirements have been completed. CONTACT THE EPS AT LEAST 3 DAYS PRIOR TO SEEDING. This allows the EPS to witness the seeding operation to make sure the location is seeded properly and with the appropriate seed mixture. DO NOT START RECLAMATION UNTIL THE EPS HAS BEEN NOTIFIED.
- 4. After reclamation work has been completed, submit the I & E copy of the Notice of Written Order to the BLM. It will need to be signed by a company representative and dated. Also submit one original and five copies of the Final Abandonment Notice, Form 3160-5. The report should state that all reclamation work has been completed, and the location is ready for a final abandonment inspection.
- 5. The BLM will continue to monitor the location to ensure the location vegetates successfully, and salts from the reserve pit do not leach to the surface. The location will be monitored until such time as vegetation (20%) is established evenly across the location (including the reserve pit and access road). Once EPS determines that vegetation (20%) is evenly spread across the location, final abandonment will be authorized.

If there are any questions please feel free to contact any of the following:

Jim Amos Supervisory Environmental Protection Specialist (505) 234-5909

Barry Hunt
Surface Protection Specialist
(505) 234-5965

Todd Suter Surface Protection Specialist (505) 234-5987

Trishia Bad Bear Natural Resource Specialist – Lea County (505) 393-3612 Cody Layton

Natural Resource Specialist

(505) 234-5959

Paul Evans

Environmental Protection Specialist

(505) 234-5977

Terry Gregston

Environmental Protection Specialist

(505) 234-5958

10/18/2006

Form 3160-5 (April 2004)

UNITEDSTATES

Repl	ace
" 1 — T	FORMAPPROVED
1	OM B No. 1004-0137
	Expires: March 31, 2007

April 2004) DE	PARTMENT OF THE INTERIOR	•	OM B No. 1004-0137 Expires: March 31, 2007			
BU	JREAU OF LAND MANAGEMENT		5. Lease Serial No.			
SUNDRY I	NOTICES AND REPORTS OF	N WELLS				
Do not use this abandoned well	form for proposals to drill or t l. Use Form 3160-3 (APD) for su	o re-enter an ch proposals.	6. If Indian, Allottee or Tribe Name			
	LICATE - Other instructions on	reverse side.	7. If Unit or CA/Agreement, Name and/or No.			
1. Type of Well Oil Well	Gas Well Other		8. Well Name and No.			
2. Name of Operator			HORNED TOAD 36 STATE # 2H			
BEPCO, L.P.	2h DhanaNi	o. (include area code)	9. API Well No. 30-015- 35837			
3a. Address P.O. BOX 2760 MIDLAND	10. Field and Pool, or Exploratory Area					
4. Location of Well (Footage, Sec.	Nash Draw (Delaware, BS, Aval)					
220' FNL, 2410' FEL, SEC		11. County or Parish, State EDDY NM				
12 CHECK ADI	PROPRIATE BOX(ES)TO INDICATE	NATURE OF NOTICE P	'/			
	- TOP RIATE BOX(ES)TO INDICATE	/	ELOKT, OK OTHER DATA			
TYPEOF SUBMISSION		TYPE OF ACTION				
X Notice of Intent	Acidize Deepen	Production (Sta	<i>'</i>			
122 Notice of file in	AlterCasing FractureTr		Well Integrity			
Subsequent Report	Casing Repair New Cons Change Plans Plug and A	/ 	oandon & OFF LEASE			
Final Abandonment Notice	Change Plans Plug and A Convert to Injection Plug Back	/ —				
Attach the Bond under which the following completion of the investesting has been completed. Find determined that the site is ready BEPCO, L. P. respectfully to the Poker Lake Unit #2 Battery #227 currently ha #1 and #7 wells. BEPCO road. A 3 phase separator running from the Horned	e work will be performed or provide the Bond Noved operations. If the operation results in a mulal Abandonment Notices shall be filed only after for final inspection.) y requests permission for Surface 227 Battery located 330 FSL, 560 is a commingling permit, PCL-27 of will lay a 2-7/8" steel flowline that or will be installed at the 227 Batter Toad 36 State #7 well will be util	o. on file with BLM/BIA. Requitiple completion or recompletion all requirements, including reclaring the Commingling and Off FEL of Section 30, R35, which allows commitat will be laid within 30' ery. The existing powerzed. The Oil, Water a	ired subsequent reports shall be filed within 30 days in a new interval, a Form 3160-4 shall be filed once mation, have been completed, and the operator has f Lease Storage for the referenced well 30E, T24S, Eddy County, NM. PLU ingling with the Horned Toad 36 State of the center line of the existing lease r line consisting of 12,470 volts 3 phase and Casing head gas will be metered olication for Surface Comminglling) is			
14. I hereby certify that the foreg Name (Printed/Typed)	oing is true and correct					
ANN MOORE		Title PRODUCTION	CLERK			
Signature Ann	Moon	Date 10/11/2007				
	THIS SPACE FOR FEDERAL	OR STATE OFFICE	USE			
Approved by	- Company Comp	Title	Date			
Conditions of approval, if any, are	attached. Approval of this notice does not warr or equitable title to those rights in the subject to conduct operations thereon.	ant or				
Title 18 U.S.C. Section 1001 and Tit	le 43 U.S.C. Section 1212, make it a crime for a	ny person knowingly and willfull	y to make to any department or agency of the United			

States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.