

District I  
1625 N. French Dr., Hobbs, NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88203  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-144  
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe office

**Pit or Below-Grade Tank Registration or Closure**

Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☐ X

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒ X

JUL 17 2007

Operator: BURNETT OIL CO., INC. Telephone 505-677-2313 e-mail address: **OCD-ARTESIA**  
Address: PO BOX 188 LOCO HILLS, NEW MEXICO 88255  
Facility or well name: GISSLER A # 29 API # 30-015-31111 U/L or Qtr/Qtr P Sec 11 T 17S R 30E  
County: EDDY Latitude Longitude NAD 1927 ☐ 1983 ☐  
Surface Owner: Federal ☒ State ☐ Private ☐ Indian ☐

Pit	Below-grade tank
Type: Drilling <input checked="" type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input checked="" type="checkbox"/> Thickness 12 mil Clay <input type="checkbox"/> Pit Volume 8300 bbl	Volume bbl Type of fluid: Construction material: Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not.
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) MORE THAN 100	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 100 feet or more (0 points)
Wellhead protection area. (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.) NO	Yes (20 points) No (0 points)
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.) MORE THAN 1000	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 1000 feet or more (0 points)
Ranking Score (Total Points) 0	

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: WILL DIG HOLE IN PIT AREA AND USE DIRT FROM WALLS TO STIFFEN MUD, LINE HOLE DUG WITH 12 MILL PUSH CUTTINGS AND OLD LINER INTO HOLE COVER WITH 20 MILL PLASTIC COVER WITH AT LEAST 3 FT DIRT

Samples are to be obtained from Pit area and analysis submitted to NMOCD prior to back-filling. NOTIFY NMOCD 24 HOURS PRIOR TO OBTAINING SAMPLES.

If burial trench is constructed in pit area - Sample analyses are to be submitted to NMOCD PRIOR to lining the trench.

The pit closure is completed as approved 11/26/07  
Accepted for record DEC 07 2007  
NMOCD

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines X, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 7-17-07

Printed Name/Title BELTON MATHEWS DISTRICT SUPERINTENDENT Signature

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations

Approval

Notify OCD 24 hours prior to beginning pit closure.

Signed By Date

JUL 27 2007

2

DEC 5 2007  
OCD-ARTESIA

December 3, 2007

NMOCD Artesia  
1301 W. Grand Ave.  
Artesia, NM 88210


RE: Burnett Oil Co.  
Gissler A #29 (API 30-015-31111)  
Drilling Pit Closure

OCD:

We have completed the closing of the above listed pit as approved on C-144.


If you have any questions, please call.

Thanks,

A handwritten signature in black ink, appearing to read "Eddie W. Seay", with a long, sweeping underline.

Eddie W. Seay, Agent  
Eddie Seay Consulting  
601 W. Illinois  
Hobbs, NM 88242  
(575)392-2236

cc: Burnett Oil



# ASSAIGAI ANALYTICAL LABORATORIES, INC.

P.O. Box 90430 • Albuquerque, New Mexico 87199 • (505) 345-8964 • FAX (505) 345-7259

3332 Wedgewood, Ste. N • El Paso, Texas 79925 • (915) 593-6000 • FAX (915) 593-7820  
127 Eastgate Drive, 212-C • Los Alamos, New Mexico 87544 • (505) 662-2558

**DIAMONDBACK DISPOSAL SERVICES**  
attn: **BRANDON PRICE**  
**P O BOX 2491**  
**HOBBS NM 88241**

Explanation of codes	
<b>B</b>	Analyte Detected in Method Blank
<b>E</b>	Result is Estimated
<b>H</b>	Analyzed Out of Hold Time
<b>N</b>	Tentatively Identified Compound
<b>S</b>	Subcontracted
<b>1-9</b>	See Footnote

STANDARD

Assaigai Analytical Laboratories, Inc.

## Certificate of Analysis

All samples are reported on an "as received" basis, unless otherwise noted (i.e. - Dry Weight).

Client: **DIAMONDBACK DISPOSAL SERVICES**  
Project: **BURNETT OIL/ GIZZLER A29**  
Order: **07100605 DDS01** Receipt: **10-21-07**

*William P. Biava*  
William P. Biava: President of Assaigai Analytical Laboratories, Inc.

Sample: **EAST 12 FT BGS**  
Matrix: **COMP**


Collected: 10-19-07 13:25:00 By: BP  
SR 7181

QC Group	Run Sequence	CAS #	Analyte	Result	Units	Dilution Factor	Detection Limit	Code	Prep Date	Run Date
07100605-001A		SW846 9056 Anions by Ion Chromatography						By: JJK		
W07839	WC 2007.2706.4	16887-00-6	Chloride	2610	mg/Kg	50	0.5		10-22-07	10-22-07

Unless otherwise noted, all samples were received in acceptable condition and all sampling was performed by client or client representative. Sample result of ND indicates Not Detected, ie result is less than the sample specific Detection Limit. Sample specific Detection Limit is determined by multiplying the sample Dilution Factor by the listed Reporting Detection Limit. All results relate only to the items tested. Any miscellaneous workorder information or footnotes will appear below.

Analytical results are not corrected for method blank or field blank contamination.

\*  
OCD  
Jenny Guyer  
Approved to  
Chen



# ASSAIGAI ANALYTICAL LABORATORIES, INC.

P.O. Box 90430 • Albuquerque, New Mexico 87199 • (505) 345-8964 • FAX (505) 345-7259

3332 Wedgewood, Ste. N • El Paso, Texas 79925 • (915) 593-6000 • FAX (915) 593-7820

127 Eastgate Drive, 212-C • Los Alamos, New Mexico 87544 • (505) 662-2558

## DIAMONDBACK DISPOSAL SERVICES

attn: BRANDON PRICE

P O BOX 2491

HOBBS

NM 88241

### Explanation of codes

B	Analyte Detected in Method Blank
E	Result is Estimated
H	Analyzed Out of Hold Time
N	Tentatively Identified Compound
S	Subcontracted
1-9	See Footnote

STANDARD

Assaigai Analytical Laboratories, Inc.

## Certificate of Analysis

All samples are reported on an "as received" basis, unless otherwise noted (i.e. - Dry Weight)

Client: DIAMONDBACK DISPOSAL SERVICES

Project: BURNETT OIL/ GIZZLER A#29

Order: 07100606 DDS01 Receipt: 10-21-07

*William P. Biava*  
William P. Biava: President of Assaigai Analytical Laboratories, Inc.

Sample: WEST 12 FT BGS

Collected: 10-18-07 13:30:00 By: BP


Matrix: COMP

SR 7180

QC Group	Run Sequence	CAS #	Analyte	Result	Units	Dilution Factor	Detection Limit	Code	Prep Date	Run Date
07100606-001A		SW846 9056	Anions by Ion Chromatography					By: JJK		
W07839	WC.2007.2706.7	16887-00-6	Chloride	2170	mg/Kg	50	0.5		10-22-07	10-22-07

Unless otherwise noted, all samples were received in acceptable condition and all sampling was performed by client or client representative. Sample result of ND indicates Not Detected, ie result is less than the sample specific Detection Limit. Sample specific Detection Limit is determined by multiplying the sample Dilution Factor by the listed Reporting Detection Limit. All results relate only to the items tested. Any miscellaneous workorder information or footnotes will appear below.

Analytical results are not corrected for method blank or field blank contamination.



# ASSAIGAI ANALYTICAL LABORATORIES, INC.

P.O. Box 90430 • Albuquerque, New Mexico 87199 • (505) 345-8964 • FAX (505) 345-7259

3332 Wedgewood, Ste. N • El Paso, Texas 79925 • (915) 593-6000 • FAX (915) 593-7820  
127 Eastgate Drive, 212-C • Los Alamos, New Mexico 87544 • (505) 662-2558

**DIAMONDBACK DISPOSAL SERVICES**  
attn: **JUSTIN ROBERTS**  
**P O BOX 2491**  
**HOBBS NM 88240**

Explanation of codes	
<b>B</b>	Analyte Detected in Method Blank
<b>E</b>	Result is Estimated
<b>H</b>	Analyzed Out of Hold Time
<b>N</b>	Tentatively Identified Compound
<b>S</b>	Subcontracted
<b>1-9</b>	See Footnote


Assaigai Analytical Laboratories, Inc.

STANDARD

## Certificate of Analysis

All samples are reported on an "as received" basis, unless otherwise noted (i.e. - Dry Weight).

Client: **DIAMONDBACK DISPOSAL SERVICES**  
Project: **BURNETT OIL**  
Order: **07100693 DDS01** Receipt: **10-24-07**

  
William P. Biava: President of Assaigai Analytical Laboratories, Inc.

Sample: **GISLER 17' BGS FT #29 EAST**  
Matrix: **SOIL GRAB**

Collected: 10-24-07 14:30:00 By: JR  
SR 7287

QC Group	Run Sequence	CAS #	Analyte	Result	Units	Dilution Factor	Detection Limit	Code	Prep Date	Run Date
07100693-001A		SW846 9056 Anions by Ion Chromatography								By: JJK
W07856	WC.2007.2753.4	16887-00-6	Chloride	87.0	mg/Kg	50	0.5		10-25-07	10-25-07

Sample: **GISLER 17' BGS FT #29 WEST**  
Matrix: **SOIL GRAB**

Collected: 10-24-07 14:45:00 By: JR  
SR 7288

QC Group	Run Sequence	CAS #	Analyte	Result	Units	Dilution Factor	Detection Limit	Code	Prep Date	Run Date
07100693-002A		SW846 9056 Anions by Ion Chromatography								By: JJK
W07856	WC.2007.2753.7	16887-00-6	Chloride	95.3	mg/Kg	50	0.5		10-25-07	10-25-07

Unless otherwise noted, all samples were received in acceptable condition and all sampling was performed by client or client representative. Sample result of ND indicates Not Detected, ie result is less than the sample specific Detection Limit. Sample specific Detection Limit is determined by multiplying the sample Dilution Factor by the listed Reporting Detection Limit. All results relate only to the items tested. Any miscellaneous workorder information or footnotes will appear below.

Analytical results are not corrected for method blank or field blank contamination.



