District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV

1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 June 1, 2004

r drilling and production facilities, submit to

Form C-144

For drilling and production facilities, submit to appropriate NMOCD District Office For downstream facilities, submit to Santa Fc office

| Pit or Below-Grade Tank Registration or Closure DEC 2 1 2007 | | |
|--|---|-------------|
| Is pit or below-grade tank covered by a "general plan"? Yes \[\] No \[\] Type of action Registration of a pit or below-grade tank \[\] Closure of a pit or below-grade tank \[\] | | |
| The state of the s | | |
| Operator Yates Petroleum Corporation Telephone 505-748-1471 e-mail address boba@ ypcnm com | | |
| Address 104 S 4th Street, Artesia, NM 88210 | | |
| Facility or well name Yates AS #1 Fee API # 30-015-10740 U/L or Qtt/Qtr K Sec 25 T 18S R 25E | | |
| County Eddy Latitude 32 71614 Longitude 104 44091 NAD 1927 ⊠ 1983 □ | | |
| Suiface Owner Federal State Private Indian | | |
| Prt | Below-grade tank | |
| Type Drilling Production Disposal | Volume 210 bbl Type of fluid Produced Water Construction material: Fiberglass Double-walled, with leak detection? Yes ☑ If not, explain why not | |
| Work over Emergency | | |
| Lined Unlined The Control of Circles and Circles Cir | | |
| Liner type Synthetic | | |
| TH VOIGHC | Less than 50 feet | (20 points) |
| Depth to ground water (vertical distance from bottom of pit to seasonal high water | 50 feet or more, but less than 100 feet | (10 points) |
| elevation of ground water) | 100 feet or more | (0 points) |
| | Yes | (20 points) |
| Wellhead protection area (Less than 200 feet from a private domestic water | No . | (0 points) |
| source, or less than 1000 feet from all other water sources) | | (o points) |
| Distance to surface water (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses) | Less than 200 feet | (20 points) |
| | 200 feet or more, but less than 1000 feet 1000 feet or more | (10 points) |
| , | 1000 feet of more | (0 points) |
| | Ranking Score (Total Points) | 0 points |
| If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks (2) Indicate disposal location (check the onsite box if you are burying in place) | | |
| onsite offsite If offsite, name of facility | | |
| encountered No Yes If yes, show depth below ground surface ft and attach sample results | | |
| | | |
| (5) Attach soil sample results and a diagram of sample locations and excavations | | |
| | | |
| Permanent removal of below grade tank Confirmation samples to be taken prior to backfilling | | |
| | | |
| | | |
| | | |
| I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be | | |
| constructed or closed according to NMOCD guidelines \(\sigma\), a general permit \(\sigma\), or an (attached) alternative OCD-approved plan \(\sigma\). | | |
| Date Friday, December 21, 2007 | | |
| (<m></m> // 10 /0 | | |
| Printed Name/Title Robert Asher / Environmental Regulatory Agent Signature Signature Signature Your certification and NMOCD approval of this application/closure does not relieve the operator of hisbility should the contents of the pit or tank contaminate ground water or otherwise endanger public | | |
| health of the environment. Not does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations | | |
| | | |
| | | |
| Approval () () () () () () () () () (| | |
| Printed Name/Title & mborly M. Wilson Signature Simberly M. Wilson 1-8-08 | | |
| Compliance Officer | | - |
| Compliance Officer Signature James 1977, 100 Esperante 1980 | | |

Any contamination encountered upon removal of tank will require remediation by an OCD approved work plan.