

Robin Terrell  
Mewbourne Oil Company  
PO Box 5270  
Hobbs, New Mexico 88241

November 26 2007

Mike Bratcher  
NMOCD District 2 Office  
1301 W. Grand  
Artesia, New Mexico 88210

OLD

JAN 31 2008  
OCD-ARTESIA

Accepted for record  
NMOCD

FEB 04 2008

RE: Hackberry Hills 31 State 1Y - Final Pit Closure

**Hackberry Hills 31 State 1Y** Depth to Ground Water: 150'+/-  
API: 30-015-35661 Planned Analytical Testing: Chlorides  
Sec 31-T21S-R26E Site Ranking Score: 0 (zero)  
0710' FSL & 0660' FEL Primary Land Use: Ranching and Oil & Gas Production

Pursuant to Pit Rule 50 of the New Mexico Oil Conservation District of the State of New Mexico regulatory requirement for pit closure, please accept the following documentation for final closure of the drilling pit for the aforementioned location.

An Insitu burial trench was excavated and lined with 12mil HDPE liner. All drill cuttings were stiffened and transferred to the lined Insitu trench. Upon transferring all pit contents to the lined burial trench, field tests were performed on the soil within in the confines of the original drill pit. The field results of chloride delineation of the impacted material are as follows (a diagram has also been attached):

Q1	9' 1560mg/kg 12' 730mg/kg 15' 500mg/kg 18' 260mg/kg	Q2	9' 1000mg/kg 12' 540mg/kg 15' 180mg/kg	Q3	9' 100mg/kg
Q4	9' 620mg/kg	Q5	9' 6000mg/kg 12' 4200mg/kg 15' 3000mg/kg 18' 9000mg/kg 21' 4300mg/kg 25' 1980mg/kg 30' 1000mg/kg 35' 450mg/kg		

After field tests were performed, Mike Bratcher of the New Mexico Oil Conservation Division (NMOCD) was contacted. Approval for closure was granted with the following stipulation:


Due to the impact in Section Q5 and the amount of cobble stone rock in place, the impacted material needs to be removed to a depth of 21' and placed in the lined Insitu trench. A 20mil cap will need to be placed over the entire reserve pit.

Pursuant to NMOCD Pit Rule 50, the impacted material in Section Q5 was removed and placed into the lined Insitu trench; a 20mil liner was placed on top of the Insitu trench to seal in the impacted soils and the stiffened drill cuttings. In addition, pit floor was also capped with a 20mil cap. Upon capping the reserve pit floor, it was backfilled with clean native material and contoured to the surrounding terrain.

Soil samples were collected, prepared and packaged per EPA guidelines and forwarded to Trace Analysis in Lubbock, Texas for official analytical testing. Please find the official analytical results attached hereto.

Please review the attached documentation and contact me at 505-393-5905 with any questions or concerns.



Sincerely,

A handwritten signature in black ink, appearing to read 'Robin Terrell', written over the word 'Sincerely,'.


Robin Terrell  
Production Engineer

/sjt


Hackberry Hills 31 State 1Y  
Field Results  
Floor 11-26-07





NORTH







Note: some clay detected at 18'
















## District I

1301 W. Grand Avenue, Artesia, NM 88210

## District II

1301 W. Grand Avenue, Artesia, NM 88210

## District III

1000 Rio Brazos Road, Aztec, NM 87410

## District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural ResourcesOil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505For drilling and production facilities, submit to  
appropriate NMOCD District Office.  
For downstream facilities, submit to Santa Fe  
officeForm 5-111  
June 1, 2004

## Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☒Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

OCT 10 2007

OCD-ARTESIA

Operator: <u>Newbourne Oil</u> Telephone: <u>(505) 393-5905</u> e-mail address: _____	
Address: <u>Box 5270, Hobbs NM 88241</u>	
Facility or well name: <u>Hackberry Hills 31 Sh #11</u> API #: <u>30-015-35661</u> U/L or Qtr/Qtr <u>P</u> Sec <u>31</u> T <u>21S</u> R <u>26E</u>	
County: <u>Eddy</u> Latitude _____ Longitude _____ NAD: 1927 <input type="checkbox"/> 1983 <input type="checkbox"/>	
Surface Owner: Federal <input type="checkbox"/> State <input type="checkbox"/> Private <input checked="" type="checkbox"/> Indian <input type="checkbox"/>	
<b>Pit</b> Type: Drilling <input checked="" type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input checked="" type="checkbox"/> Thickness <u>12</u> mil Clay <input type="checkbox"/> Pit Volume _____ bbl	
<b>Below-grade tank</b> Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not: _____	
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.)	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 100 feet or more <u>180'</u> (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No <u>(0 points)</u>
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 1000 feet or more <u>(0 points)</u>
Ranking Score (Total Points) <u>0</u>	

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility N/A. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☒ Yes ☐ If yes, show depth below ground surface N/A ft. and attach sample results.

(5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments:	<u>Refer to Attached pit Closure Plan</u>

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☒ a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

Date: 10/10/07  
 Printed Name/Title: Darby Wilson/Eddy Supr. Signature: [Signature]

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: \_\_\_\_\_  
 Printed Name/Title: \_\_\_\_\_ Signature: Mike Brumma Date: OCT 10 2007

NOTIFY OCD 24 HOURS PRIOR to  
beginning closure and 24 HOURS PRIOR  
obtaining samples. Samples are to be  
stained from pit area and analyses  
submitted to OCD prior to back-filling.

If burial trench is to be constructed  
in pit area, samples are to be obtained  
and analyses submitted to OCD  
PRIOR to lining trench.



Windows Live™

**Request 2007440648**From: **eticket@nmonecall.org**

Sent: Mon 10/29/07 3:04 PM

To: dustytrails73@hotmail.com

NEW MEXICO ONE CALL  
Locate Request Confirmation

Ticket #:2007440648

Work to Begin Date:

10/31/2007

Reason Code:STANDARD LOCATE

Time: 03:04:00 PM

## CALLER INFORMATION

MARLAENA LEWIS

NEW MEXICO ENVIRONMENTAL SERVICES

Excavator Type:CONTRACTOR

Tel.: (505) 392-9575

## DIG LOCATION

City:RURAL EDDY

Subdivision:

Address : To:

Street : \*HACKBERRY HILLS 31 STATE #1Y

Nearest Intersecting Street :

Second Intersecting Street :

## Additional Dig Information:

W0710291421580 FROM HAPPY VALLEY RD AND JONES  
RD IN HAPPY VALLEY W ON JONES RD 1.8 MI TO BITTER  
CHERRY RD - N 6 MI - W 0.8MI - S 0.1MI ONTO  
LOCATION. SPOT 600FT RADIUS OF WELLHEAD

Remarks:

Township: 21S Range: 26E Section 1/4: 31 SE

Type of Work: DEEP BURY RESERVE PIT

The following utility owners have been notified of  
your proposed excavation site:  
NMOC CLEAR

## IMPORTANT CONFIRMATION NOTICE

<http://by130w.bay130.mail.live.com/mail/PrintShell.aspx?type=message&cpids=3e74dcfc-a...> 1/2/2008

Your fax request has been received and processed. It is your responsibility to review the information provided on this faxback confirmation ticket and ensure it has been correctly interpreted from your request. Notify us immediately of any corrections or errors. Acceptance of this faxback confirmation ticket means you accept responsibility for the accuracy of the information contained in the ticket and you agree to indemnify New Mexico One Call Systems, Inc. of all liability, claims, fees, or damages, including reasonable attorney fees arising from or resulting from the use of the information provided on this confirmation ticket.

New Mexico Law requires you to wait two working days from the date and time of this confirmation notice before you begin excavation. This request is valid for ten working days. Only the facility owners listed on this ticket will be notified.

## Summary Report

Robin Terrell  
Mewbourne Oil Company  
P. O. Box 5270  
Hobbs, NM, 88220

Report Date: January 11, 2008

Work Order: 8010828



Project Location: Sec 31-T21S-R26E/Eddy County, NM  
Project Name: Hackberry Hill 31 St. 3 Y  
Project Number: API-30-015-35661

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
147189	Q1-18'-comp	soil	2007-11-20	13:00	2008-01-08
147190	Q2-15'-comp	soil	2007-11-20	13:30	2008-01-08
147191	Q3-9'-comp	soil	2007-11-20	14:00	2008-01-08
147192	Q4-12'-comp	soil	2007-11-20	14:45	2008-01-08
147193	Q5-35'-comp	soil	2007-11-20	11:00	2008-01-08

### Sample: 147189 - Q1-18'-comp

Param	Flag	Result	Units	RL
Chloride		353	mg/Kg	2.00

### Sample: 147190 - Q2-15'-comp

Param	Flag	Result	Units	RL
Chloride		344	mg/Kg	2.00

### Sample: 147191 - Q3-9'-comp

Param	Flag	Result	Units	RL
Chloride		209	mg/Kg	2.00

### Sample: 147192 - Q4-12'-comp

Param	Flag	Result	Units	RL
Chloride		120	mg/Kg	2.00

### Sample: 147193 - Q5-35'-comp

TraceAnalysis, Inc. • 6701 Aberdeen Ave., Suite 9 • Lubbock, TX 79424-1515 • (806) 794-1296

*This is only a summary. Please, refer to the complete report package for quality control data.*



Report Date: January 11, 2008  
API-30-015-35661

Work Order: 8010828  
Hackberry Hill 31 St. 3 Y

Page Number: 2 of 2  
Sec 31-T21S-R26E/Eddy County, NM

Param	Flag	Result	Units	RL
Chloride		426	mg/Kg	2.00

# TRACE ANALYSIS, INC.

6701 Aberdeen Avenue, Suite 9  
200 East Sunset Road, Suite E  
5002 Basin Street, Suite A1  
8808 Camp Bowie Blvd West, Suite 180

Lubbock, Texas 79424  
El Paso, Texas 79922  
Midland, Texas 79703  
Ft Worth, Texas 76116

800•378•1296  
888•588•3443

806•794•1296  
915•585•3443

FAX 806•794•1298  
FAX 915•585•4944

432•689•6301  
817•201•5260

FAX 432•689•6313  
FAX 817•560•4336

E-Mail lab@traceanalysis.com

## Analytical and Quality Control Report

Robin Terrell  
Mewbourne Oil Company  
P O Box 5270  
Hobbs, NM, 88220

Report Date January 11, 2008

Work Order: 8010828




Project Location: Sec 31-T21S-R26E/Eddy County, NM  
Project Name: Hackberry Hill 31 St. 3 Y  
Project Number: API-30-015-35661

Enclosed are the Analytical Report and Quality Control Report for the following sample(s) submitted to TraceAnalysis, Inc.

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
147189	Q1-18'-comp	soil	2007-11-20	13:00	2008-01-08
147190	Q2-15'-comp	soil	2007-11-20	13:30	2008-01-08
147191	Q3-9'-comp	soil	2007-11-20	14:00	2008-01-08
147192	Q4-12'-comp	soil	2007-11-20	14:45	2008-01-08
147193	Q5-35'-comp	soil	2007-11-20	11:00	2008-01-08

These results represent only the samples received in the laboratory. The Quality Control Report is generated on a batch basis. All information contained in this report is for the analytical batch(es) in which your sample(s) were analyzed.

This report consists of a total of 6 pages and shall not be reproduced except in its entirety, without written approval of TraceAnalysis, Inc.

  
Dr. Blair Leftwich, Director

### Standard Flags

**B** - The sample contains less than ten times the concentration found in the method blank.

## Case Narrative

Samples for project Hackberry Hill 31 St 3 Y were received by TraceAnalysis, Inc. on 2008-01-08 and assigned to work order 8010828. Samples for work order 8010828 were received intact at a temperature of 40 deg C

Samples were analyzed for the following tests using their respective methods.

Test	Method
Chloride (Titration)	SM 4500-Cl B

Results for these samples are reported on a wet weight basis unless data package indicates otherwise.

A matrix spike (MS) and matrix spike duplicate (MSD) sample is chosen at random from each preparation batch. The MS and MSD will indicate if a site specific matrix problem is occurring, however, it may not pertain to the samples for work order 8010828 since the sample was chosen at random. Therefore, the validity of the analytical data reported has been determined by the laboratory control sample (LCS) and the method blank (MB). These quality control measures are performed with each preparation batch to ensure data integrity.

All other exceptions associated with this report have been footnoted on the appropriate analytical page to assist in general data comprehension. Please contact the laboratory directly if there are any questions regarding this project.

## Analytical Report

### Sample: 147189 - Q1-18'-comp

Analysis:	Chloride (Titration)	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
QC Batch:	44553	Date Analyzed:	2008-01-10	Analyzed By:	AR
Prep Batch:	38369	Sample Preparation:		Prepared By:	AR

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		353	mg/Kg	50	2.00

### Sample: 147190 - Q2-15'-comp

Analysis:	Chloride (Titration)	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
QC Batch:	44553	Date Analyzed:	2008-01-10	Analyzed By:	AR
Prep Batch:	38369	Sample Preparation:		Prepared By:	AR

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		344	mg/Kg	50	2.00

### Sample: 147191 - Q3-9'-comp

Analysis:	Chloride (Titration)	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
QC Batch:	44553	Date Analyzed:	2008-01-10	Analyzed By:	AR
Prep Batch:	38369	Sample Preparation:		Prepared By:	AR

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		209	mg/Kg	50	2.00

### Sample: 147192 - Q4-12'-comp

Analysis:	Chloride (Titration)	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
QC Batch:	44554	Date Analyzed:	2008-01-10	Analyzed By:	AR
Prep Batch:	38370	Sample Preparation:		Prepared By:	AR

Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		120	mg/Kg	50	2.00

### Sample: 147193 - Q5-35'-comp

Analysis:	Chloride (Titration)	Analytical Method:	SM 4500-Cl B	Prep Method:	N/A
QC Batch:	44554	Date Analyzed:	2008-01-10	Analyzed By:	AR
Prep Batch:	38370	Sample Preparation:		Prepared By:	AR



Parameter	Flag	RL Result	Units	Dilution	RL
Chloride		426	mg/Kg	50	2.00

**Method Blank (1)** QC Batch: 44553

QC Batch: 44553 Date Analyzed: 2008-01-10 Analyzed By: AR  
Prep Batch: 38369 QC Preparation: 2008-01-10 Prepared By: AR

Parameter	Flag	MDL Result	Units	RL
Chloride		<0.500	mg/Kg	2

**Method Blank (1)** QC Batch: 44554

QC Batch: 44554 Date Analyzed: 2008-01-10 Analyzed By: AR  
Prep Batch: 38370 QC Preparation: 2008-01-10 Prepared By: AR

Parameter	Flag	MDL Result	Units	RL
Chloride		<0.500	mg/Kg	2

**Laboratory Control Spike (LCS-1)**

QC Batch: 44553 Date Analyzed: 2008-01-10 Analyzed By: AR  
Prep Batch: 38369 QC Preparation: 2008-01-10 Prepared By: AR

Param	LCS Result	Units	Dil.	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride	94.6	mg/Kg	1	100	<0.500	95	85 - 115

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	LCSD Result	Units	Dil	Spike Amount	Matrix Result	Rec.	Rec Limit	RPD	RPD Limit
Chloride	95.5	mg/Kg	1	100	<0.500	96	85 - 115	1	20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

**Laboratory Control Spike (LCS-1)**

QC Batch: 44554 Date Analyzed: 2008-01-10 Analyzed By: AR  
Prep Batch: 38370 QC Preparation: 2008-01-10 Prepared By: AR

Param	LCS Result	Units	Dil	Spike Amount	Matrix Result	Rec.	Rec. Limit
Chloride	98.8	mg/Kg	1	100	<0.500	99	85 - 115

Percent recovery is based on the spike result RPD is based on the spike and spike duplicate result

Param	LCS Result	Units	Dil	Spike Amount	Matrix Result	Rec. Limit	RPD	RPD Limit
Chloride	99.8	mg/Kg	1	100	<0.500	100	85 - 115	1 20

Percent recovery is based on the spike result RPD is based on the spike and spike duplicate result

**Matrix Spike (MS-1)** Spiked Sample: 147191

QC Batch: 44553  
Prep Batch: 38369

Date Analyzed: 2008-01-10  
QC Preparation: 2008-01-10

Analyzed By: AR  
Prepared By: AR

Param	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec. Limit	RPD	RPD Limit
Chloride	4920	mg/Kg	50	5000	209	94	85 - 115	

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec. Limit	RPD	RPD Limit
Chloride	4960	mg/Kg	50	5000	209	95	85 - 115	1 20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

**Matrix Spike (MS-1)** Spiked Sample: 147201

QC Batch: 44554  
Prep Batch: 38370

Date Analyzed: 2008-01-10  
QC Preparation: 2008-01-10

Analyzed By: AR  
Prepared By: AR

Param	MS Result	Units	Dil.	Spike Amount	Matrix Result	Rec. Limit	RPD	RPD Limit
Chloride	4990	mg/Kg	50	5000	<25.0	100	85 - 115	

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

Param	MSD Result	Units	Dil.	Spike Amount	Matrix Result	Rec. Limit	RPD	RPD Limit
Chloride	5040	mg/Kg	50	5000	<25.0	101	85 - 115	1 20

Percent recovery is based on the spike result. RPD is based on the spike and spike duplicate result.

**Standard (ICV-1)**

QC Batch: 44553

Date Analyzed: 2008-01-10

Analyzed By: AR

Param	Flag	Units	ICVs True Conc.	ICVs Found Conc.	ICVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		mg/Kg	100	104	104	85 - 115	2008-01-10

**Standard (CCV-1)**

QC Batch: 44553

Date Analyzed: 2008-01-10

Analyzed By: AR

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		mg/Kg	100	96.5	96	85 - 115	2008-01-10

**Standard (ICV-1)**

QC Batch: 44554

Date Analyzed: 2008-01-10

Analyzed By: AR

Param	Flag	Units	ICVs True Conc.	ICVs Found Conc.	ICVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		mg/Kg	100	99.2	99	85 - 115	2008-01-10

**Standard (CCV-1)**

QC Batch: 44554

Date Analyzed: 2008-01-10

Analyzed By: AR

Param	Flag	Units	CCVs True Conc.	CCVs Found Conc.	CCVs Percent Recovery	Percent Recovery Limits	Date Analyzed
Chloride		mg/Kg	100	101	101	85 - 115	2008-01-10

# TraceAnalysis, Inc.

email: lab@traceanalysis.com

6701 Aberdeen Avenue, Suite 9  
Lubbock, Texas 79424  
Tel (806) 794-1296  
Fax (806) 794-1298  
1 (800) 378 1296

200 East Sunset Rd., Suite E  
El Paso, Texas 79922  
Tel (915) 585-3443  
Fax (915) 585-4944  
1 (888) 588-3443

5002 Basin Street, Suite A1  
Midland, Texas 79703  
Tel (432) 689-6301  
Fax (432) 689-6313

6015 Harris Pkwy, Suite 110  
Ft. Worth, Texas 76132  
Tel (817) 201-5260

Company Name: Murphy Oil Company (Inc)  
Address: PO Box 335 to Hobbs NM 88406  
Contact Person: Robin Tennel  
Phone #: 606-1-335-3351  
Fax #: 606-1-335-3351  
E-mail: rtennel@valentinet.com

Project Name: Hackberry Hill 3433V  
Project Location (including state): SEC 31-15-18- R 26E Edley County, NM  
Sampler Signature: [Signature]

LAB # AB USE ONLY	FIELD CODE	# CONTAINERS	Volume / Amount	MATRIX			PRESERVATIVE METHOD					SAMPLING	
				WATER	SOIL	AIR	SLUDGE	HCl	HNO <sub>3</sub>	H <sub>2</sub> SO <sub>4</sub>	NaOH	ICE	NONE
147189	Q1-18' comp	1		X							X	11/20/07	1300
190	Q2-15' comp	1		X							X	11/20/07	1300
191	Q3-9' comp	1		X							X	11/20/07	1400
192	Q4-12' comp	1		X							X	11/20/07	1445
193	Q5-35' comp	1		X							X	11/20/07	1100

Relinquished by: Shelly Tucker Date: 01/08/08 Time: 1730  
Relinquished by: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_  
Relinquished by: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_  
Relinquished by: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_

## ANALYSIS REQUEST (Circle or Specify Method No.)

MTBE 8021B / 602 / 8260B / 624	
BTEX 8021B / 602 / 8260B / 624	
TPH 418.1 / TX1005 / TX1005 Ext(C35)	
TPH 8015 GRO / DRO / TVHC	
PAH 8270C / 625	
Total Metals Ag As Ba Cd Cr Pb Se Hg 6010B/200.7	
TCLP Metals Ag As Ba Cd Cr Pb Se Hg	
TCLP Volatiles	
TCLP Semi Volatiles	
TCLP Pesticides	
RCI	
GC/MS Vol. 8260B / 624	
GC/MS Semi Vol. 8270C / 625	
PCBs 8082 / 608	
Pesticides 8081A / 608	
BOD, TSS, pH	
Moisture Content	
Turn Around Time if different from standard	

REMARKS: all tests - midland

LAB USE ONLY  
Initial: CVN  
Headspace: Y/N  
Temp: 4.0  
Log-In/Review: \_\_\_\_\_

- ☐ Dry Weight Basis Required
- ☐ TRRP Report Required
- ☐ Check If Special Reporting Limits Are Needed

Submission of samples constitutes agreement to Terms and Conditions listed on reverse side of C. O. C.

ORIGINAL COPY



