

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB NO. 1004-0137
Expires: March 31, 2007

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well ☒ Oil Well ☐ Gas Well ☐ Dry ☐ Other
b. Type of Completion: ☒ New Well ☐ Work Over ☐ Deepen ☐ Plug Back ☐ Diff. Resvr.
Other _____

2. Name of Operator **Marbob Energy Corporation**3. Address **PO Box 227
Artesia, NM 88211-0227**3a. Phone No. (include area code)
575-748-3303

4. Location of Well (Report location clearly and in accordance with Federal requirements)*

At surface **1750 FSL 1650 FWL, Unit K**At top prod. interval reported below **Same**At total depth **Same**

FEB 07 2008

OCD-ARTESIA

14. Date Spudded
11/15/200715. Date T.D. Reached
11/24/200716. Date Completed **01/02/2008**
☐ D & A ☒ Ready to Prod.17. Elevations (DF, RKB, RT, GL)*
3608' GL18. Total Depth: MD **4600'**
TVD **4600'**19. Plug Back T.D.: MD **4452'**
TVD **4452'**20. Depth Bridge Plug Set: MD
TVD21. Type Electric & Other Mechanical Logs Run (Submit copy of each)
DLL, DSN22. Was well cored? ☒ No ☐ Yes (Submit analysis)
Was DST run? ☒ No ☐ Yes (Submit report)
Directional Survey? ☒ No ☐ Yes (Submit copy)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
12 1/4"	8 5/8"	24#	0	308'		250 sx		0	None
7 7/8"	5 1/2"	17#	0	4546'		1200 sx		0	None

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2 7/8"	4100'							

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) Yeso	4099'	4363'	4099' - 4363'		20	Open
B)						
C)						
D)						

26. Perforation Record

27. Acid, Fracture, Treatment, Cement Squeeze, etc

Depth Interval	Amount and Type of Material
4099' - 4363'	Acidz w/ 2000 gal NE Fe 15% HCl acid.

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
01/03/2008	01/04/2008	24	→	43	145	534			Pumping
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	Production
			→						

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	Production
			→						

*(See instructions and spaces for additional data on page 2)

ACCEPTED FOR RECORD

FEB 5 2008

JERRY FANT

PETROLEUM GEOLOGIST

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg SI	Csg Press	24 Hr Rate →	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg SI	Csg Press	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas/Oil Ratio	Well Status	

29. Disposition of Gas (Sold, used for fuel, vented, etc.)

Sold

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top Meas. Depth
				Rustler Yates Seven Rivers Bowers Queen San Andres Glorieta Yeso	242' 1004' 1262' 1627' 1866' 2516' 3968' 4052'

32. Additional remarks (include plugging procedure):

33. Indicate which items have been attached by placing a check in the appropriate boxes:

- ☒ Electrical/Mechanical Logs (1 full set req'd.)
☐ Geologic Report
☐ DST Report
☐ Directional Survey
☐ Sundry Notice for plugging and cement verification
☐ Core Analysis
☒ Other:

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions)*

Name (please print) **Diana J. Briggs**Title **Production Analyst**

Signature

Date **01/16/2008**

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

TEACO DRILLING INC.

P O. BOX 1500 (505) 3910699 FAX (505) 391- 3824 HOBBS, NEW MEXICO 88241

INCLINATION REPORT

DATE: 11/26/07

WELL NAME AND NUMBER DODDS FED # 115
LOCATION EDDY COUNTY
OPERATOR: MARBOB ENERGY CORPORATION
DRILLING CONTRACTOR: TEACO DRILLING INC

THE UNDERSIGNED HEREBY CERTIFIES THAT HE IS AN AUTHORIZED REPRESENTATIVE OF THE DRILLING CONTRACTOR WHO DRILLED THE ABOVE DESCRIBED WELL AND THAT HE HAS CONDUCTED DEVIATION TEST AND OBTAINED THE FOLLOWING RESULTS:

DEGREE	DEPTH	DEGREE	DEPTH	DEGREE	DEPTH
<u>1.25</u>	<u>824</u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u>1</u>	<u>1201</u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u>1</u>	<u>1735</u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u>1</u>	<u>2280</u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u>0.25</u>	<u>2718</u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u>1.5</u>	<u>3196</u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u>0.75</u>	<u>3694</u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u>1.25</u>	<u>4175</u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u>0.75</u>	<u>4600</u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>
<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>	<u> </u>

DRILLING CONTRACTOR:
TEACO DRILLING INCORPORATED

BY: Bob Wegner
BOB WEGNER
DRILLING SUPERINTENDENT

SUBSCRIBED AND SWORN TO BEFORE ME ON THE 17 DAY OF Jan., 2008

MY COMMISSION EXPIRES: 3/01/11

James B. Sullivan