District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes \( \subseteq No \times \)

Type of action: Registration of a pit or below-grade tank \( \subseteq Closure of a pit or below-grade tank \( \subseteq \)

Operator: Parallel Petroleum Corporation Telephone: 432-684-3905 e-mail address: ddurham@plll.com		
Address 1004 N. Big Spring Street, Suite 400, Midland, Texas 79701		
Facility or well name: Go For Wind 1525-29 Fed Com #1 API #: 3000563966 U/L or Qtr/Qtr D Sec 28 T 15S R 25E		
	32° 59' 29.55" N Longitude 104° 27' 1	9.00" W NAD: 1927 X 1983 □
Surface Owner Federal State Private Indian		
Pit	Below-grade tank	
Type: Drilling Production Disposal	Volume:bbl Type of fluid  Construction material:  Double-walled, with leak detection? Yes If not, explain why not.	
Workover		
Lined \( \sum \) Unlined \( \sum \)		
Liner type: Synthetic  Thickness 12 mil Clay  Clay	W W to the second because the second	
Pit Volume 25,000 bbl		
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)
high water elevation of ground water.) 65°	50 fect or more, but less than 100 feet	(10 points) 10
	100 feet or more	( 0 points)
Wellhead protection area. (Less than 200 feet from a private domestic	Yes	(20 points)
water source, or less than 1000 feet from all other water sources.)	No	( 0 points) 0
Distance to surface water (horizontal distance to all wetlands, playas, in igation canals, ditches, and perennial and ephemeial watercourses.)	Less than 200 fect	(20 points)
	200 feet or more, but less than 1000 feet 700'	(10 points) 10
	1000 feet or more	( 0 points)
	Ranking Score (Total Points)	20
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if		
your are burying in place) onsite 🖂 offsite 🗀 If offsite, name of facility (3) Attach a general description of temedial action taken including		
remediation start date and end date. (4) Groundwater encountered: No 🗌 Yes 🔝 If yes, show depth below ground surfaceft. and attach sample results.		
(5) Attach soil sample results and a diagram of sample locations and excavations.		
Additional Comments: This well shares a drilling location and pit with the Native Dancer 1525-28 #1, API # 3000563916		
The fluids in the reserve pit will be allowed to dry or taken to disposal or used at another Parallel Petroleum Corp. drilling well in the area. The drill cuttings and plastic		
will be placed in a plastic lined burial trench located next to the reserve pit. The trench will then be covered with plastic and backfilled with a minimum of 3 of soil		
The reserve pit area will then be backfilled and re-contoured and seeded to BLM specifications.		
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .		
Date. 2-8-08		t.
Printed Name/Title Gary Miller, Agent	Signature	•
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or		
otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.		
Approval	1.1	
Approval: Printed Name/Fitte	Signed By Mily B	FEB 1 2 2008

NOTIFY OCD 24 HOURS PRIOR to beginning closure and 24 HOURS PRIOR to obtaining samples. Samples are to be obtained from pit area and analyses submitted to OCD prior to back-filling. If burial trench is constructed in pit area – Sample analyses are to be submitted to NMOCD PRIOR to lining the trench.

Burial trench excavation bottom must be 50' above the highest seasonal depth ground water may be encountered.