District I 1625 N French Dr , Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

Pit or	Below-Grade	Tank Reg	gistration or	Closure

ls pit or below-grade tanl Type of action Registration of a pit	k covered by a "general plan"? Yes ⊠ No or below-grade tank □ Closure of a pit or below-grad	de tank 🛛			
Operator Yates Petroleum Corporation Telephone 505-748-4500 e-mail Address 105 South 4th Street Artesia N M 88210 Facility or well name Roomba BKM#1 API # 30-005-64000 'U/L or Qtr/Qtr County Chaves Latitude 33 4395 Longitude Longitude Surface Owner Federal State Private Indian Indian	P Sec 17 T 10S R 26E	MAR 10 2008 OCD-ARTESIA			
Pit Type Drilling ☑ Production ☐ Disposal ☐ Work over ☐ Emergency ☐ Lined ☑ Unlined ☐ Liner type Synthetic ☑ Thickness 12 mil Clay ☐ Pit Volume 24000bbl	Below-grade tank Volumebbl Type of fluid Construction material Double-walled, with leak detection? Yes				
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water)	Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more	(20 points) (10 points) XXXX (0 points)			
Wellhead protection area (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources)	Yes No	(20 points) (0 points) XXXX			
Distance to surface water (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses)	Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more	(20 points) (10 points) (0 points) XXXX			
	Ranking Score (Total Points)	10 POINTS			
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relating place) onsite of offsite offsite, name of facility NA (4) Groundwater encountered No offsite offsite, name of facility NA (5) Attach soil sample results and a diagram of sample locations and excavations of Additional Comments Closure workplan for drilling pit. The drilling pit content mill synthetic liner on former drilling pit site. Drilling pit contents will then be with a minimum of a 3' over lap of the underlying trench areas. The encapsulate and 48 hour notice will be provided to the Oil Conservation Division before pit. Pit Closure actions to begin by NA. Ending date NA	(3) Attach a general description of remedial action surfaceft and attach sample results onts will be mixed to stiffen the pit contents. An encapsulation trench. A 20 mil synthtion trench will then be backfilled to grade using a mini	taken including remediation start date and end date alation trench will be excavated and lined with a 12 lette liner will then be placed over the pit contents			
I hereby certify that the information above is true and complete to the best of moden/will be constructed or closed according to NMOCD guidelines, a second s	general permit , or an (attached) alternative OCI Signature	D-approved plan			
Approval	Signed By Mily Bennuen	MAR 2 4 2008			
	trench is to be constructed ea, samples are to be obtained				

beginning closure and 24 HOURS PRIOR to obtaining samples. Samples are to be obtained from pit area and analyses provided to OCD prior to backfilling pit.

and analyses submitted to OCD PRIOR to lining trench.

District I
1625 N French Dr , Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office.

Form C-144

June 1, 2004

Pit or Below-Grade Tank Registration or Closure Is pit or below-grade tank covered by a "general plan"? Yes No No

Type of action Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒ Operator Yates Petroleum Corporation Telephone 505-748-4500 e-mail address mikes@ypcnm.com Address 105 South 4th Street, Artesia, N.M. 88210 MAR 10 2008 Facility or well name Roomba BKM #1_API # 30-005-64000 U/L or Qtr/Qtr_P Sec 17_T 10S R 26E Latitude 33 4395 Longitude 104 31237 NAD 1927 ☑ 1983 ☐ OCD-ARTESIA Surface Owner Federal ☐ State ☐ Private ☒ Indian ☐ Below-grade tank Type Drilling Droduction Disposal D bbl Type of fluid Volume Work over ☐ Emergency ☐ Construction material Lined Unlined Double-walled, with leak detection? Yes If not, explain why not Liner type Synthetic 🛛 Thickness 12 mil Clay Pit Volume 24000 bbl Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal high 50 feet or more, but less than 100 feet (10 points) XXXX water elevation of ground water) 100 feet or more (0 points) (20 points) Wellhead protection area (Less than 200 feet from a private domestic water (0 points) XXXX source, or less than 1000 feet from all other water sources) Less than 200 feet (20 points) Distance to surface water (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses) 1000 feet or more (0 points) XXXX **Ranking Score (Total Points)** 10 POINTS If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks (2) Indicate disposal location (check the onsite box if you are burying in place) onsite \(\square\) offsite \(\square\) If offsite, name of facility \(\sum_{NA} \) (3) Attach a general description of remedial action taken including remediation start date and end date (4) Groundwater encountered No ☐ Yes ☐ If yes, show depth below ground surface ft and attach sample results (5) Attach soil sample results and a diagram of sample locations and excavations Additional Comments Registration for encapsulation trench. The drilling pit contents will be mixed to stiffen the pit contents. An encapsulation trench will be excavated and fined with a 12 mil synthetic liner on former drilling pit site. Drilling pit contents will then be emplaced into the encapsulation trench. A 20 mil synthetic liner will then be placed over the pit contents with a minimum of a 3' over lap of the underlying trench areas. The encapsulation trench will then be backfilled to grade using a minimum of 3' of clean soil and like material. A one call and 48 hour notice will be provided to the Oil Conservation Division before pit closure actions begin Pit Closure actions to begin by NA Ending date NA I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines \, a general permit \, a, or an (attached) alternative OCD-approved plan \, \, . Signature Wile Stull Will Printed Name/Title Mike Stubblefield / Environmental Regulatory Agent Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations Signed By Mile Brance Date MAR 2 4 2008 Approval Printed Name/Title

New Mexico Office of the State Engineer POD Reports and Downloads

Range: 26E Township: 10S Sections: Search Radius: NAD27 X: Y: Zone: County: Basin: Number: Suffix: Owner Name: (First) Non-Domestic ODomestic (Last) (All Avg Depth to Water Report POD / Surface Data Report Water Column Report Help Clear Form iWATERS Menu

AVERAGE DEPTH OF WATER REPORT 03/24/2008

							(Depth	Water in	Feet)
Bsn	Tws	Rng Sec	Zone	X	Y	Wells	Min	Max	Avg
RA	10S	26E 28				1	50	50	50
RA	10S	26E 29				1	70	70	70

Record Count: 2