

District I  
1625 N. French Dr., Hobbs NM 88240  
District II  
1301 W. Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources

Form C-144  
June 1, 2004

Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

For drilling and production facilities, submit to  
appropriate NMOCD District Office  
For downstream facilities, submit to Santa Fe  
office

**Pit or Below-Grade Tank Registration or Closure**

Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☒

Type of action: Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

Operator	COG Operating, LLC	Telephone	(432) 685-4340	e-mail address	PFdwards@conchoresources.com
Address	550 West Texas Ave., Suite 1300, Midland, Texas 79701				
Facility or well name	Juniper state # 5	API #	30-015-35945	UL or Qtr/Qtr	P Sec 17 T-17-S R-30-E
County	Eddy	Latitude	32.89892N	Longitude	103.988378W NAD: 1927 X 1983 <input type="checkbox"/>
Surface Owner	Federal <input type="checkbox"/> State <input type="checkbox"/> Private <input checked="" type="checkbox"/> Indian <input type="checkbox"/>				
<b>Pit</b>		<b>Below-grade tank</b>			
Type: Drilling <input checked="" type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input checked="" type="checkbox"/> Thickness 12 mil Clay <input type="checkbox"/> Pit Volume 5000 bbl		Volume ____ bbl Type of fluid: ____ Construction material: ____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not: ____			
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) 150'		Less than 50 feet 50 feet or more, but less than 100 feet 100 feet or more		(20 points) (10 points) 0 (0 points)	
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)		Yes No		(20 points) (0 points) 0	
Distance to surface water. (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)		Less than 200 feet 200 feet or more, but less than 1000 feet 1000 feet or more		(20 points) (10 points) (0 points) 0	
		<b>Ranking Score (Total Points)</b>		<b>0</b>	

**If this is a pit closure:** (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite ☐ offsite ☐ If offsite, name of facility \_\_\_\_\_. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No ☐ Yes ☐ If yes, show depth below ground surface \_\_\_\_ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments
Closed by trench burial, procedure attached, on 3-14-2008, on verbal approval by Mike Bratcher
Lab and field sample results are attached
All material above 250 mg/Kg chlorides as removed from pit and placed in lined burial trench east of reserve pit.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines X, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date: 3-28-08

Printed Name/Title Gary Miller, Agent

Signature 

Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval:

Printed Name/Title

Signature

Accepted for record  
NMOCD

Date:

APR 01 2008

# Highlander Environmental Corp. Pit Closure Sampling Report

Job Number: 3071 Date: 2-14-08  
 Client: COG  
 Well Name: Swamp State #5  
 API#: 30-015-35945  
 Depth of Pit: 8'  
 Depth to Groundwater: 150' Orientation of pit (N) S E W

All pit sample depths are below pit bottom (BPB)

Sample Location	Depth (BPB)	Field Chloride Results (mg/Kg)	Lab Chloride Results (mg/Kg)
NE	2'	150	<100
Mid	2'	100	<100
SE	2'	100	<100
SW	2'	1200	
	5'	150	116
Center	2'	150	<100

DNR- Did not run at lab.  
 BGS- Below Ground Surface  
 BPB- Below Pit Bottom

Removed all soil above 250 mg/kg Place in  
 Boreal Trench & Close.  
 OK to Close - A.H. Bratton 3-14-08

Highlander Environmental Corp.  
Pit Sample Location Plat

Pit wall in feet \_\_\_\_\_

Pit wall in feet \_\_\_\_\_

x NW      NE x

x Center

x SW      SE x

• Wellhead

Well Pad

x \_\_\_\_\_ Indicates Sample Location  
(Name by quarter i.e. NW, NE etc)

↑ Draw in North Arrow

Depth of pit in feet 0

Client. POC Oper

Well Name: Juniper State A15

API# 30-015-35945

## Summary Report

Gary Miller  
Highlander Environmental Services  
1910 N. Big Spring Street  
Midland, TX, 79705

Report Date: March 21, 2008

Work Order: 8032005



Project Location: Eddy Co, NM  
Project Name: COG-Juniper State #5  
Project Number: 3436

Sample	Description	Matrix	Date Taken	Time Taken	Date Received
154111	NE 2'	soil	2008-03-14	00:00	2008-03-19
154112	NW 2'	soil	2008-03-14	00:00	2008-03-19
154113	SE 2'	soil	2008-03-14	00:00	2008-03-19
154114	SW 5'	soil	2008-03-14	00:00	2008-03-19
154115	CENTER 2'	soil	2008-03-14	00:00	2008-03-19

**Sample: 154111 - NE 2'**

Param	Flag	Result	Units	RL
Chloride		<100	mg/Kg	2.00

**Sample: 154112 - NW 2'**

Param	Flag	Result	Units	RL
Chloride		<100	mg/Kg	2.00

**Sample: 154113 - SE 2'**

Param	Flag	Result	Units	RL
Chloride		<100	mg/Kg	2.00

**Sample: 154114 - SW 5'**

Param	Flag	Result	Units	RL
Chloride		116	mg/Kg	2.00

**Sample: 154115 - CENTER 2'**

TraceAnalysis, Inc. • 6701 Aberdeen Ave., Suite 9 • Lubbock, TX 79424-1515 • (806) 794-1296  
*This is only a summary. Please, refer to the complete report package for quality control data.*

Report Date: March 21, 2008  
3136

Work Order: 8032005  
COG-Juniper State #5

Page Number: 2 of 2  
Eddy Co, NM

Param	Flag	Result	Units	RL
Chloride		<100	mg/Kg	200

District I  
1625 N French Dr, Hobbs, NM 88240  
District II  
1301 W Grand Avenue, Artesia, NM 88210  
District III  
1000 Rio Brazos Road, Aztec, NM 87410  
District IV  
1220 S St Francis Dr, Santa Fe, NM 87505

State of New Mexico  
Energy Minerals and Natural Resources



Oil Conservation Division  
1220 South St. Francis Dr.  
Santa Fe, NM 87505

Form C-144  
June 1, 2004

For drilling and production facilities, submit to  
appropriate NMOC District Office.  
For downstream facilities, submit to Santa Fe  
office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes ☐ No ☒

Type of action Registration of a pit or below-grade tank ☐ Closure of a pit or below-grade tank ☒

FEB 08 2008

OCD-ARTESIA

Operator <b>COG Operating LLC</b> Telephone <b>432-685-4332</b> e-mail address: <b>kcarrillo@conchoresources.com</b>	
Address <b>550 W. Texas, Suite 1300 Midland, TX 79701</b>	
Facility or well name <b>Juniper State #5</b> API # <b>30-015-35945</b> U/L or Qtr/Qtr <b>P</b> Sec <b>17</b> T <b>17S</b> R <b>30E</b>	
County <b>EDDY</b> Latitude <b>32.829892° N</b> Longitude <b>103.988378° W</b> NAD, 1927 <input checked="" type="checkbox"/> 1983 <input type="checkbox"/>	
Surface Owner Federal <input type="checkbox"/> State <input type="checkbox"/> Private <input checked="" type="checkbox"/> Indian <input type="checkbox"/>	
<b>Pit</b> Type Drilling <input checked="" type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> Liner type Synthetic <input checked="" type="checkbox"/> Thickness <b>12</b> mil Clay <input type="checkbox"/> Pit Volume <b>5000</b> bbl	<b>Below-grade tank</b> Volume <input type="text"/> bbl Type of fluid <input type="text"/> Construction material <input type="text"/> Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not. <input type="text"/>
Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water) <b>150'</b>	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 100 feet or more (0 points)
Wellhead protection area (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources)	Yes (20 points) No (0 points)
Distance to surface water (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 1000 feet or more (0 points)
Ranking Score (Total Points) <b>0 points</b>	

If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks (2) Indicate disposal location (check the onsite box if you are burying in place) onsite ☒ offsite ☐ If offsite, name of facility (3) Attach a general description of remedial action taken including remediation start date and end date (4) Groundwater encountered No ☒ Yes ☐ If yes, show depth below ground surface ft and attach sample results

(5) Attach soil sample results and a diagram of sample locations and excavations

Additional Comments	COG Operating LLC proposes to close the drilling pit as follows:
1.	Remove fluids from pit
2.	A deep trench pit will be constructed next to the existing reserve pit and lined with a 12 mil liner. The contents will be encapsulated in this pit and the liner will be folded over the mud & cuttings.
3.	Cover liner w/20 mil liner w/ excess of 3' on all sides as per option IV B 3.(b) of Pit and Below-Grade Tank Guidelines.
4.	Cover w/ a minimum of 3' of native soil.
5.	Contour pit to prevent erosion & ponding of rainwater.

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOC guidelines ☒, a general permit ☐, or an (attached) alternative OCD-approved plan ☐.

Date **02/06/08**

Printed Name/Title **Kanicia Carrillo, Regulatory Analyst**

Signature

Your certification and NMOC approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

NOTIFY OCD 24 HOURS PRIOR to beginning closure and 24 HOURS PRIOR to obtaining samples. Samples are to be obtained from pit area and analyses submitted to OCD prior to back-filling.

Signature Signed By

Date

FEB 14 2008

If burial trench is to be constructed in pit area, samples are to be obtained and analyses submitted to OCD PRIOR to lining trench.