

Submit 3 Copies To Appropriate District  
 Office  
 District I  
 1625 N. French Dr , Hobbs, NM 87240  
 District II  
 1301 W. Grand Ave., Artesia, NM 88210  
 District III  
 1000 Rio Brazos Rd., Aztec, NM 87410  
 District IV  
 1220 S St. Francis Dr , Santa Fe, NM 87505

State of New Mexico  
 Energy, Minerals and Natural Resources

Form C-103  
 May 27, 2004

OIL CONSERVATION DIVISION  
 1220 South St. Francis Dr.  
 Santa Fe, NM 87505



WELL API NO. 30-015-22402
5. Indicate Type of Lease STATE <input checked="" type="checkbox"/> FEE <input type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name: EXXON STATE COMM "B"
8. Well Number 1
9. OGRID Number 020451
10. Pool name or Wildcat Millman, Morrow (81365)

SUNDRY NOTICES AND REPORTS ON WELLS  
 (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:  
 Oil Well  Gas Well  Other

2. Name of Operator  
 SDX RESOURCES, INC. APR - 4 2008

3. Address of Operator  
 P.O. Box 5061, Midland, TX 79704 OCD-ARTESIA

4. Well Location  
 Unit Letter G : 1650 feet from the NORTH line and 1980 feet from the EAST line  
 Section 29 Township 19 S Range 28 E NMPM County EDDY

11. Elevation (Show whether DR, RKE, RL, GR, etc.)  
 3,407' GR

Pit or Below-grade Tank Application  or Closure

Pit type \_\_\_\_\_ Depth to Groundwater \_\_\_\_\_ Distance from nearest fresh water well \_\_\_\_\_ Distance from nearest surface water \_\_\_\_\_

Pit Liner Thickness: \_\_\_\_\_ mil Below-Grade Tank: Volume \_\_\_\_\_ bbls; Construction Material \_\_\_\_\_

12. Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input checked="" type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	MULTIPLE COMPLETION <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	
OTHER: <input type="checkbox"/>		OTHER: <input type="checkbox"/>	

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

- M.I.R.U. P & A Equipt. R.I.H. & tag existing plug. Mix & pump M.L.F.
  - Spot 25 sx. cmt. @8,820' - 8,720'. Calculated T.O.C.
  - Cut csg. @7,200 or deeper. Spot stub plug @50' below. Cut jt. 7,250'-7,150' - 35 sx. cmt. & tag.
  - ~~4,075' - 3,975' - 35 sx. cmt. 5200' TO 5100' 35 SAKS. CMT - 2,000' OPEN HOLE ROL~~
  - 8 5/8" shoe - 2,865' to 2,765' - 50 sx. cmt. & tag.
  - 1,580' - 1,480' - 30 sx. cmt.
  - 555' - 455' - 50 sx cmt. 460' - surface - 20 sx. cmt.
- WOC TAG 455' OF HIGHER*

Approval Granted providing work is complete by 6-30-08

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines  , a general permit  or an (attached) alternative OCD-approved plan


SIGNATURE Randall Minear TITLE \_\_\_\_\_ AGENT \_\_\_\_\_ DATE 4-3-08  
 E-mail address: \_\_\_\_\_

Type or print name RANDALL MINEAR Telephone No. (432) 530-0907

For State Use Only  
 APPROVED BY [Signature] TITLE Gerry Guye DATE APR 7 2008  
 Compliance Officer

Conditions of Approval, if any:





Surface 20-50 ft  
 Plug 555-455 TAG  
 13 3/8 505 ft circ  
 Gel Between All Plugs  
 EXXON STATE B. CO. 11

Plug 1580-1480  
 Yates 1050  
 7 Rivers 1212  
 Queen 1530

Plug 2865-2765 TAG  
 8 5/8 2815 ft circ.  
 Grayburg 1885  
 San Andres 2320

Plug 4075-3975  
 Bone Springs 4075

Stub Plug - TAG  
 Bone Springs 2nd 7055  
 Bone Springs 3rd 7920

Plug 8820-8720  
 Wolfcamp 8770

CIBP 9845 35' cement  
 Parts 9915 - 9895  
 Done  
 Penn 9375

\* CIBP 10,535 - 35' cement  
 Parts 10,604 - 10,835  
 Done  
 Canyon 9612  
 Strawn 9698  
 Atoka 10187  
 Morrow LM 10583  
 MorrowCS 10715

Handy