District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S St. Francis Dr , Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

APR 08 2008

Form C-144 June 1, 2004

OCD-ARTESIA

June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office. For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure	
Is pit or below-grade tank covered by a "general plan"? Yes X No	_

Type of action. Registration of a pit	or below-grade tank Closure of a pit or below-gr	ade talk 🔼		
Operator BEPCO L.P Telephone (432) 683-2277 e-mail address: machilders@basspet.com				
Address P O BOX 2760 MIDLAND TX 79702				
Facility or well name. Poker Lake Unit # 295 API # 30-015-35549 U/L or Qtr/Qtr SWNW Sec 19 T 24S R 30E				
County Eddy Latitude N 32 205556 Longitude W 103 926306 NAD 1927 1983				
Surface Owner. Federal 🛛 State 🗀 Private 🗀 Indian 🗀				
Pit Below-grade tank				
Type: Drilling X Production Disposal	Volume:bbl Type of fluid			
Workover	Construction material:			
Lined 🛛 Unlined 🗌	Double-walled, with leak detection? Yes If not, explain why not.			
Liner type: Synthetic 🗓 Thickness 30 mil Clay 🗌				
Pit Volume 9,500 bbl				
	Less than 50 feet	(20 points)		
Depth to ground water (vertical distance from bottom of pit to seasonal	50 feet or more, but less than 100 feet	(10 points)		
high water elevation of ground water)	[100 feet or more]	(0 points)		
		(20 points)		
Wellhead protection area. (Less than 200 feet from a private domestic	Yes	(20 points)		
water source, or less than 1000 feet from all other water sources.)	No	(0 points)		
	Less than 200 feet	(20 points)		
Distance to surface water. (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)		
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)		
	Ranking Score (Total Points)	0		
	Kanking Score (Total Folics)			
If this is a pit closure: (1) Attach a diagram of the facility showing the pit				
your are burying in place) onsite 🛛 offsite 🗌 If offsite, name of facility				
remediation start date and end date (4) Groundwater encountered. No 🗌 Yes 🗎 If yes, show depth below ground surfaceft, and attach sample results				
(5) Attach soil sample results and a diagram of sample locations and excava-	ntions.			
Additional Comments: Upon approval, NMOCD will be notified a	orior to remediation. Plan to bury drilling pit	contents on location Will bury 120' x 25'		
x 7' lined fresh water slit trench in place and cover with 30" mil plastic and 3' of clean dirt. A trench adjacent to 120' x 25' x 12' brine drilling				
pit will be excavated. Trench will be lined with 30 mil plastic liner. The contents of the brine drilling pit will be put into the trench. Analysis of				
the soil below previous drilling pit liner will be performed and				
plastic and 3' of clean soil. Back fill, contour and reseed drilling pit				
practice and to or security control and resceed anim	ng pr			
I hereby certify that the information above is true and complete to the best of my knowledge and behef I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines \(\begin{align*} \beg				
Date. 4-4-08				
Printed Name/Title Annette Childers - Administrative Assistant Signature Childers - Administrative Assistant				
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations				
Approval:				
Approval Printed Name/Title Signature Signed By Mile Brancisc Date APR 0 9 2008				

NOTIFY OCD 24 HOURS PRIOR to beginning closure and 24 HOURS PRIOR to obtaining samples. Samples are to be obtained from pit area and analyses submitted to OCD prior to back-filling.

If burial trench is to be constructed in pit area, samples are to be obtained and analyses submitted to OCD PRIOR to lining trench.

