Submit 3 Copies to Appropriate District State	e of New Mexico	Form C-103
Office Energy, Minera	als and Natural Resources	May 27, 2004
1625 N. French Dr., Hobbs, NM 87240		WELL API NO. 30-015-35857
	ERVATION DIVISION	5. Indicate Type of Lease
44,004,444	outh St. Francis Dr. ta Fe, NM 87505	STATE X FEE
District IV	ta re, NW 87505	6. State Oil & Gas Lease No.
1220 S. St. Francis Dr., Santa Fe, NM 87505		o. State Off & das Lease No.
SUNDRY NOTICES AND REPOR (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT PROPOSALS.)	TO DEEPEN OR PLUG BACK TO A	7. Lease Name or Unit Agreement Name: PARIS DRAW STATE UNIT 1624-20
1. Type of Well:	APR 16 2008	8. Well Number
Oil Well Gas Well X Other	OCD-ARTESIA	8
2. Name of Operator		9. OGRID Number
PARALLEL PETROLEUM CORPORATION		230387
3. Address of Operator	70701	10. Pool name or Wildcat
1004 N BIG SPRING, SUITE 400, MIDIAND, TX 4. Well Location	79701	COTTONWOOD CREEK, WOLFCAMP
4. Wen Education		
Unit Letter A : 760 feet from	n the NORTH line and	213 feet from the <u>EAST</u> line
	p 16S Range 24E	NMPM County EDDY
11. Elevation (S.	how whether DR, RKB, RT, GR, a	etc.)
Pit or Below-grade Tank Application or Closure		10 3000
Pit type Depth to Groundwater Distance fr	om negrest fresh water well D	sistance from nearest surface water
1		tion Material
THE DIRECT THICKNESS.	Tank. Volume	Tractial
12. Check Appropriate Box	to Indicate Nature of Notice	e, Report, or Other Data
NOTICE OF INTENTION TO:	SUI	BSEQUENT REPORT OF:
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABAI	i i	
	NDON REMEDIAL WORK	☐ ALTERING CASING ☐
PERFORM REMEDIAL WORK PLUG AND ABAI	NDON 🗌 REMEDIAL WORK	ALTERING CASING LING OPNS. PLUG AND ABANDONMENT
PERFORM REMEDIAL WORK PLUG AND ABAIT TEMPORARILY ABANDON CHANGE PLANS PULL OR ALTER CASING MULTIPLE	NDON REMEDIAL WORK COMMENCE DRILI CASING TEST AND CEMENT JOB	ALTERING CASING LING OPNS. PLUG AND ABANDONMENT
PERFORM REMEDIAL WORK PLUG AND ABAIT TEMPORARILY ABANDON CHANGE PLANS PULL OR ALTER CASING MULTIPLE COMPLETION OTHER:	NDON REMEDIAL WORK COMMENCE DRILL CASING TEST AND CEMENT JOB OTHER: SPUD, SO	ALTERING CASING LING OPNS. PLUG AND ABANDONMENT DURF CSG, TEMP SURVEY
PERFORM REMEDIAL WORK PLUG AND ABAIT TEMPORARILY ABANDON CHANGE PLANS PULL OR ALTER CASING MULTIPLE COMPLETION	REMEDIAL WORK COMMENCE DRILI CASING TEST AND CEMENT JOB OTHER: SPUD, SO ly state all pertinent details, and gi	ALTERING CASING LING OPNS. PLUG AND ABANDONMENT DEFECTION ABANDONMENT DEFECTION ABANDONMENT EXERT CSG, TEMP SURVEY We pertinent dates, including estimated date
PERFORM REMEDIAL WORK PLUG AND ABAITEMPORARILY ABANDON CHANGE PLANS PULL OR ALTER CASING MULTIPLE COMPLETION OTHER: 13. Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 1103. or recompletion.	REMEDIAL WORK COMMENCE DRILL CASING TEST AND CEMENT JOB OTHER: SPUD, SO ly state all pertinent details, and gi For Multiple Completions: Attach	ALTERING CASING LING OPNS. PLUG AND ABANDONMENT DEFECTION ABANDONMENT DEFECTION ABANDONMENT EXERT CSG, TEMP SURVEY We pertinent dates, including estimated date
PERFORM REMEDIAL WORK PLUG AND ABAITEMPORARILY ABANDON CHANGE PLANS PULL OR ALTER CASING MULTIPLE COMPLETION OTHER: 13. Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 1103. or recompletion. 03-07-2008: SET 16" CONDUCTOR @ 120' WITH	REMEDIAL WORK COMMENCE DRILL CASING TEST AND CEMENT JOB OTHER: SPUD, ST ly state all pertinent details, and gi For Multiple Completions: Attac	ALTERING CASING LING OPNS. PLUG AND ABANDONMENT DEFECTION ABANDONMENT DEFECTION ABANDONMENT EXERT CSG, TEMP SURVEY We pertinent dates, including estimated date
PERFORM REMEDIAL WORK PLUG AND ABAITEMPORARILY ABANDON CHANGE PLANS PULL OR ALTER CASING MULTIPLE COMPLETION OTHER: 13. Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 1103. or recompletion. 03-07-2008: SET 16" CONDUCTOR @ 120' WITH 04-03-2008: MIRU DRILLING RIG, SPUD @ 19	REMEDIAL WORK COMMENCE DRILL CASING TEST AND CEMENT JOB OTHER: SPUD, SO ly state all pertinent details, and gi For Multiple Completions: Attack TH RATHOLE 330 HRS	ALTERING CASING LING OPNS. PLUG AND ABANDONMENT DEFECTION ABANDONMENT DEFECTION ABANDONMENT EXERT CSG, TEMP SURVEY We pertinent dates, including estimated date
PERFORM REMEDIAL WORK PLUG AND ABAITEMPORARILY ABANDON CHANGE PLANS PULL OR ALTER CASING MULTIPLE COMPLETION OTHER: 13. Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 1103. or recompletion. 03-07-2008: SET 16" CONDUCTOR @ 120" WITH 04-03-2008: MIRU DRILLING RIG, SPUD @ 1904-05-2008: RUN 8.625 CSG, 24# SET @ 108	REMEDIAL WORK COMMENCE DRILL CASING TEST AND CEMENT JOB OTHER: SPUD, SO ly state all pertinent details, and gi For Multiple Completions: Attack THE RATHOLE DIAGONAL SERVICE CHARACTER SO	ALTERING CASING LING OPNS. PLUG AND ABANDONMENT DEFECTION ABANDONMENT DEFECTION ABANDONMENT EXERT CSG, TEMP SURVEY We pertinent dates, including estimated date
PERFORM REMEDIAL WORK PLUG AND ABAITEMPORARILY ABANDON CHANGE PLANS PULL OR ALTER CASING MULTIPLE COMPLETION OTHER: 13. Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 1103. or recompletion. 03-07-2008: SET 16" CONDUCTOR @ 120' WITHOUT OF COMPLETION	REMEDIAL WORK COMMENCE DRILI CASING TEST AND CEMENT JOB OTHER: SPUD, SO ly state all pertinent details, and gi For Multiple Completions: Attack TH RATHOLE 30 HRS 30 G, 1.65 YLD	ALTERING CASING LING OPNS. X PLUG AND ABANDONMENT DIRF CSG, TEMP SURVEY Ve pertinent dates, including estimated date ch wellbore diagram of proposed completion
PERFORM REMEDIAL WORK PLUG AND ABAITEMPORARILY ABANDON CHANGE PLANS PULL OR ALTER CASING MULTIPLE COMPLETION OTHER: 13. Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 1103. or recompletion. 03-07-2008: SET 16" CONDUCTOR @ 120" WITH 04-03-2008: MIRU DRILLING RIG, SPUD @ 1904-05-2008: RUN 8.625 CSG, 24# SET @ 108	REMEDIAL WORK COMMENCE DRILL CASING TEST AND CEMENT JOB OTHER: SPUD, SO ly state all pertinent details, and gi For Multiple Completions: Attack TH RATHOLE 30 G, 1.65 YLD + 28 CACL, 12.4 PPG, 2.04 Y	ALTERING CASING LING OPNS. X PLUG AND ABANDONMENT DIRF CSG, TEMP SURVEY Ve pertinent dates, including estimated date ch wellbore diagram of proposed completion
PERFORM REMEDIAL WORK PLUG AND ABAITEMPORARILY ABANDON CHANGE PLANS PULL OR ALTER CASING MULTIPLE COMPLETION OTHER: 13. Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 1103. or recompletion. 03-07-2008: SET 16" CONDUCTOR @ 120' WITHOUS ADDITIONAL OF THE PLAN B. 625 CSG, 24# SET @ 108 LEAD 1: 100 SX THIROTROPL C 14.2 PROTECTION LIGHT PP	REMEDIAL WORK COMMENCE DRILI CASING TEST AND CEMENT JOB OTHER: SPUD, SO ly state all pertinent details, and gi For Multiple Completions: Attack TH RATHOLE 30 G, 1.65 YLD + 2% CACL, 12.4 PPG, 2.04 Y PPG, 1.35 YLD	ALTERING CASING LING OPNS. X PLUG AND ABANDONMENT DEFE CSG, TEMP SURVEY Ve pertinent dates, including estimated date th wellbore diagram of proposed completion
PERFORM REMEDIAL WORK PLUG AND ABAITEMPORARILY ABANDON CHANGE PLANS PULL OR ALTER CASING MULTIPLE COMPLETION OTHER: 13. Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 1103. or recompletion. 03-07-2008: SET 16" CONDUCTOR @ 120' WITH 04-03-2008: MIRU DRILLING RIG, SPUD @ 1904-05-2008: RUN 8.625 CSG, 24# SET @ 1008 LEAD 1: 100 SX THIROTROPL C 14.2 PPO 14.2 LEAD 2: 450 SX HALLIBURTON LIGHT PP TAIL: 395 SX HALLIBURTON PP, 14.8	REMEDIAL WORK COMMENCE DRILL CASING TEST AND CEMENT JOB OTHER: SPUD, SO ly state all pertinent details, and gi For Multiple Completions: Attack TH RATHOLE 30 HRS 30 G, 1.65 YLD + 2% CACL, 12.4 PPG, 2.04 Y PPG, 1.35 YLD TEST TEMP SURVEY (ATTACHED).	ALTERING CASING LING OPNS. X PLUG AND ABANDONMENT DEFE CSG, TEMP SURVEY Ve pertinent dates, including estimated date th wellbore diagram of proposed completion
PERFORM REMEDIAL WORK PLUG AND ABAITEMPORARILY ABANDON CHANGE PLANS PULL OR ALTER CASING MULTIPLE COMPLETION OTHER: 13. Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 1103. or recompletion. 03-07-2008: SET 16" CONDUCTOR @ 120' WITHOUT OF PLANS	REMEDIAL WORK COMMENCE DRILL CASING TEST AND CEMENT JOB OTHER: SPUD, SO ly state all pertinent details, and gi For Multiple Completions: Attack TH RATHOLE 30 HRS 30 G, 1.65 YLD + 2% CACL, 12.4 PPG, 2.04 YL PPG, 1.35 YLD T BY TEMP SURVEY (ATTACHED). 1000 PSI FOR 30 MIN Implete to the best of my knowledge	ALTERING CASING LING OPNS. X PLUG AND ABANDONMENT DEFECTION TO SURFACE BY 1" ALTERING CASING THE PLUG AND ABANDONMENT ABANDONMENT X X Z Z Z Z Z Z Z Z Z Z Z
PERFORM REMEDIAL WORK PLUG AND ABAITEMPORARILY ABANDON CHANGE PLANS PULL OR ALTER CASING MULTIPLE COMPLETION OTHER: 13. Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 1103. or recompletion. 03-07-2008: SET 16" CONDUCTOR @ 120' WITH 04-03-2008: MIRU DRILLING RIG, SPUD @ 1904-05-2008: RUN 8.625 CSG, 24# SET @ 1006 LEAD 1: 100 SX THIROTROPL C 14.2 PROFESSED 1: 395 SX HALLIBURTON LIGHT PPOTAIL: 395 SX HALLIBURTON PP, 14.8 5 CENTRALIZERS. TOC: 630 FI WOC: 19.25 HR TEST CSG TO 100	REMEDIAL WORK COMMENCE DRILL CASING TEST AND CEMENT JOB OTHER: SPUD, SO ly state all pertinent details, and gi For Multiple Completions: Attack TH RATHOLE 30 HRS 30 G, 1.65 YLD + 2% CACL, 12.4 PPG, 2.04 YL PPG, 1.35 YLD T BY TEMP SURVEY (ATTACHED). 1000 PSI FOR 30 MIN Implete to the best of my knowledge	ALTERING CASING LING OPNS. X PLUG AND ABANDONMENT DEFECTION TO SURFACE BY 1" ALTERING CASING THE PLUG AND ABANDONMENT ABANDONMENT X X Z Z Z Z Z Z Z Z Z Z Z
PERFORM REMEDIAL WORK PLUG AND ABAITEMPORARILY ABANDON CHANGE PLANS PULL OR ALTER CASING MULTIPLE COMPLETION OTHER: 13. Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 1103. or recompletion. 03-07-2008: SET 16" CONDUCTOR @ 120' WITHOUT OF PLANS	REMEDIAL WORK COMMENCE DRILL CASING TEST AND CEMENT JOB OTHER: SPUD, SO ly state all pertinent details, and gi For Multiple Completions: Attack THE RATHOLE 30 HRS 30 G, 1.65 YLD + 2% CACL, 12.4 PPG, 2.04 Y PPG, 1.35 YLD THEY TEMP SURVEY (ATTACHED) 1000 PSI FOR 30 MIN Implete to the best of my knowledge 1000 guidelines , a general permit	ALTERING CASING LING OPNS. X PLUG AND ABANDONMENT DEFECTION TO SURFACE BY 1" ALTERING CASING THE PLUG AND ABANDONMENT ABANDONMENT X X Z Z Z Z Z Z Z Z Z Z Z
PERFORM REMEDIAL WORK PLUG AND ABANTEMPORARILY ABANDON CHANGE PLANS PULL OR ALTER CASING MULTIPLE COMPLETION OTHER: 13. Describe proposed or completed operations. (Clear of starting any proposed work). SEE RULE 1103. or recompletion. 03-07-2008: SET 16" CONDUCTOR @ 120' WITH 04-03-2008: MIRU DRILLING RIG, SPUD @ 1904-05-2008: RUN 8.625 CSG, 24# SET @ 1006 1EAD 1: 100 SX THIROTROPL C 14.2 PPOFICE 14.2 PPOFICE 15. SX HALLIBURTON LIGHT PPOFICE 15. TOC: 630 FT WCC: 19.25 HR TEST CSG TO 1000 I hereby certify that the information above is true and congrade tank has been will be constructed or closed according to NM	REMEDIAL WORK COMMENCE DRILL CASING TEST AND CEMENT JOB OTHER: SPUD, SO ly state all pertinent details, and gi For Multiple Completions: Attack THE RATHOLE 30 HRS 30 G, 1.65 YLD + 2% CACL, 12.4 PPG, 2.04 Y PPG, 1.35 YLD THEY TEMP SURVEY (ATTACHED) 1000 PSI FOR 30 MIN Implete to the best of my knowledge 1000 guidelines , a general permit	ALTERING CASING LING OPNS. X PLUG AND ABANDONMENT DEFECTION DEF

_____DATE _

For State Use Only
APPROVED BY

Conditions of Approval, if any:

Keltic Services, Inc Box 1857 Artesia, NM 88211

505 748 3759

Temperature Survey

Company	PARALLEL PETROLEUM CORP	. Date	04/05/08
Well	PARIS DRAW ST UNIT 1624-20	Time Plug Down	500 hrs
	#8	Time Start Survey	915 hrs
		Time End Survey	1015 hrs
Casing String	Intermediate	Depth Reached	1014 ft

Cement Top 630 ft.

Gauge

205

Operator:

Julian

Witness: RICK POINDEXTER

Keltic Services Inc Tempreature Survey

Company PARALLEL PETROLEUM CORP. Well PARIS DAW ST UNIT 1624-20#8

Date 4/5/08
Plug Down 500 hrs
Survey Start 915 hrs
Operator Julian

Cement Top 630 ft

Depth	Temp.	Comments
ft	٩F	
30	69.7	
100	70.5	
200	71.2	
300	72.3	
400	73.1	
500	73.9	
600	74.5	
630	75.0	CT
700	78.4	
800	81.6	
900	84.5	
1000	89.0	
1014	89.8	

