District 1
1625 N. French Dr , Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr , Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Form C-144 June 1, 2004



Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure	<u>,</u>
Is pit or below-grade tank covered by a "general plan"? Yes X No	

MAY 1 2 2008

Type of action. Registration of a pit or below-grade tank Closure of a pit or below-grade tank COULAKIESIA			
Operator: EOG RESOURCES, INC. Telephone: (432)631-3457 e-mail address:			
Address: PO Box 2267 Midland TX 79702			
Facility or well name Yellowstone 23 St Compr#2H 30-0/535884 U/L or Qtr/Qtr SE/4 Sec 23 T 18S R 21E			
County: Eddy Latitude 1880' FSL Longitude 660' FEL NAD 1927 1983			
Surface Owner: Federal   State   Private   Indian   UNIT I			
Pit Below-grade tank			
<u>Type</u> Drilling ☐ Production ☐ Disposal ☐	Volume:bbl Type of fluid		
Workover ☐ Emergency ☐	Construction material:		
Lined 🔀 Unlined 🗆	Double-walled, with leak detection? Yes 🔲 If not, explain why not		
Liner type: Synthetic M Thickness 12 mil Clay			
Pit Volume 10,000 bbl			
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)	
high water elevation of ground water.)	50 feet or more, but less than 100 feet	(10 points)	
ingli water elevation of ground water.)	100 feet or more	(Opoints)	
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)	
water source, or less than 1000 feet from all other water sources )	No	(Opoints)	
water sources, or less than 1000 rect from an outer water sources )	Less than 200 feet	(20 points)	
Distance to surface water (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses)	200 feet or more, but less than 1000 feet	(10 points)	
	1000 feet or more	(Opoints)	
<u> </u>	Ranking Score (Total Points)	0	
If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks (2) Indicate disposal location. (check the onsite box if			
your are burying in place) onsite 🖾 offsite 🔲 If offsite, name of facility (3) Attach a general description of remedial action taken including			
remediation start date and end date. (4) Groundwater encountered No 🔀 Yes 🔲 If yes, show depth below ground surfaceft and attach sample results			
(5) Attach soil sample results and a diagram of sample locations and excavations			
Additional Comments RECLAIM DRILLING PIT PER OCD REGULATIONS. DIG DEEP BURIAL HOLE, LINE			
WITH 12-MIL LINER. MIX ALL CONTENTS IN PIT TO STIFFEN AND PLACE IN			
ENCAPSULATION TRENCH; CAP WITH 20-MIL LINER, COVER WITH 3' OR MORE TOP SOIL			
OR LIKE MATERIAL. PULL SAMPLES FROM BOTTOM OF PIT; IF SAMPLES PASS, BACKFILL			
OLD DRILLING PITS WITH CLEAN TOP SOIL.			
I hereby certify that the information above is true and complete to the best of my knowledge and belief I further certify that the above-described pit or below-grade tank			
has been/will be constructed or closed according to NMOCD guidelines [2], a general permit [], or an (attached) alternative OCD-approved plan [].			
- 5/01/00 MODOAN TOOLS CO. LLC			
Date 5/01/08 MORGAN TOOLS CO. LLC Printed Name/Title Stephen Wilson, Foreman Signature Stephen Wilson			
Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.			
Approval:			
Printed Name/Title	Signature Signed By Mile Ben	Date MAY 1-3 2008	

NOTIFY OCD 24 HOURS PRIOR to beginning closure and 24 HOURS PRIOR to obtaining samples. Samples are to be obtained from pit area and analyses submitted to OCD prior to back-filling.

If burial trench is to be constructed in pit area, samples are to be obtained and analyses submitted to OCD <u>PRIOR</u> to lining trench.