Submit 3 Copies To Appropriate District	State of New Mexico	Form C-103
Office District I	Energy, Minerals and Natural Resources	May 27, 2004 WELL API NO.
1625 N. French Dr., Hobbs, NM 88240 District II	OIL CONSERVATION DIVISION	30-005-63479
1301 W. Grand Ave , Artesia, NM 88210 District III	1220 South St. Francis Dr.	5. Indicate Type of Lease STATE FEE
1000 Rio Brazos Rd., Aztec, NM 87410 District IV	Santa Fe, NM 87505	6. State Oil & Gas Lease No.
1220 S St Francis Dr, Santa Fe, NM 87505		VO-5656
1	CES AND REPORTS ON WELLS	7. Lease Name or Unit Agreement Name
DIFFERENT RESERVOIR. USE "APPLICA	ALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A ATION FOR PERMIT" (FORM C-101) FOR SUCH	Program AXP State
PROPOSALS) 1. Type of Well: Oil Well (Gas Well 🛛 Other	8. Well Number
2. Name of Operator	MAY 2 1 2008	9. OGRID Number
Yates Petroleum Corporatio	OCD-ARTESIA	025575
3. Address of Operator 105 S. 4 th Street, Artesia, N	3023	10. Pool name or Wildcat Foor Ranch; Pre-Permian
4. Well Location Unit Letter I : 1980 feet from the South line and 660 feet from the East line		
Section 5	Township 10S Range 26E	NMPM Chaves County
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3773'GR		
Pit or Below-grade Tank Application or Closure		
Pit type Depth to Groundwater Distance from nearest fresh water well Distance from nearest surface water Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material		
12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data		
NOTICE OF INTENTION TO: PERFORM REMEDIAL WORK PLUG AND ABANDON REMEDIAL WORK ALTERING CASING		
TEMPORARILY ABANDON		ILLING OPNS. PLUG AND ABANDON
PULL OR ALTER CASING	MULTIPLE COMPL CASING/CEMEN	T JOB [
OTHER: OTHER: Perforate additional Silurian and acidize 13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date		
of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.		
·		
5/4/08 – Perforate Silurian 5818'-5832' (56) and 5840'-5850' (40). 5/5/08 – Acidize with 250g 20% IC acid.		
5/6/08 - Re-acidize with 3000g 20% IC acid and 144 balls. 5-1/2" AS-1 packer with 2.25" on/off tool and 2-7/8" tubing at 5768'.		
		1
	•	•
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit or an (attached) alternative OCD-approved plan .		
SIGNATURE (May 20, 2008 TITLE Regulatory Compliance Supervisor DATE May 20, 2008		
Type or print name Tina Huerta	E-mail address:tinah@ypcnm.co	om Telephone No. <u>575-748-1471</u>
For State Use Only APPROVED BY:	TITLE	DATE
Conditions of Approval (if any):		PATE