Could be not New Mexico long and he als and Hadisa Recourse

Oh Conservation Division 1220 South St. Francis Dr. Santa Fe. NM 87505 For drilling and production facilities submorted appropriate NMOCD District Office For downstream facilities, submit to Santa Feoffice

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No 🗷

Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank Telephone 5 75-631-4545 e-mail address NAD: 1927 🗌 1983 🔲 Longitude Surface Owner: Federal X State Private Indian Below-grade tank Type: Drilling X Production Disposal Volume: bbl Type of fluid: Construction material: Lined Unlined Double-walled, with leak detection? Yes If not, explain why not. Liner type: Synthetic A Thickness 12 mil Clay Pit Volume Less than 50 feet (20 points) Depth to ground water (vertical distance from bottom of pit to seasonal 50 feet or more, but less than 100 feet (10 points) high water elevation of ground water.) 100 feet or more (0 points) Yes (20 points) Wellhead protection area: (Less than 200 feet from a private domestic No (0 points) water source, or less than 1000 feet from all other water sources.) Less than 200 feet (20 points) Distance to surface water: (horizontal distance to all wetlands, playas, 200 feet or more, but less than 1000 feet (10 points) irrigation canals, ditches, and perennial and ephemeral watercourses.) 2000 feet or more (0 points) b Ranking Score (Total Points) If this is a pit closure: (1) Attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if your are burying in place) onsite X offsite I If offsite, name of facility____ ____. (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No 🔼 Yes 🗌 If yes, show depth below ground surface ft, and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations to tranch bury the drilling Mad Below-GRADE TANK Buidelines we will line the trench liner And bory Dot contents And I mer then coverwith uc. We will kno with 3'of nATIVE MATERIAL CAPABLE MATIVE Plant growth, WE will contour the And poinding of RAIN WATER OVER I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines 🖾, a general permit 🗌, or an (attached) alternative OCD-approved plan 🔲. Your certification and NMOCD approval of this application/closure does not relieve the operator of historitist should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations Who Brance Dars UN 1 2 2008 Approval Signed By

NOTIFY OCD 24 HOURS PRIOR to beginning closure and 24 HOURS PRIOR to obtaining samples. Samples are to be obtained from pit area and analyses submitted to OCD prior to back-filling.

If burial trench is to be constructed in pit area, samples are to be obtained and analyses submitted to OCD PRIOR to lining trench.