

State of New Mexico **Energy Minerals and Natural Resources** Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505



For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

## Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit closed-loop system below-grade tank or alternative request


Please be advised that approval of this request does not relieve the operator of ha	ability should operations result in pollution of surface water, ground water or the ply with any other applicable governmental authority's rules, regulations or ordinances.		
Operator: Waterford Operating, LLC	OGRID#: <b>25916</b> 9		
Address: 1001 McKinney Suite 2000 Houston, TX 7700	1.0 0000		
Facility or well name Crystal Amethyst #108	OCD-ARTESIA		
	Permit Number:		
U/L or Qtr/Qtr E Section 8 Township 13S			
Center of Proposed Design: Latitude 33.207064 N	Longitude <b>104.160832 W</b> NAD. ⊠1927 ☐ 1983		
Surface Owner.  Federal State Private Tribal Trust or Indian Allotment			
Pit: Subsection F or G of 19 15.17.11 NMAC	☐ Closed-loop System: Subsection H of 19 15.17.11 NMAC		
Temporary: Drilling Workover	☐ Drying Pad ☐ Tanks ☒ Haul-off Bins ☐ Other		
Permanent Emergency Cavitation Steel Pit	Lined Unlined		
Lined Unlined	Liner type. Thicknessml		
Liner type Thicknessmil	Other		
Other String-Reinforced	Seams: Welded Factory Other		
Seams. Welded Factory Other	Volume:bblyd <sup>3</sup>		
Volume:bbl	Dimensions: Length x Width		
Below-grade tank: Subsection 1 of 19.15.17 11 NMAC	Fencing: Subsection D of 19.15.17.11 NMAC		
Volumebbl	Chain link, six feet in height, two strands of barbed wire at top		
Type of fluid.	Four foot height, four strands of barbed wire evenly spaced between one and		
Tank Construction material	four feet		
Secondary containment with leak detection	Netting: Subsection E of 19.15.17 11 NMAC		
☐ Visible sidewalls, liner. 6-inch lift and automatic overflow shut-off	Screen Netting Other		
☐ Visible sidewalls and liner	Monthly inspections		
☐ Visible sidewalls only	Signs: Subsection C of 19.15.17 11 NMAC		
Other	12'x24', 2' lettering, providing Operator's name, site location, and		
Liner type: Thicknessmil	emergency telephone numbers		
Other	Signed in compliance with 19.15.3.103 NMAC		
Alternative Method:	Administrative Approvals and Exceptions:		
Submittal of an exception request is required Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration	Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.		
of approval.	Please check a box if one or more of the following is requested, if not leave		
	blank: Administrative approval(s): Requests must be submitted to the		
	appropriate division district or the Santa Fe Environmental Bureau office for		
	consideration of approval.		
	Exception(s): Requests must be submitted to the Santa Fe		

Siting Criteria (regarding permitting): 19 15 17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search. Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes No			
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map, Visual inspection (certification) of the proposed site	☐ Yes ☐ No			
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No			
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources, USGS; NM Geological Society; Topographic map	☐ Yes ☐ No			
Within a 100-year floodplain - FEMA map	☐ Yes ☐ No			
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15 17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.    Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15 17.9 NMAC   Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC   Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC   Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC   Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC   Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17.9 NMAC and 19.15 17.13 NMAC				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the de-	ocuments are			
attached.  Geologic and Hydrogeologic Data (required for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations (required for on-site closure) - based upon the appropriate requirements of 19 15 17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17.12 NMAC  Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17 9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API Number:				

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the do attached.	cuments are			
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC  Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC  Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC  Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC  Quality Control/Quality Assurance Construction and Installation Plan				
<ul> <li>□ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17 12 NMAC</li> <li>□ Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC</li> <li>□ Nuisance or Hazardous Odors, including H₂S, Prevention Plan</li> <li>□ Emergency Response Plan</li> <li>□ Oil Field Waste Stream Characterization</li> </ul>				
☐ Monitoring and Inspection Plan ☐ Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17 9 NMAC and 19.15 17.13 NMAC				
Proposed Closure: 19.15.17 13 NMAC				
Type: Drilling Workover Emergency Cavitation Permanent Pit Below-grade Tank Closed-loop System	Alternative			
Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for cor	nsideration)			
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC				
Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.				
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA			
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA			
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS, Data obtained from nearby wells	☐ Yes ☐ No ☐ NA			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	Yes No			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No			
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No			
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	Yes No			
Within an unstable area.  - Engineering measures incorporated into the design: NM Bureau of Geology & Mineral Resources, USGS, NM Geological Society; Topographic map	☐ Yes ☐ No			
Within a 100-year floodplain - FEMA map	☐ Yes ☐ No			

Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15 17.13 NMAC				
Waste Removal Closure For Closed-loop Systems That Utilize Haul-off Bins On or facilities for the disposal of liquids, drilling fluids and drill cuttings.	<u>ly</u> : (19.15.17.13.D)	NMAC) Instructions: Please indentify the facility		
Disposal Facility Name. CRI Disposal Facility Permit Number: #R 9166				
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate,				
by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15.17.13 NMAC  Construction and Design of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.13 NMAC  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				
Operator Application Certification:	10-4-19-10-10-10-10-10-10-10-10-10-10-10-10-10-			
I hereby certify that the information submitted with this application is true, accurate	and complete to the	best of my knowledge and belief.		
Name (Print): Billy (Bill) E. Prichard	Title. Agent fo	or Waterford Operating, LLC		
Signature: Billy E. Truchur	Date:	7/8/2008		
e-mail address billy@pwllc.net	Telephone:	575-390-9100		
OCD Approval: Permit Application (inclading closure plan) Closure Plan OCD Representative Signature: Title:	(only)	Approval Date: 7/15/08		
Closure Report (required within 60 days of closure completion): Subsection K of	of 19.15.17.13 NMA  Closure Comple			
Closure Method:  ☐ Waste Excavation and Removal ☐ On-Site Closure Method ☐ Alternative ☐ If different from approved plan, please explain.	e Closure Method			
Closure Report Attachment Checklist: Instructions: Each of the following items mark in the box, that the documents are attached.  Proof of Closure Notice Proof of Deed Notice (if applicable) Plot Plan Confirmation Sampling Analytical Results Waste Material Sampling Analytical Results Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location. Latitude Longitude				
Operator Closure Certification:				
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan				
Name (Print)	•			
Signature Date				
e-mail address.	Telephone			

Page 4 of 4



## Operating and Maintenance Plan

Cuttings will be discharged from shaker into roll - off containers

Centrifuges set directly over roll - off containers and solids are discharges directly in to roll - offs

Roll - off containers are monitored 24 hours a day by solid control specialist

Roll - off containers will be replaced as needed

## Closure Plan

Drilled solids will be removed as needed in roll - off containers

Drill solids will be transported to CRI Permit # R 9166

Drilling fluids will be hauled to suitable off location waste disposal facility