

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

JUL 24 2008

OCD-ARTESIA

Form C-144
June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes No

Type of action: Registration of a pit or below-grade tank Closure of a pit or below-grade tank

Operator: Burnett Oil Co Inc Telephone: 677-2313 e-mail address: seay04@leaco.net
Address: P.O. Box 188, Loco Hills, N.M. 88255
Facility or well name: Jackson B #45 API #: 30-012-35398 U/L or Qtr/Qtr: H Sec: 24 T 17 R 30
County: Ady Latitude: 32.822 Longitude: 103.9175 NAD: 1927 1983 Surface Owner Federal State Private Indian

JAN 16 2008
OCD-ARTESIA

Pit Type: Drilling <input checked="" type="checkbox"/> Production <input type="checkbox"/> Disposal <input type="checkbox"/> Workover <input type="checkbox"/> Emergency <input type="checkbox"/> Lined <input checked="" type="checkbox"/> Unlined <input type="checkbox"/> Liner type: Synthetic <input checked="" type="checkbox"/> Thickness <u>12</u> mil Clay <input type="checkbox"/> Pit Volume <u>3500</u> bbl	Below-grade tank Volume: _____ bbl Type of fluid: _____ Construction material: _____ Double-walled, with leak detection? Yes <input type="checkbox"/> If not, explain why not: _____	
	Depth to ground water (vertical distance from bottom of pit to seasonal high water elevation of ground water.) <u>300 ft</u>	Less than 50 feet (20 points) 50 feet or more, but less than 100 feet (10 points) 100 feet or more (0 points)
Wellhead protection area: (Less than 200 feet from a private domestic water source, or less than 1000 feet from all other water sources.)	Yes (20 points) No (0 points)	
Distance to surface water: (horizontal distance to all wetlands, playas, irrigation canals, ditches, and perennial and ephemeral watercourses.)	Less than 200 feet (20 points) 200 feet or more, but less than 1000 feet (10 points) 1000 feet or more (0 points)	
Ranking Score (Total Points)		0

If this is a pit closure: (1) attach a diagram of the facility showing the pit's relationship to other equipment and tanks. (2) Indicate disposal location: (check the onsite box if you are burying in place) onsite offsite If offsite, name of facility: _____ (3) Attach a general description of remedial action taken including remediation start date and end date. (4) Groundwater encountered: No Yes If yes, show depth below ground surface _____ ft. and attach sample results. (5) Attach soil sample results and a diagram of sample locations and excavations.

Additional Comments: our plan is to trench bury on location. Excavate a trench adjacent to drilling pit, line trench with 12mil plastic put contents of drilling pit in trench, cover trench with 20 mil plastic and 3 feet of clean soil. sample bottom of pit area, and backfill, level + seed after OCD approves. will notify OCD + BLM before starting and file sundry notice after closing. will begin soon after approval. Final Closure completed 7/16/08

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .

Date: 11/15/2008
Printed Name/Title: Elbie W Seay Agent Signature: Elbie W Seay


Your certification and NMOCD approval of this application/closure does not relieve the operator of liability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.

Approval: _____ Signature: White Signed By: White Date: JAN 24 2008

NOTIFY OCD 24 HOURS PRIOR to beginning closure and 24 HOURS PRIOR to obtaining samples. Samples are to be obtained from pit area and analyses submitted to OCD prior to back-filling.

Accepted for record
NMOCD
AUG 05 2008
Final Closure
7/16/08

JUL 24 2008
OCD-ARTESIA



**ASSAIGAI
ANALYTICAL
LABORATORIES, INC.**

4301 Masthead NE • Albuquerque, New Mexico 87109 • (505) 345-8964 • FAX (505) 345-7259

P.O. Box 90430 • Albuquerque, New Mexico 87199 • (800) 447-0327

DIAMONDBACK DISPOSAL SERVICES
attn: JUSTIN ROBERTS
P O BOX 2491
HOBBS NM 88241

Explanation of codes	
B	Analyte Detected in Method Blank
E	Result is Estimated
H	Analyzed Out of Hold Time
N	Tentatively Identified Compound
S	Subcontracted
1-9	See Footnote

STANDARD

Assaigai Analytical Laboratories, Inc.

Certificate of Analysis

All samples are reported on an "as received" basis, unless otherwise noted (i.e. - Dry Weight).

Client: **DIAMONDBACK DISPOSAL SERVICES**
Project: **BURNETT OIL/ JACKSON B#45**
Order: **08070273 DDS01** Receipt: **07-10-08**

William P. Blava
William P. Blava, President of Assaigai Analytical Laboratories, Inc.

Sample: **E. RESERVE PIT 20' BGS**
Matrix: **GRAB**

Collected: 07-08-08 14:36:00 By: JR

QC Group	Run Sequence	CAS #	Analyte	Result	Units	Dilution Factor	Detection Limit	Code	Prep Date	Run Date	
08070273-001A	WC.2008.1759.8	16887-00-8	Chloride	20.1	mg/Kg	10	0.5		07-11-08	07-11-08	
			SW846 9056 Anions by Ion Chromatography					By: T J F			

Sample: **W. RESERVE PIT 20' BGS**
Matrix: **GRAB**

Collected: 07-08-08 14:43:00 By: JR

QC Group	Run Sequence	CAS #	Analyte	Result	Units	Dilution Factor	Detection Limit	Code	Prep Date	Run Date	
08070273-002A	WC 2008.1759.9	16887-00-8	Chloride	32.0	mg/Kg	10	0.5		07-11-08	07-11-08	
			SW846 9056 Anions by Ion Chromatography					By: T J F			

Unless otherwise noted, all samples were received in acceptable condition and all sampling was performed by client or client representative. Sample result of ND indicates Not Detected, ie result is less than the sample specific Detection Limit. Sample specific Detection Limit is determined by multiplying the sample Dilution Factor by the listed Reporting Detection Limit. All results relate only to the items tested. Any miscellaneous workorder information or footnotes will appear below.

Analytical results are not corrected for method blank or field blank contamination

JUL 24 2008
OCD-ARTESIA

July 22, 2008

NMOCD Artesia
ATTN: Mike Bratcher
1301 W. Grand Ave.
Artesia, NM 88210


RE: Burnett Oil Co.
Jackson B #45 (API 30-015-05398)
Drilling Pit Closure

Mr. Bratcher:

The drilling pit for the above listed well was closed per C-144 approval. The pit area was backfilled, leveled and will be seeded per BLM requirement.

If you have any questions, please call.

Thanks,



Eddie W. Seay, Agent
Eddie Seay Consulting
601 W. Illinois
Hobbs, NM 88242
(575)392-2236

cc: Burnett Oil