<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division

1220 South St. Francis Dr. Santa Fe, NM 87505

SEP - 2 2008 OCD-ARTESIA

Form C-144 July 21, 2008

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or
Proposed Alternative Method Permit or Closure Plan Application
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: Burnt Oil Co Address: 90 Charry St. Unit 9 Ft Worth Tx 76102 Facility or well name: Stevens A # 16 H API Number: 3001-536-146
Pit: Subsection F or G of 19.15.17.11 NMAC Temporary:
Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) Drying Pad Above Ground Steel Tanks Haul-off Bins Other Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other Liner Seams: Welded Factory Other Other
Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume:
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.



Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hospital, institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify				
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)				
8. Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers □ Signed in compliance with 19 15.3.103 NMAC				
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19 15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval. Exception(s). Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.				
10. Siting Criteria (regarding permitting): 19.15 17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval, Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes 🗷 No			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes 🔀 No			
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No			
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes 🙀 No ☐ NA			
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - IWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes 🎾 No			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes 🐼 No			
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site				
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes 🙀 No			
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society, Topographic map				
Within a 100-year floodplain FEMA map	☐ Yes M No			

ton . H

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15 17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17 10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15 17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Erosion Control Plan Erosion Control Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19 15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

16. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two					
facilities are required.	and the second of the second o				
Disposal Facility Name CRJ Disposal Facility Permit Number:	vm - 01 - 8006				
Disposal Facility Name Disposal Facility Permit Number:					
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be use Yes (If yes, please provide the information below) No	ed for future service and operations?				
Required for impacted areas which will not be used for future service and operations. Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					
57. Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.					
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - IWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA				
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - IWATERS database search; USGS; Data obtained from nearby wells	Yes No				
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sink lake (measured from the ordinary high-water mark). - Topographic map, Visual inspection (certification) of the proposed site	hole, or playa Yes No				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial approximately visual inspection (certification) of the proposed site; Aerial photo, Satellite image	olication. Yes No				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domest watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initi - NM Office of the State Engineer - IWATERS database; Visual inspection (certification) of the proposed site					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municip adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	al ordinance Yes No				
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the pro	posed site				
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No				
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM (Society; Topographic map	Geological Yes No				
Within a 100-year floodplain - FEMA map	☐ Yes ☐ No				
On-Site Closure Plan Checklist: (19 15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Construction/Design Plan of Burnal Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.15.17.13 NMAC Profocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Waste Material Sampling Plan - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC					

"n n - 14

Operator Application Certification: I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.	
Name (Print): Belton Mathews Title: Superintendent	
Signature: 1500 100 100 100 100 100 100 100 100 10	
e-mail address: 60c; Lh@ PVT Networks. "Telephone: 575 -677-231.	3
OCD Approval: Permit Application (including closure plant) Closure Plan (only) OCD Conditions (see attachment)	2000
OCD Representative Signature: Signed By Mily Example Approval Date: SEP 16	<u> </u>
Title: OCD Permit Number: Ma	
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not consection of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:	e closure report. nplete this
Closure Method: Waste Excavation and Removal	systems only)
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off B Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachm two facilities were utilized. Disposal Facility Name: Disposal Facility Permit Number:	ent if more than
Disposal Facility Name: Disposal Facility Permit Number:	
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operat Yes (If yes, please demonstrate compliance to the items below) \(\subseteq \text{No} \)	ions?
Required for impacted areas which will not be used for future service and operations: Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	
24. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicated in the box, that the documents are attached. Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for on-site closure) Disposal Facility Name and Permit Number Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique Site Reclamation (Photo Documentation) On-site Closure Location: Latitude Longitude NAD: 1927	
Operator Closure Certification:	
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my know belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan	vledge and
Name (Print): Title:	
Signature: Date:	
e-mail address: Telephone:	

CLOSURE PLAN

After all contents have been removed from pit, either approved for on site trench burial or excavated and hauled to an OCD approved facility.

- 1) Make sure pit liner and contents are properly disposed of.
- 2) Sample bottom of pit below liner. Conduct a five point composite sample. Sample should be analyzed for BTEX, TPH and Chloride.
- 3) Take results to OCD to get permission to continue closure or proceed to <u>BACKUP</u> PLAN.
- 4) If sampling demonstrates that a release has not occurred and meets applicable concentrations, backfilling can proceed.
- 5) Will backfill the excavation area with non-waste containing earthen material.
- 6) Will construct a soil cover that will restore and revegetate the site. Per subsection G, H and I of 19.15.17.13 NMAC.
- 7) File final closure, C-144.

BACKUP PLAN

Only if analytical does not demonstrate bottom of excavation is within guidelines for closing.

- 1) Notify the OCD on C-141.
- 2) Additional delineation may be required by OCD depending on analytical.
- 3) Comply with 19.15.3 Rule 116.
- 4) Continue cleaning up site.

Groundwiter 300+ H.



Bill Richardson

Governor

Joanna Prukop Cabinet Secretary Reese Fullerton Deputy Cabinet Secretary Mark Fesmire
Division Director
Oil Conservation Division



Conditions of approval for closure of a drilling pit


Notify OCD District 2 office 48 hours prior to commencement of closure activities.

Notify OCD District 2 office 48 hours prior to obtaining samples where analyses of samples obtained are to be submitted to OCD.

Sampling requirements are listed in 19.15.17.13 [NMAC] (Pit Rule)

Final closure report is to be submitted to OCD not later than 60 days after completion of closure.





Form C-144

June 1, 2004

District I 1625 N French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III
1000 Rto Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr , Santa Fc, NM 87505

State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. For drilling and production facilities, submit to appropriate NMOCD District Office.
For downstream facilities, submit to Santa Fe office

Santa Fe, NM 87505

Pit or Below-Gra	ade Tank Registration or Clos	<u>sure</u>				
Is pit or below-grade tar	ik covered by a "general plan"? Yes 🔲 1	No.				
	or below-grade tank Closure of a pit or below-	grade tank				
B(817) (Operator. BURNETT OIL CO, INCTelepho	ne (817) 332-5108 e-mail address:	iha@humettoil.com				
Address: 801 CHERRY STREET UNIT #9FORT WORTH, TEX.		June Outries Son Cons				
Facility or well name:STEVENS A #16HAPI #:3		Sec. 13 T 179 D 30F				
County. EDDY Latitude		13 30.04 B_ NAD. 1927 [] 1903 [B]				
Surface Owner: Federal 🔀 State 🔲 Private 🛄 Indian 🗀	Deleve mus de tout					
Pit	Below-grade tank					
Type Drilling Production Disposal D						
Workover Emergency	Construction material:					
Lined Unlined	Double-walled, with leak detection? Yes 🔲 I	i not, explain why not.				
Liner type: Synthetic Thickness12_mil Clay [
Pit Volumebbl						
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)				
high water elevation of ground water.) MORE THAN 100'	50 feet or more, but less than 100 feet	(10 points)				
ingli water elevation of 5-oatie water,	100 feet or more	(0 points)				
(Toronto 100 And Grand America	Yes	(20 points)				
Wellhead protection area: (Less than 200 feet from a private domestio	No	(0 points)				
water source, or less than 1000 feet from all other water sources) NO						
Distance to surface water: (horizontal distance to all wetlands, playas,	Less than 200 feet	(20 points)				
irrigation canals, ditches, and perennial and ephemeral watercourses.)	200 feet or more, but less than 1000 feet	(10 points)				
MORE THAN 1000'	1000 feet or more	(0 points)				
	Ranking Score (Total Points)					
If this is a pit closure: (1) Attach a diagram of the facility showing the pit	's relationship to other equipment and tanks (2) In	ndicate disposal location: (check the onette boy if				
your are burying in place) onsite offsite If offsite, name of facility						
remediation start date and end date. (4) Groundwater encountered: No \square						
		π, and attach sample results.				
(5) Attach soil sample results and a diagram of sample locations and excavi	ations					
Additional Comments						
	See attached					
Cond	litions of Approval					
I hereby certify that the information above is true and complete to the bes has been/will be constructed or closed according to NMOCD guidelin	es A, a general permit , or an (attached) alte	at the above-described pit or below-grade tank				
		The state of the s				
Date: 4/29/2008	9	NO Pia				
Printed Name/TitleJAMES H. ARLINEMATERIALS COORDI	NATOR_Signature	H. Wolfiel				
Your certification and NMOCD approval of this application/closure does	not relieve the operator of rability should the cont	ents of the pit or tank contaminate ground water or				
otherwise endanger public health or the environment. Nor does it relieve	the operator of its responsibility for compliance wi	th any other federal, state, or local laws and/or				
regulations.						
_	- 1					
Approval. Gerry Guye	Jeny du	APR 3 0 2008				
Printed Name/Title Compliance Officer	Signature	Date: ATT 0 2000				

RISTRICT I
1625 N French Dr., Hobbs, NM 88240
DISTRICT II
1301 T Grand Avenue Artesia NM 88210

State of New Mexico
Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION

Form C-102 Revised October 12, 2005

Submit to Appropriate District Office
State Lease - 4 Copies
Fee Lease - 3 Copies

DISTRICT III 1000 Rio Brazos Rd Aztec, NM 87410

DISTRICT IV

1220 South St. Francis Dr. Santa Fe, New Mexico 87505

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT Cloriera									
-30 -	-30 - Q15		Pool Code		CEDAR LAKE YESO				
Property	Code				Property Nam	ie		Well Number	
10 2x1	14.5	STEVENS "A"		16					
OGRID N	OGRID No Operator Name		Elevation						
XX-38	BURNETT OIL COMPANY		3706'						
Surface Location									
UL or lot No	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
L	13	17 S	30 E		2430	SOUTH	350	WEST	EDDY
Bottom Hole Location If Different From Surface									
UL or lot No	Section	Township	Range	Lot Idn	Feet from the	North/South line	Feet from the	East/West line	County
М	13	17 S	30 E		330	SOUTH	330	WEST	EDDY
Dedicated Acre	s Joint o	r Infill Con	nsolidation (Code Ord	der No.				

NO ALLOWABLE WILL BE ASSIGNED TO THIS COMPLETION UNTIL ALL INTERESTS HAVE BEEN CONSOLIDATED OR A NON-STANDARD UNIT HAS BEEN APPROVED BY THE DIVISION

