

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
BUREAU OF LAND MANAGEMENT  
SUNDRY NOTICES AND REPORTS ON WELLS

SEP 23 2008

OCD-ARTESIA FORM APPROVED  
OMB NO. 1004-0135  
EXPIRES: NOVEMBER 30, 2000

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

OCD-ARTESIA

SUBMIT IN TRIPLICATE

1a. Type of Well ☒ Oil Well ☐ Gas Well ☐ Other \_\_\_\_\_

2. Name of Operator  
DEVON ENERGY PRODUCTION COMPANY, LP

3. Address and Telephone No.  
20 North Broadway, Ste 1500, Oklahoma City, OK 73102 405-552-4615

4. Location of Well (Report location clearly and in accordance with Federal requirements)\*  
840 FNL 1650 FEL Sec 6 T18S R27E, Unit "B"

5. Lease Serial No.
NM-LC 026874-B
6. If Indian, Allottee or Tribe Name
7. Unit or CA Agreement Name and No.
8. Well Name and No.
MALCO B FEDERAL 4
9. API Well No.
30-015-29922
10. Field and Pool, or Exploratory
Red Lake; Queen Grayburg San Andres
12. County or Parish 13. State
Eddy NM

CHECK APPROPRIATE BOX(es) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input type="checkbox"/> Other _____
	<input type="checkbox"/> Change Plans	<input checked="" type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work and approximate duration thereof. If the proposal deepens directionally or recompletes horizontally, give subsurface location and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirement, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Plug & Abandonment Procedure:


1. MIRU. TIH to CIBP @ 1677'. Circulate wellbore w/10 ppg mud.
2. Spot 25 sx cement on top of CIBP @ 1677'. Calc. PBD @ 1430'.
3. Spot 25 sx cement @ 1140'. WOC & Tag. Calc. PBD @ 893'. (8-5/8" csg shoe @ 1089')
4. Spot 25 sx cement for surface plug.
5. Cut wellhead off, set dry hole marker, and clean location.

SEE ATTACHED FOR  
CONDITIONS OF APPROVAL

ACCEPTED FOR RECORD

SEP 24 2008

Gerry Guye, Deputy Field Inspector  
NMOCD-District II ARTESIA



14. I hereby certify that the foregoing is true and correct

Signed Ronnie Slack

Name Ronnie Slack  
Title Engineering Technician

Date 9/16/2008

(This space for Federal or State Office use)

Approved by \_\_\_\_\_ Title \_\_\_\_\_ Date \_\_\_\_\_  
Conditions of approval, if any: \_\_\_\_\_

**DEVON ENERGY PRODUCTION COMPANY LP**

Well Name: MALCO B FEDERAL #4		Field: RED LAKE	
Location: 840' FNL & 1650' FEL; SEC 6-18S-R27E		County: EDDY	State: NM
Elevation: 3462' KB; 3453' GL		Spud Date: 12/30/97	Compl Date: 1/26/98
API#: 30-015-29922	Prepared by: Ronnie Slack	Date: 9/16/08	Rev:

**PROPOSED PLUG & ABANDONMENT**

Proposed:

1. Spot 25 sx cement surface plug.
2. Cut wellhead off, set dry hole marker.
3. Clean location.

12-1/4" hole  
8-5/8", 24#, J55, @ 1,089'  
 Cmt'd w/500 sx

Proposed:

Spot 25 sx cement at 1140'. Tag TOC.  
 Calc PBD @ 893'

10 ppg mud

10 ppg mud

Proposed:

Spot 25 sx cement on CIBP @ 1677'.  
 Calc PBD @ 1430'

CIBP @ 1677' (5/22/07)

Note: Attempted to set CIBP @ 1694, but would not set.  
 TOO H, CIBP set @ 1677'

SAN ANDRES (1/12/98)

1744-1758  
 1835-1899'  
 1905-1981  
 2004-2097  
 2140-2156

7-7/8" Hole  
5-1/2", 15.5#, J55, @ 2,449'  
 Cmt'd w/500 sx to surface

2450' TD

2400' PBTD

# DEVON ENERGY PRODUCTION COMPANY LP


Well Name: MALCO B FEDERAL #4		Field: RED LAKE	
Location: 840' FNL & 1650' FEL; SEC 6-18S-R27E		County: EDDY	State: NM
Elevation: 3462' KB; 3453' GL		Spud Date: 12/30/97	Compl Date: 1/26/98
API#: 30-015-29922	Prepared by: Ronnie Slack	Date: 9/16/08	Rev:

## CURRENT SCHEMAT

12-1/4" hole  
8-5/8", 24#, J55, @ 1,089'  
 Cmt'd w/500 sx

**SAN ANDRES** (1/12/98)  
 1744-1758  
 1835-1899'  
 1905-1981  
 2004-2097  
 2140-2156

7-7/8" Hole  
5-1/2", 15.5#, J55, @ 2,449'  
 Cmt'd w/500 sx



CIBP @ 1677' (5/22/07)

Note: Attempted to set CIBP @ 1694, but would not set. TOOH, CIBP set @ 1677'

2400' PBTD

2450' TD