District I
1625 N French Dr., Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505

# State of New Mexico Energy Minerals and Natural Resources Department

Oct 29 2008 220 South St. Francis Dr. Santa Fe, NM 87505



For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD. District Office.

# <u>Pit, Closed-Loop System, Below-Grade Tank, or</u> <u>Proposed Alternative Method Permit or Closure Plan Application</u>

Type of action:  Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method  Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method  Modification to an existing permit  Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.
Operator: Cimarex Energy Co. OGRID #:
Address: P.O. Box 140907; Irving TX 75014-0907
Facility or well name: Homer State Com No. 2
API Number:
U/L or Qtr/Qtr         L         Section         2         Township         25S         Range         25E         County:         Eddy
Center of Proposed Design: Latitude33.092523 N       Longitude104.221621 W       NAD: ☐ 1927 ☒ 1983         Surface Owner: ☐ Federal ☒ State ☐ Private ☐ Tribal Trust or Indian Allotment
Pit: Subsection F or G of 19.15.17.11 NMAC   Temporary.
Closed-loop System: Subsection H of 19.15 17.11 NMAC   Type of Operation: P&A   Drilling a new well   Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)   Drying Pad   Above Ground Steel Tanks   Haul-off Bins   Other     Lined   Unlined Liner type: Thickness   20   mil   LLDPE   HDPE   PVC   Other     Liner Seams:   Welded   Factory   Other
Below-grade tank: Subsection I of 19 15.17.11 NMAC   Volume:
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other
Liner type: Thicknessmil
S.  Alternative Method:
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.  Accepted for record
Form C-144 NMOCD Oil Conservation Division Fine Closur Page 11015

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, institution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate. Please specify	nospital,
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks)	
Screen Netting Other	
Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19.15.17.11 NMAC  12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers  Signed in compliance with 19.15.3.103 NMAC	
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s). Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau of consideration of approval.  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying above-grade tanks associated with a closed-loop system.	priate district pproval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No ☐ NA
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	☐ Yes ☐ No

Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15 17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number: or Permit Number:
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15.17.9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19 15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC
and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design)  API Number:  Previously Approved Operating and Maintenance Plan  API Number:  (Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
13.
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are
attached.  Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19 15.17.9 NMAC
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Climatological Factors Assessment
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15 17.11 NMAC
☐ Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15 17.11 NMAC ☐ Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC
<ul> <li>Quality Control/Quality Assurance Construction and Installation Plan</li> <li>Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC</li> </ul>
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC
<ul> <li>☐ Nuisance or Hazardous Odors, including H₂S, Prevention Plan</li> <li>☐ Emergency Response Plan</li> </ul>
Oil Field Waste Stream Characterization
☐ Monitoring and Inspection Plan ☐ Erosion Control Plan
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.
Type.  Drilling  Workover  Emergency  Cavitation  P&A Permanent Pit  Below-grade Tank  Closed-loop System  Alternative
Proposed Closure Method: Waste Excavation and Removal  Waste Removal (Closed-loop systems only)
On-site Closure Method (Only for temporary pits and closed-loop systems)
☐ In-place Burial ☐ On-site Trench Burial ☐ Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15.
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the
closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC
<ul> <li>         ☐ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC</li> <li>         ☐ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)     </li> </ul>
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC
<ul> <li>☑ Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17 13 NMAC</li> <li>☑ Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC</li> </ul>

Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.I Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if facilities are required.	
Disposal Facility Name: Controlled Recovery Inc. Disposal Facility Permit Number: NMOCD R9166	/NMED DP818_
Disposal Facility Name: Disposal Facility Permit Number.	<del></del>
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future services. Yes (If yes, please provide the information below) \( \subseteq \text{No} \)	
Required for impacted areas which will not be used for future service and operations:  Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15 17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	C
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable sour provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate dist considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justi demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	rict office or may be
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search, USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within the area overlying a subsurface mine.  - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No
Within a 100-year floodplain FEMA map	Yes No
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC  Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15 17.13 NMAC  Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC  Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19.  Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cann Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC  Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	15.17.11 NMAC

, <b>t</b>	
Operator Application Certification:	
I hereby certify that the information submitted with this application is	is true, accurate and complete to the best of my knowledge and belief.
Name (Print):	Title:
Signature:	Date:
e-mail address:	Telephone <sup>-</sup>
OCD Approval: Permit Application (including closure plan)	Closure Plan (only) OCD Conditions (see attachment)
OCD Representative Signature:	Approval Date:
Title:	OCD Permit Number:
	e plan prior to implementing any closure activities and submitting the closure report. a 60 days of the completion of the closure activities. Please do not complete this
	☐ Closure Completion Date:August 23, 2008
Closure Method:  Waste Excavation and Removal ☐ On-Site Closure Method ☐ If different from approved plan, please explain.	☐ Alternative Closure Method ☐ Waste Removal (Closed-loop systems only)
Instructions: Please indentify the facility or facilities for where the two facilities were utilized.  Disposal Facility Name: Controlled Recovery Inc.  Disposal Facility Name:	Disposal Facility Permit Number:  formed on or in areas that will not be used for future service and operations?  v) \[ \sum \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Closure Report Attachment Checklist: Instructions: Each of the mark in the box, that the documents are attached.  □ Proof of Closure Notice (surface owner and division) □ Proof of Deed Notice (required for on-site closure) □ Plot Plan (for on-site closures and temporary pits) □ Confirmation Sampling Analytical Results (if applicable) □ Waste Material Sampling Analytical Results (required for on-site Disposal Facility Name and Permit Number □ Soil Backfilling and Cover Installation □ Re-vegetation Application Rates and Seeding Technique □ Site Reclamation (Photo Documentation) □ On-site Closure Location. Latitude	e following items must be attached to the closure report. Please indicate, by a check site closure)  Longitude NAD:   1927  1983
25.	
	this closure report is true, accurate and complete to the best of my knowledge and sure requirements and conditions specified in the approved closure plan.
Name (Print): Dorsey Rogers	Title:Drilling Superintendant
Signature: Dung	Date: 10/27/2008

Accepted for record NMOCD

e-mail address:

\_dorseyrogers@aol.com\_

Telephone:

\_575-200-6105







### 4311 Monica Lane, Carlsbad, NM 88220

Phone 575-236-6012

Fax 575-236-6063

Cell 575- 361-3217

#### bandr@pvtnetworks.net

October 22, 2008

Cimarex Energy Co. P.O. Box 140907 Irving Texas 75014-0907

Re:

Cimarex Energy Co.

Homer State Com No.2 – Final Drying pad Closure

**Homer State Com No.2** 

Depth to Ground Water: 67' O.C.D.

API: 30-015-36132 Sec 2-T-25S-R-25E Planned Analytical Testing: Chlorides, BTEX, TPH Primary Land Use: Ranching and Oil & Gas Production

Pursuant to Paragraph (1) of Subsection D of 19.15.17.13 NMAC of the New Mexico Oil Conservation District of the State of New Mexico regulatory requirement for drying pad closure, please accept the following documentation for final closure of the drying pad for the aforementioned location.

All drill cuttings were transported to Controlled Recovery, Inc. of Hobbs, New Mexico (Permit number NMOCD R 9166 / NMED DP818). Upon transferring all drying pad contents to C.R.I., field tests were performed on the soil within in the confines of the original drying pad. The analytical results of Chloride delineation, BTEX 8021B/602/8260B/624, and TPH 8015 GRO/DRO/TVHC of the impacted material are attached.

Soil samples were collected, prepared, and packaged per EPA guidelines and forwarded to Trace Analysis in Lubbock, Texas for official analytical testing. Please find the official analytical results attached hereto.

Soil backfill and cover design was done to meet appropriate requirements of subsection H of 19.15.17.13 NMAC. This included covering sites existing grade by applying one foot of existing topsoil to establish growth. The entire disturbed are was then contoured to prevent ponding of water and erosion of cover material.

Site reclamation was done to meet appropriate requirements of subsection G of 19.15.17.13 NMAC. This included reclaiming areas associated with the drying pad to a safe and stable condition that blends with surrounding undisturbed area and restoring surface area to conditions that existed prior to oil and gas operations.

Re-vegetation was done to meet appropriate requirements of subsection I of 19.15.17.13 NMAC. This included seeding all areas disturbed and associated with the drying pad. B.L.M. # 3 seed mix was Drilled (Traux FlexII series grass drill) 10 pounds per acre.

#### Order of events:

- 1. Received approval to excavate from O.C.D. on July 18, 2008
- 2. Began Removing mud July 28, 2008
- 3. Finished removing mud July 30, 2008
- 4. Phoenix Environmental performed field samples and continued digging until August 1, 2008.
- 5. Covered and contoured affected area with dozer on August 4, 2008.
- 6. Reseeded all affected areas on August 23, 2008

## Sampling-Performed by Phoenix Environmental


Sample #1-SW-32°09'25.1" -N-104°22'18.3"-W Sample #2-NW-32°09'25.4"-N -104°22'18.4"-W Sample #3-Center-32°09'25.2"-N-104°22'18.3"-W Sample #4-NE-32°09'25.5"-N-104°22'18.1"-W Sample #5-SE-32°09'25.1"-N-104°22'18.0"-W Background Sample-32°09'25.5"-N-104°22'19.7"-W


Final Depth: 1' Below Liner

Please review the attached documentation and contact me at 575-361-2132 with any questions or concerns.

Sincerely,

RophlVall Rayland VanNatta **B&R** Trucking





Report Date: August 12, 2008

API #30-015-36132

Work Order: 8080834 Homer ST Com. #002  $\label{eq:page Number: 1 of 2} Page \ Number: \ 1 \ of \ 2 \\ UL-L, \ Sec. \ 2, \ T255-R25E, \ Eddy \ Co., \ NM \\$ 

# **Summary Report**

Dorsey Rogers Cimarex 207 S Mesa Carlsbad, NM, 88220

Work Order: 8080834

work Order: 8080854

Report Date: August 12, 2008

Project Location: UL-L, Sec. 2, T255-R25E, Eddy Co., NM

Project Name: Homer ST Com. #002 Project Number: API #30-015-36132

			Date	$\mathbf{Time}$	Date
Sample	Description	Matrix	Taken	Taken	Received
170078	1-Southwest 1/4 @ 2'	soil	2008-08-07	15:00	2008-08-08
170079	2-Northwest 1/4 @ 2'	soil	2008-08-07	15:15	2008-08-08
170080	3-Center @ 2'	soil	2008-08-07	15:30	2008-08-08
170081	4-Northeast 1/4 @ 2'	soil	2008-08-07	15:45	2008-08-08
170082	5-Southeast 1/4 @ 2'	soil	2008-08-07	16:00	2008-08-08
170083	6-Background @ 0-6"	soil	2008-08-07	16:30	2008-08-08

			BTEX		MTBE	TPH DRO	TPH GRO
	Benzene	Toluene	Ethylbenzene	Xylene	MTBE	DRO	GRO
Sample - Field Code	(mg/Kg)	(mg/Kg)	(mg/Kg)	(mg/Kg)	(mg/Kg)	(mg/Kg)	(mg/Kg)
170078 - 1-Southwest 1/4 @ 2'	< 0.0100	< 0.0100	< 0.0100	< 0.0100		< 50.0	<1.00
170079 - 2-Northwest 1/4 @ 2'	< 0.0100	< 0.0100	< 0.0100	< 0.0100		< 50.0	<1.00
170080 - 3-Center @ 2'	< 0.0100	< 0.0100	< 0.0100	< 0.0100		< 50.0	<1.00
170081 - 4-Northeast 1/4 @ 2'	< 0.0100	< 0.0100	< 0.0100	< 0.0100		< 50.0	<1.00
170082 - 5-Southeast 1/4 @ 2'	< 0.0100	< 0.0100	< 0.0100	< 0.0100		< 50.0	<1.00
170083 - 6-Background @ 0-6"	< 0.0100	< 0.0100	< 0.0100	< 0.0100		< 50.0	< 1.00

Sample: 170078 - 1-Southwest 1/4 @ 2'

Param	Flag	Result	Units	RL
Chloride		423	mg/Kg	3.25

Sample: 170079 - 2-Northwest 1/4 @ 2

Param	Flag	Result	${f Units}$	RL
Chloride		<325	${ m mg/Kg}$	3.25

Report Date: August 12, 200 API #30-015-36132		Work Order: 8080834 Homer ST Com. #002	Page Number: 2 UL-L, Sec. 2, T255-R25E, Eddy Co.,	
Sample: 170080 - 3-Cent	er @ 2'			
Param	Flag	Result	Units	RL
Chloride		<325	mg/Kg	3.25
Sample: 170081 - 4-Nort	heast 1/4 @	2'		
Param	Flag	Result	Units	RL
Chloride		<325	mg/Kg	3.25
Sample: 170082 - 5-Sout	heast 1/4 @	2'		
Param	Flag	Result	${ m Units}$	$\mathrm{RL}$
Chloride		<325	m mg/Kg	3.25
Sample: 170083 - 6-Back	ground @ 0-	6"		
Param	Flag	Result	$\operatorname{Units}$	RL
Chloride		< 325	mg/Kg	3.25

LAB Order ID #_	C080	V24
LAB Order ID #	X 000	• ) (

Page	of	

# TraceAnalysis, Inc.

email: lab@traceanalysis.com

6701 Aberdeen Avenue Suite 9 **Lubbock, Texas 79424** Tel (806) 794-1296 Fax (806) 794-1298 1 (800) 378-1296

5002 Basin Street, Suite A1 Midland, Texas 79703 Tel (432) 689-6301 Fax (432) 689-6313

200 East Sunset Rd , Suite E.

EI Paso, Texas 79922
Tel (915) 585-3443
Fax (915) 585-4944
1 (888) 588-3443

8808 Camp Bowie Blvd West Suite 180
Ft. Worth, Texas 76116
Tel (817) 201-5260
Fax (817) 560-4336

Company Name: Phose #: 575-391-9685  Address: (Street, City, Zip)  Po Box 1856 Hobbs ww 38241  Phone #: 575-391-9685  Fax #: 575-391-9687				ANALYSIS REQUEST (Circle or Specify Method No.)				
Address: (Street, City, Zip)  Fax #:  CIrcle or Specify Wietnod No.)  Po Box 1856 Hobbs wa 38241  575-391-9687					. [			
					idard			
1   S   S   S   S   S   S   S   S   S						star		
(If different from above) C (NAREX  Project #:  Project Name:  Project Name:  Project Location (including state):  Sampler Signature:  Sampler Sig						mo.		
API 30-015-36132		Henri	r st com t	002	8260B / 6 260B / 6 TX1005	8 5	7,625	it i
Project Name:   Project Name:   Project Name:   Project Name:   Project Location (including state):   Sampler Signature:   Sampler Si						ffere		
UL-L-S24-2-T255-R252 Eddy CO NM OF 20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0						5		
.	and RS	MATRIX	METHOD	SAMPLING	B / 60 / 602 X1000 O / DI	As B	82608 / 624 m. Vol. 82700 2 / 608 8081A / 608 pH ontent	ıme
LAB # FIELD CODE	# CONTAINERS Volume / Amount WATER	SOIL AIR SLUDGE	HNO <sub>2</sub> H <sub>2</sub> SO <sub>4</sub> NaOH IGE NONE	}	MTBE 8021B / 602 / 8260B / 624 BTEX 8021B / 602 / 8260B / 624 TPH 418 1 / TX1005 / TX1005 Ext(C35) TPH 8015 GRO / DRO / TVHC PAH 8270C / 625	Total Metals Ag As Ba Cd Cr.Pb Se Hg 6010B/200 TCLP Metals Ag As Ba Cd Cr.Pb Se Hg TCLP Volatiles TCLP Semi Volatiles TCLP Pesticides	GC/MS Vol 82608 GC/MS Sem. Vol. PCBs 8082 / 608 Pesticides 8081A / BOD. TSS, pH Moisture Content	Turn Around Time if different from standard Hold
170078 1-Sandwist 4@ 2'		×	<del>                                     </del>	-708 3:00	XX		X X	
	1 /	X	X	r 3.15	XX		X X	
0803-Civisiz @ 2'		<del>(</del>	X	3.30	XXX			
0814-Non+ 4 457 4 @ 2' 1	,	У	X	3:45	χX		X	
0825-SOUTH ENST & C 2'	,   /	<del>P</del>	N X	1 4:00	XX			
(36)		2		4.30	Ŷ X	<del>                                     </del>		-
083 6- BACKGROUND (8 0-6" 1	.   4			4.30	K ^			
Relinquished By: Company: Date:	Time: Red	ceived by: Co	ompany: Date:	Time: Tem	O	NLY	MARKS: 2-DAY RUSL	
Relinquished by: Company: Date:		ceived by: Co	ompany: Date:	Time: Tem	Intac(Y)	omrigina (	Dry Weight Basis Required  TRRP Report Required	
Relinquished by: Company: Date:	Time: Rec	reived by: ACC	ompany: Date:	Time: Tem (3)2 2.	ıp°c:	view_ETL	Check If Special Reporting Limits Are Needed	
Submittal of samples constitutes agreement to Terms and Conditions listed on reverse side of C O. C  Carrier # Cor A C								



<u>District I</u> 1625 N French Dr , Hobbs, NM 88240 1625 N French Dr., Hobbs, NM 88240 <u>District III</u> 1301 W Grand Avenue, Artesia, NM 88210 <u>District III</u> 1000 Rio Brazos Road, Aztec, NM 87410 <u>District IV</u> 1220 S. St Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.
For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or JUL 18 2008				
Proposed Alternative Method				
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method  Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method				
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request				
lease be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the nvironment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances				
Operator: CIMARTY ENGRY Cc. OGRID#:				
Address: PO BOX 140 907 IRVING TX 75014-0904				
Facility or well name: Homea STATE Com NO.7				
API Number: 30-015-36132 OCD Permit Number:				
U/L or Qtr/Qtr _ L Section _ Z Township _ Z5 S Range _ Z5 E County: F00 \( \sqrt{25} \)				
Center of Proposed Design: Latitude 32°09' 75, 23" N Longitude 164° 22' 1621" W NAD: 1927 2 1983				
Surface Owner:  Federal  State  Trivate Tribal Trust or Indian Allotment				
Pit: Subsection F or G of 19.15.17.11 NMAC	Closed-loop System: Subsection H of 19.15.17.11 NMAC			
Temporary: Drilling Workover	Drying Pad Tanks Haul-off Bins Other			
☐ Permanent ☐ Emergency ☐ Cavitation ☐ Steel Pit	X Lined ☐ Unlined			
Lined Unlined	Liner type: Thickness 20 mil LLDPE HDPE PVC			
Liner type: Thicknessmil	Other			
Other String-Reinforced	Seams: Welded Factory Other			
Seams:  Welded Factory Other	Volume:bbiyd³			
Volume:bbl Dimensions: L x W x D Dimensions: Length 100 x Width 100				
Below-grade tank: Subsection I of 19.15.17.11 NMAC	Fencing: Subsection D of 19.15.17.11 NMAC			
Volume:bbi	☐ Chain link, six feet in height, two strands of barbed wire at top			
Type of fluid:	Four foot height, four strands of barbed wire evenly spaced between one and			
Tank Construction material:	four feet			
Secondary containment with leak detection	Netting: Subsection E of 19.15.17.11 NMAC			
☐ Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off	Screen Netting Other			
☐ Visible sidewalls and liner	☐ Monthly inspections			
☐ Visible sidewalls only	Signs: Subsection C of 19.15.17.11 NMAC			
Other	12'x24', 2' lettering, providing Operator's name, site location, and			
Liner type: Thicknessmil	emergency telephone numbers			
Other	Signed in compliance with 19.15.3.103 NMAC			
Alternative Method: Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration	Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.			
of approval.	Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for consideration of approval.  Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.			

Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.				
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map; Visual inspection (certification) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site				
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality; Written approval obtained from the municipality				
Within 500 feet of a wetland.  - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site				
		Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division		
Within an unstable area.  - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map				
Within a 100-year floodplain FEMA map	☐ Yes ☐ No			
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.    Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC   Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC   Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC   Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC   Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC   Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.  Geologic and Hydrogeologic Data (required for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9  Siting Criteria Compliance Demonstrations (required for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC  Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API Number:				

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are				
attached.  Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC				
Trydrogeologic Report - based upon the requirements of 1 aragraph (1) of Subsection B of 19.13.17.9 NMAC				
Climatological Factors Assessment				
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC				
Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.111	NMAC			
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC				
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.	.11 NMAC			
Quality Control/Quality Assurance Construction and Installation Plan				
	Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC			
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC				
<ul> <li>Nuisance or Hazardous Odors, including H₂S, Prevention Plan</li> <li>Emergency Response Plan</li> </ul>				
☐ Emergency Response Plan ☐ Oil Field Waste Stream Characterization				
Monitoring and Inspection Plan				
☐ Erosion Control Plan				
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.	17.13 NMAC			
Proposed Closure: 19.15.17.13 NMAC				
Type: Drilling Workover Emergency Cavitation Permanent Pit Below-grade Tank	Closed-loop System  Alternative			
Proposed Closure Method: Waste Excavation and Removal				
☐ Waste Removal (Closed-loop systems only)				
On-site Closure Method (Only for temporary pits and closed-loop systems)				
In-place Burial On-site Trench Burial				
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Envir	ronmental Bureau for consideration)			
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC				
Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendati	ions of acceptable			
source material are provided below. Requests regarding changes to certain siting criteria may require adminis				
the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Env				
office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please NMAC for guidance.	e refer to 19.15.17.10			
TANKAC JOT guitturice				
Ground water is less than 50 feet below the bottom of the buried waste.	☐ Yes ☐ No	0		
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ NA			
	П. П.			
Ground water is between 50 and 100 feet below the bottom of the buried waste  - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No	3		
- Mix Office of the State Engineer - I was taked database scaled, USCIS, Data obtained from hearby wells	U NA			
Ground water is more than 100 feet below the bottom of the buried waste.	Yes No	0		
- NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ NA			
W				
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebe lake (measured from the ordinary high-water mark).	ed, sinkhole, or playa	3		
- Topographic map; Visual inspection (certification) of the proposed site				
1 Topographic map, visual inspection (continuation) of the proposed site				
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of init	tial application.	D		
- Visual inspection (certification) of the proposed site; Aerial photo; Satellite image				
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time	domestic or stock Yes No	3		
- NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed:	of initial application.			
1432 Office of the State Engineer 147112140 database, 4 isata inspection (confidence) of the proposed.	Site			
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a m	nunicipal ordinance     Yes   No	0		
adopted pursuant to NMSA 1978, Section 3-27-3, as amended.				
- Written confirmation or verification from the municipality; Written approval obtained from the municipal	lity			
Within 500 feet of a wetland.	☐ Yes ☐ No	n		
- US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of	the proposed site	•		
	_			
Within the area overlying a subsurface mine.	Yes No	0		
- Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division				
Within an unstable area.				
- Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS	S; NM Geological Yes No	n		
Society, Topographic map	7, 1417 Geological Les [] No			
	1			
Within a 100-year floodplain.				
- FEMA map				

Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the					
closure plan. Please indicate, by a check mark in the box, that the documents are attached.					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  The Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					
Waste Removal Closure For Closed-loop Systems That Utilize Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility					
or facilities for the disposal of liquids, drilling fluids and drill cuttings.					
Disposal Facility Name: Contholico Recurry INC Disposal Facility Permit Number: Maco L9/64 D18/8					
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate,					
by a check mark in the box, that the documents are attached.					
☐ Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC					
Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Construction and Design of Burial Trench (if applicable) based upon the appropriate requirements of 19.15.17.11 NMAC					
Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC					
Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC					
Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)					
Soil Cover Design - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC					
Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC					
Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC					
Operator Application Certification:					
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.					
Thereby centry that the morniage and remain appropriate of the rest of my knowledge and remain					
Name (Print): Title:					
Dorsey Rogers					
Signature: Field Superintendent Date: His/EUD					
rieid Superintendent					
Joseph Reave @ Calcata TD 375 200 60 5					
e-mail address: 407 Self 1998 (Class Telephone: Class Telephone)					
OCD Approval: \(\sum_{\text{Parmit Application (including closure plan)}}\) Closure Plan (only)					
OCD Approval: \(\sum_{\text{Parmit Application (including closure plan)}}\) Closure Plan (only)					
OCD Approval: Permit Application (including closure plan) Closure Plan (only)  OCD Representative Signature: 1100 Approval Date: 2/18/08					
OCD Approval: Permit Application (including closure plan) Closure Plan (only)  OCD Representative Signature: 1100 Approval Date: 2/18/08					
OCD Approval: Permit Application (including closure plan)   Closure Plan (only)  OCD Representative Signature: Approval Date: 1/9/08  Title: OCD Permit Number: OCO Permit Number:					
OCD Approval: Permit Application (including closure plan) Closure Plan (only)  OCD Representative Signature: Approval Date: 1/9/06  Title: OCD Permit Number: OCOB Per					
OCD Approval: Permit Application (including closure plan)   Closure Plan (only)  OCD Representative Signature: Approval Date: 1/9/08  Title: OCD Permit Number: OCO Permit Number:					
OCD Approval: Permit Application (including closure plan) Closure Plan (only)  OCD Representative Signature: Approval Date: 1/9/06  Title: OCD Permit Number: OCOB Per					
OCD Approval: Permit Application (including closure plan)					
OCD Approval: Permit Application (including closure plan)					
OCD Approval: Permit Application (including closure plan)  Closure Plan (only)  OCD Representative Signature:  Approval Date:					
OCD Approval: Permit Application (including closure plan)					
OCD Approval: Permit Application (including closure plan)   Closure Plan (only)  OCD Representative Signature: Approval Date: 1/10/05  Title: OCD Permit Number: OCD					
OCD Approval: Permit Application (including closure plan)					
OCD Approval: Permit Application (including closure plan)					
OCD Approval: Permit Application (including closure plan)					
OCD Approval: Permit Application (including closure plan)   Closure Plan (only)  OCD Representative Signature:					
OCD Approval: Permit Application (including closure plan)   Closure Plan (only)  OCD Representative Signature: Application (including closure plan)   Closure Plan (only)  Title: Subsection K of 19.15.17.13 NMAC    Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC    Closure Method:   Closure Completion Date:     Waste Excavation and Removal   On-Site Closure Method   Alternative Closure Method   If different from approved plan, please explain.    Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.   Proof of Closure Notice   Proof of Deed Notice (if applicable)   Plot Plan   Confirmation Sampling Analytical Results   Waste Material Sampling Analytical Results   Disposal Facility Name and Permit Number					
OCD Approval: Permit Application (including closure plan)					
OCD Approval: Permit Application (including closure plan)					
OCD Approval: Permit Application (including closure plan)					
OCD Approval: Permit Application (including closure plan)					
OCD Approval: Permit Application (including closure plan)					
OCD Approval: Permit Application (including closure plan)   Closure Plan (only)  OCD Representative Signature:					
OCD Approval: Permit Application (including closure plan)					
OCD Approval: Permit Application (including closure plan)					
OCD Approval: Permit Application (including closure plan)   Closure Plan (only)  OCD Representative Signature:					
OCD Approval: Permit Application (including closure plan)					
OCD Approval: Permit Application (including closure plan)					
OCD Approval: Permit Application (including closure plan)					







#### 4311 Monica Lane, Carlsbad, NM 88220

Phone 505-236-6012

Fax 505-236-6063

Cell 505- 361-3217

#### **Email bandr@pvtnetworks.net**

July 16, 2008

Cimarex Energy Co. P.O. Box 140907 Irving Texas 75014-0907

Re:

Cimarex Energy Co.

Homer State Com No. 2-Re-vegetation Plan, Site Reclamation Plan, Soil Backfill and Cover Design

Homer State Com No. 2

API: 30-015-36132 Sec 2-T-25S-R-25E

#### Re-vegetation Plan

- 1. Will meet appropriate requirements of subsection I of 19.15.17.13 NMAC
- 2. Seed all areas disturbed and associated with the drying pad.
- 3. Obtain vegetation cover that equals 70% of the native perennial vegetation cover.
- 4. Apply seed consisting of at least three native plant species including at least one grass.
- 5. Maintain cover through two successive growing seasons.
- 6. Repeat seeding until it successfully achieves the required vegetation cover.

#### Site Reclamation Plan

- 1. Will meet appropriate requirements of subsection G of 19.15.17.13 NMAC
- 2. Reclaim areas associated with the drying pad to a safe and stable that blends with surrounding undisturbed area.
- 3. Restore surface area to conditions that existed prior to oil and gas operations.

### Soil Backfill and Cover Design Specifications

- 1. Will meet appropriate requirements of subsection H of 19.15.17.13 NMAC
- 2. Consist of the background thickness of topsoil or one foot of suitable material to establish vegetation.
- 3. Cover site's existing grade.
- 4. Contoured to prevent ponding of water and erosion of the cover material.

Please review documentation and contact me at 575-361-2132 with any questions or concerns.

Sincerely,

Rayland Vannatta B&R Trucking

Ruplah

<u>District I</u> 1625 N. French Dr., Hobbs, NM 88240 District II

1000 Rio Brazos Road, Aztec, NM 87410

District IV

1220 S. St. Francis Dr., Hobbs, NM 88240

District IV

1220 S. St. Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

FEB 26 2008

Form C-144 June 1, 2004

OCD ARTESIA June 1, 2004

For drilling and production facilities, submit to appropriate NMOCD District Office.

For downstream facilities, submit to Santa Fe office

# Pit or Below-Grade Tank Registration or Closure

Is pit or below-grade tank covered by a "general plan"? Yes \( \subseteq \) No \( \subseteq \)

Type of action: Registration of a pit or below-grade tank \( \subseteq \) Closure of a pit or below-grade tank \( \supseteq \)

Operator: Cimarex Energy Co. of Colorado Telephone: 972-401-3111 e-mail address: zfarris@cimarex.com					
Address: PO Box 140907; Irving, TX 75014-0907	2//19				
Facility or well name: Homer State Com No. 2 API #: 30-015-					
County. <u>Eddy</u> <u>Latitude</u> 32° 09' 25.23" N <u>Longitude</u> 104° 22' 16 21" W NAD. 1927 1983					
Surface Owner: Federal ☐ State ☒ Private ☐ Indian ☐ .					
Pit	Below-grade tank				
Type: Drilling Production Disposal	Volume:bbl Type of fluid				
Workover					
Lined ☑ Unlined ☐	Double-walled, with leak detection? Yes  If not, explain why not.				
Liner type. Synthetic Thickness 20 mil Clay					
Pit Volumebbl closed system, cuttings buried					
Depth to ground water (vertical distance from bottom of pit to seasonal	Less than 50 feet	(20 points)			
high water elevation of ground water.) 300'	50 feet or more, but less than 100 feet	(10 points)			
,	100 feet or more	(0 points)			
Wellhead protection area: (Less than 200 feet from a private domestic	Yes	(20 points)			
water source, or less than 1000 feet from all other water sources.)	(No	( 0 points)			
Distance to confere victory (homizontal distance to all victoride micros	Less than 200 feet	(20 points)			
Distance to surface water: (horizontal distance to all wetlands, playas,	200 feet or more, but less than 1000 feet	(10 points)			
irrigation canals, ditches, and perennial and ephemeral watercourses.)	1000 feet or more	(0 points)			
	Ranking Score (Total Points)	0			
If this is a pit closure: (1) Attach a diagram of the facility showing the put	's relationship to other equipment and tanks. (2) Inc	licate disposal location: (check the onsite box if			
your are burying in place) onsite  offsite  foffsite, name of facility_	. (3) Attach a general description of r	remedial action taken including remediation start			
date and end date (4) Groundwater encountered. No [] Yes [] If yes, sl					
(5) Attach soil sample results and a diagram of sample locations and excava		•			
Additional Comments					
Additional Comments					
I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that the above-described pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines , a general permit , or an (attached) alternative OCD-approved plan .					
Date: 02.19.08					
Printed Name/Title Zeno Farris - Manager Operations Administration Signature Zeno Fouris					
Your certification and NMOCD approval of this application/closure does not relieve the operator of hability should the contents of the pit or tank contaminate ground water or otherwise endanger public health or the environment. Nor does it relieve the operator of its responsibility for compliance with any other federal, state, or local laws and/or regulations.					
Approval·	al! i	ሮሮቦ ቁማ ኃስለ።			
Giornal By W//4 E) KASTULIE FED & COUR					
Printed Name City OF APPROVAL, A DETAILED CLOSURE PLAN Signature Date:					

MUST BE APPROVED BEFORE CLOSURE MAY COMMENCE