Form 3160-5 (August-1999)



UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

	FORM APPROVED
	OMB NO. 1004-0135
D-ADT	Expires: November 30, 20
/ / / /	7-

OCD-ARTESLAse Serial No.

NM-105538

SUNDRY NOTICES AND REPORTS ON WELLS


Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.				6. If Indian, Allottee or Tribe Name			
SUBMIT IN TRIPLICATE - Other instructions on reverse side					7. If Unit or CA/Agreement, Name and/or No		
1. Type of Well Oil Well X Gas Well Other 2. Name of Operator OXY USA Inc. NOV - 1 2008 OCDARIESIA 16696					8 Well Name and No. Sargent Canyon 31 #1 Federal 9. API Well No.		
3a. Address P.O. Box 50250, Midland, TX 79710- 4. Location of Well (Footage, Sec., T., R., M., or Survey & 860 FSL 1980 FEL SWSE(0) Sec 31 T19	Description)	3b. Phone No (<i>include area code</i>) 432-685-5717 30-015-31826 10. Field and Pool, or Exploratory Area Crooked Canyon Atoka Morrow 11. County or Parish, State Eddy NM			Pool, or Exploratory Area nyon Atoka Morrow Parish, State		
12. CHECK APPROPRIATE	BOX(ES) TO IN	DICATE NATURE OF	NOTICE, REP				
TYPE OF SUBMISSION TYPE OF ACTIO							
X Notice of Intent Subsequent Report Final Abandonment Notice	Acidize Alter Casing Casing Repair Change Plans Convert to Injects	Deepen Fracture Treat New Construction X Plug and Abandon On Plug Back	Reclamati	ete ily Abandon	Water Shut-Off Well Integrity Other		
Attach the Bond under which the work will be per following completion of the involved operations. I testing has been completed. Final Abandonment Metermined that the final site is ready for final inspector. PBTD-6913' Perfs 9-5/8" 36# csg @ 1530' w/ 1955sx, 5-1/2" 17# csg @ 7350' w/ 450sx,	f the operation results in Notices shall be filed or ection.) -6963-7140' 12-1/4" hole,	n a multiple completion or in ally after all requirements, in CIBP-6913' TOC-Surf-Circ	recompletion in a necluding reclamati	new interval, a Foion, have been co	orm 3160-4 shall be filed once impleted, and the operator has		
 RIH & tag CIBP @ 6913' M&P 25 Cut & Pull 5-1/2" csg @ +/- 5 M&P 60sx cmt @ 5900-5740' WOC M&P 60sx cmt @ 4260-4120' WOC M&P 55sx cmt @ 2735-2610' WOC M&P 60sx cmt@ 1585-1470' WOC- M&P 110sx cmt @ 840-590' M&P 50sx cmt Surface Plug 10# MLF between plugs 	850' 5530 -Tag 5616'- -Tag 4520'- -Tag	(54ub plug -5450' 4380' (was CCEPTED FOR RE	lf comp	cover 70 add.	plug)		
	Ge	erry Guye Deputy Field	I				
14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) David Stewart	NN	IOCUM istrict II A Sr. Re	RTESIA egulatory An	alyst	W. Company		
Ma. Sty		Date (0/21/08	APP	ROVED		
THIS	SPACE FOR FED	ERAL OR STATE OF		1700 19 20 18 28	•		
Approved by Conditions of approval, if any, are attached Approval o certify that the applicant holds legal or equitable title to which would entitle the applicant to conduct operations the	those rights in the subj	Title varrant or Office ect lease		JAME	ES A. AMOS		

OXY USA Inc. - Proposed Sargent Canyon 31 Federal #1 API No. 30-015-31826

50sx @ Surface

110sx @ 840-590'

60sx @ 1585-1470' WOC-Tag



12-1/4" hole @ 1530' 9-5/8" csg @ 1530' w/ 1955sx-TOC-Surf-Circ

55sx @ 2735-2610' WOC-Tag

60sx @ 4260-4120' WOC-Tag




60sx @ 5900-5740' WOC-Tag

25sx @ 6913-6800'

4/07-CIBP @ 6913'

PBTD-7246'



Cut & Pull 5-1/2" csg @ +/- 5850'

8-3/4" hole @ 7750' 5-1/2" csg @ 7350' w/ 450sx-TOC-5900'-CBL

Perfs @ 6963-7140'

OXY USA Inc. Sargent Canyon 31 Federal #1 API No. 30-015-31826

ì

12-1/4" hole @ 1530' 9-5/8" csg @ 1530' w/ 1955sx-TOC-Surf-Circ

8-3/4" hole @ 7750' 5-1/2" csg @ 7350' w/ 450sx-TOC-5900'-CBL

Perfs @ 6963-7140'

4/07-CIBP @ 6913'

PBTD-7246'