Form 3160- 5 (August, 2007)

Type of Well

## **UNITED STATES** DEPARTMENT OF THE INTERIOR

OCD-ARTESIA

FORM APPROVED OMB No 1004-0137

NMNM100316

**BUREAU OF LAND MANAGEMENT** 

SUBMIT IN TRIPLICATE - Other Instructions on page 2

Expues July 31, 2010

If Indian, Allottee, or Tribe Name

SU	NDRY	ľ	O	<b>FICES</b>	AND	REI	PO	RTS	ON	WELLS
				_						

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

If Unit or CA Agreement Name and/or No

Oil Well X Gas Well	Other	UEC 7	1 2008	8 Well Name a	and No	
2 Name of Operator	Marbob Energy Corpo	OCD-A	RTESIA	Kick 9 API Well No	apoo Federal Com #1	
3a Address	Warboo Energy Corpo	3b Phone No (inclu	de area codes	1111111111		
PO Bo · Artesia, NM			48-3303	30-015-30770 - 10 Field and Pool, or Exploratory Area		
4 Location of Well (Locatage, Sec., T	Wildcat; Mississippian (Gas)					
2094' FSI	11 County or F	Parish, State Eddy Co., NM				
12. CHECK APPROP	RIATE BOX(S) TO IND	ICATE NATURE OF	NOTICE, REPOR	T. OR OTHE	ER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION				
Notice of Intent	Acidize	Deepen	Production ( S	art/ Resume)	Water Shut-off	
	Altering Casing	Fracture Treat	Reclamation		X Well Integrity	
X Subsequent Report	Casing Repair	New Construction	Recomplete		Other	
	Change Plans	Plug and Abandon	Plug and Abandon X Temporarily A			
Final Abandonment Notice	Plug Back	Water Disposal				
· ·			-		ik and approximate duration thereof	

Attach the Bond under which the work will performed or provide the Bond No on file with the BLM/ BIA Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notice shall be filed only after all requirements, including reclamantion, have been completed, and the operator has determined that the site is ready for final inspection )

Temporarily abandoned as follows:

ACCEPTED FOR RECORD

11/4/08 - POOH w/ rods, pump & tbg.

11/5/08 - Set CIBP @ 8543'. Circ well w/ 185 bbls pkr fluid. Ran MIT for 30 min @ 700#. Held ptc 12 2008

11/6/08 - Loaded well w/ 26 bbls pkr fluid. Ran MIT for 30 min @ 600#. Held OK.

Gerry Guye, Deputy Field Inspector NMOCD-District II ARTESIA

This TA will only be good for one year after that time CIBP will have to be placed within 50 feet of top perf. with cement on top and a MIT ran and


SEE ATTACHED COR'S


(See charts attached)

69 the well must be online

witnessed by BLM.	or plans to	r a A must be submitted.		
14. I hereby certify that the foregoing is true and correct				
Name (Printed Typed)				
Diana J. Briggs	litle	Production Analyst		
Signature IAAA AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	Date	December 2, 2008		
THIS SPACE FOR	FEDERAL OR STATE OFFICE	USE		
Approved by /s/ JD Whitlock Jr	Title LPET	Date 17/10/08		
Conditions of approval, if any are attached Approval of this notice does no certify that the applicant holds legal or equitable title to those rights in the swhich would entitle the applicant to conduct operations	subject lease Office \( \begin{align*} FO \\ \exists \exists \]			
Title 18 U.S.C. Section 1001 AND Title 43 U.S.C. Section 1212, make it	a crime for any person knowingly and w	illfully to make any department or agency of the United		

states any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction





## BUREAU OF LAND MANAGEMENT Carlsbad Field Office 620 East Greene Street Carlsbad, New Mexico 88220 575-234-5972

## Temporary Abandonment of Wells on Federal Lands Conditions of Approval

A temporarily abandoned well is defined as a completion that is not capable of production in paying quantities but which may have value as a service well. Pursuant to 43 CFR 3162.3-4 (c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.

Temporary Abandonment (TA) status approval requires a successful mechanical or casing integrity test as follows:

- 1. A Notice of Intent (NOI) Sundry Notice (Form 3160-5) requesting approval to run a mechanical integrity test (MIT) or casing integrity test (CIT).
- 2. A description of the temporary abandonment procedure.
  - a. A bridge plug or packer must be installed as close to 50 feet above any open perforations or open hole as possible. If a cement plug is used, the top of the cement must be verified by tagging.
  - b. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes with a 10% allowable leakoff.
  - c. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if they are not isolated by a packer.
  - d. A bradenhead test must be conducted. If the test indicates a problem exists, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.
  - e. Contact the appropriate BLM office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Eddy County, 575-361-2822; Lea County 575-393-3612.
- 3. Provides justification why the well should be temporarily abandoned rather than permanently plugged and abandoned and an estimated date that the well will be returned to beneficial use or plugged and abandoned.

Wells that successfully pass the casing integrity test will be approved for Temporary Abandonment (TA) status for a 12 month period provided that the operator:

- 1. Submits a subsequent Sundry Notice (Form 3160-5) requesting TA approval.
- 2. Describes the temporary abandonment procedure.
- 3. Attaches a clear copy or the original of the pressure test chart.

The TA status could be extended for an additional 12 month period without another casing integrity test provided there was no leak-off during the test and the test was witnessed by a BLM representative. The operator must submit a sundry notice requesting an extension of TA status 30 days prior to expiration of the previous approval and appropriate justification for extending the TA status is included.

If the well does not pass the casing integrity test, then the operator shall within 30 days submit to BLM for approval one of the following:

- 1. A procedure to repair the casing so that a TA approval can be granted.
- 2. A procedure to plug and abandon the well.