Form 3160-5 (April 2004)

## UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT


17 17 A	
	ĺ
and the same	


FORM APPROVED OM B No. 1004-0137 Expires March 31, 2007


	Expires	March	31,	2
C	-1 NI-			

	J. Lease Schall No
SUNDRY NOTICES AND REPORT	S ON WELLS NM - 98122
Do not use this form for proposals to drill	1 or to re-enter an 6 If Indian, Allottee or Tribe Name
abandoned well. Use Form 3160 - 3 (APD) 1	
CURNITIN TRIBLICATE Other instruction	7 If Unit or CA/Agreement, Name and/or No
SUBMIT IN TRIPLICATE- Other instruction	ils off feverse side.
1. Type of Well	W 0.7 0000
Oil Well Gas Well Other	IAN 07 2009 8. Well Name and No.
2. N	OCD-ARTESIA See Belas (901) 9. API Well No 30 015
2 Name of Operator Chevron	JUU-ARTESIA 9 API Well No 30 -015
3a Address Lov. w70 7 N/A 3b Pt	
!	5-396-4414 To (include area code)
Jo rekas Camis Rosis Coecci	10. I fold that I dop of Exploratory Area
4 Location of Well (Footage, Sec., T., R., M., or Survey Description ACCEP	TED FOR RECORD FREN LADDOCK
7-0-0-12	11 County or Parish, State
See ATTACHED	EGO, NM
12. CHECK APPROPRIATE BOX(ES) TO INDIC	441 6000
12. CHECK APPROPRIATE BUX(ES) TO INDIC	ANE NAPORE OF NOTICE, REPORT, OR OTHER DATA
TYPE OF SUBMISSION Gerry Cuy	ve, Deputy YRLOR ACTION
NMOCD NIMOCO	Dioto: A ) :
Acıdıze Dee	District II An Production (Start/Resume) Water Shut-Off
	cture Treat Reclamation Well Integrity
Cooling Powers 7	[]
Change Plans — Plug	g and Abandon Temporarily Abandon
Final Abandonment Notice Convert to Injection Plug	g Back Water Disposal
following completion of the involved operations. If the operation results in testing has been completed Final Abandonment Notices shall be filed only determined that the site is ready for final inspection.)  Replace existing surface installed steel flowlines with surface ins roadways and one existing right of way. The existing surface ins Well locations to be impacted are as follows:  Skelly Unit Well No. 901, 908, 912, 914, 930, 931, 933, 934, 935, 9  Note: All wells will be equipped with flowline pressure monitori Existing surface installed steel flowlines will be disasembled and	936, 937, 938, 939, 959. (see attached diagram below) ing and shutdown devices. I removed upon completion of project. on well capacity. Size Range will be 2", 3".
STACI Sanchez - Southern New Mexit 14. Thereby certify that the foregoing is true and correct	ico Archaelogical Services Inc (Initial Size Revi
Name (Printed/Typed)	1
Tejay Simpson	Title Operations Supervisor
Signature 7	Date 11-14-08
- July	
THI\$ SPACE FOR FEDER	RAL OR STATE OFFICE USE
Approved by /s/ Don Peterson	Title Date JAII 5 2008
Conditions of approval, if any, are attached. Approval of this notice does not v	Normal or
certify that the applicant holds legal or equitable title to those rights in the subj	
which would entitle the applicant to conduct operations thereon	Office CARLSBAD FIELD OFFICE
when would entitle the approant to conduct operations increon	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction







## BLM Serial Number: NM-98122 Company Reference: Chevron USA, Inc. Well # & Name: Skelly Unit Surface Pipeline Replacement

## STANDARD STIPULATIONS FOR SURFACE INSTALLED PIPELINES

A copy of the SN and attachments, including stipulations, survey plat and/or map, will be on location during construction. BLM personnel may request to you a copy of your permit during construction to ensure compliance with all stipulations.

Holder agrees to comply with the following stipulations to the satisfaction of the Authorized Officer:

- 1. The holder shall indemnify the United States against any liability for damage to life or property arising from the occupancy or use of public lands under this grant.
- 2. The holder shall comply with all applicable Federal laws and regulations existing or hereafter enacted or promulgated. In any event, the holder shall comply with the Toxic Substances Control Act of 1976 as amended, 15 USC 2601 et seq. (1982) with regards to any toxic substances that are used, generated by or stored on the right-of-way or on facilities authorized under this right-of-way grant. (See 40 CFR, Part 702-799 and especially, provisions on polychlorinated biphenyls, 40 CFR 761.1-761.193.) Additionally, any release of toxic substances (leaks, spills, etc.) in excess of the reportable quantity established by 40 CFR, Part 117 shall be reported as required by the Comprehensive Environmental Response, Compensation, and Liability Act, section 102b. A copy of any report required or requested by any Federal agency or State government as a result of a reportable release or spill of any toxic substances shall be furnished to the authorized officer concurrent with the filing of the reports to the involved Federal agency or State government.
- 3. The holder agrees to indemnify the United States against any liability arising from the release of any hazardous substance or hazardous waste (as these terms are defined in the Comprehensive Environmental Response, Compensation and Liability Act of 1980, 42 U.S.C. 9601, et seq. or the Resource Conservation and Recovery Act, 42 U.S.C. 6901, et seq.) on the Right-of-Way (unless the release or threatened release is wholly unrelated to activity of the Right-of-Way holder's activity on the Right-of-Way), or resulting from the activity of the Right-of-Way holder on the Right-of-Way. This agreement applies without regard to whether a release is caused by the holder, its agent, or unrelated third parties.
- 4. The holder shall be liable for damage or injury to the United States to the extent provided by 43 CFR Sec. 2883.1-4. The holder shall be held to a standard of strict liability for damage or injury to the United States resulting from pipe rupture, fire, or spills caused or substantially aggravated by any of the following within the right-of-way or permit area:
- a. Activities of the holder including, but not limited to construction, operation, maintenance, and termination of the facility.
- b. Activities of other parties including, but not limited to:

- (1) Land clearing.
- (2) Earth-disturbing and earth-moving work.
- (3) Blasting.
- (4) Vandalism and sabotage.
- c. Acts of God.

The maximum limitation for such strict liability damages shall not exceed one million dollars (\$1,000,000) for any one event, and any liability in excess of such amount shall be determined by the ordinary rules of negligence of the jurisdiction in which the damage or injury occurred.

This section shall not impose strict liability for damage or injury resulting primarily from an act of war or from the negligent acts or omissions of the United States.

- 5. If, during any phase of the construction, operation, maintenance, or termination of the pipeline, any oil, salt water, or other pollutant should be discharged from the pipeline system, impacting Federal lands, the control and total removal, disposal, and cleaning up of such oil, salt water, or other pollutant, wherever found, shall be the responsibility of the holder, regardless of fault. Upon failure of the holder to control, dispose of, or clean up such discharge on or affecting Federal lands, or to repair all damages resulting therefrom, on the Federal lands, the Authorized Officer may take such measures as he deems necessary to control and clean up the discharge and restore the area, including, where appropriate, the aquatic environment and fish and wildlife habitats, at the full expense of the holder. Such action by the Authorized Officer shall not relieve the holder of any responsibility as provided herein.
- 6. All construction and maintenance activity will be confined to the authorized right-of-way width of \_\_\_\_25 \_\_\_\_\_ feet.
- 7. No blading or clearing of any vegetation will be allowed unless approved in writing by the Authorized Officer.
- 8. The holder shall install the pipeline on the surface in such a manner that will minimize suspension of the pipeline across low areas in the terrain. In hummocky of duney areas, the pipeline will be "snaked" around hummocks and dunes rather then suspended across these features.
- 9. The pipeline shall be buried with a minimum of <u>24</u> inches under all roads, "two-tracks," and trails. Burial of the pipe will continue for 20 feet on each side of each crossing. The condition of the road, upon completion of construction, shall be returned to at least its former state with no bumps or dips remaining in the road surface.
- 10. The holder shall minimize disturbance to existing fences and other improvements on public lands. The holder is required to promptly repair improvements to at least their former state. Functional use of these improvements will be maintained at all times. The holder will contact the owner of any improvements prior to disturbing them. When necessary to pass through a

fence line, the fence shall be braced on both sides of the passageway prior to cutting of the fence. No permanent gates will be allowed unless approved by the Authorized Officer.

- 11. In those areas where erosion control structures are required to stabilize soil conditions, the holder will install such structures as are suitable for the specific soil conditions being encountered and which are in accordance with sound resource management practices.
- 12. Excluding the pipe, all above-ground structures not subject to safety requirement shall be painted by the holder to blend with the natural color of the landscape. The paint used shall be a color which simulates "Standard Environmental Colors" **Shale Green**, Munsell Soil Color No. 5Y 4/2; designated by the Rocky Mountain Five State Interagency Committee.
- 13. The pipeline will be identified by signs at the point of origin and completion of the right-of-way and at all road crossings. At a minimum, signs will state the holder's name, BLM serial number, and the product being transported. Signs will be maintained in a legible condition for the life of the pipeline.
- 14. The holder shall not use the pipeline route as a road for purposes other than routine maintenance as determined necessary by the Authorized Officer in consultation with the holder. The holder will take whatever steps are necessary to ensure that the pipeline route is not used as a roadway.
- 15. Any cultural and/or paleontological resource (historic or prehistoric site or object) discovered by the holder, or any person working on his hehalf, on public or Federal land shall be immediately reported to the authorized officer. Holder shall suspend all operations in the immediate area of such discovery until written authorization to proceed is issued by the authorized officer. An evaluation of the discovery will be made by the authorized officer to determine appropriate cultural or scientific values. The holder will be responsible for the cost of evaluation and any decision as to proper mitigation measures will be made by the authorized officer after consulting with the holder.

## 16. Special Stipulations:

Timing Limitation Stipulation/Condition of Approval for Lesser Prairie Chicken. Oil and gas activities including 3-D geophysical exploration, and drilling will not be allowed in Lesser Prairie Chicken Habitat during the period from March 1 through June 15 annually. During that period, other activities that produce noise or involve human activity, such as the maintenance of oil and gas facilities, geophysical exploration other than 3-D operations, and pipeline, road, and well pad construction, will be allowed except between 3:00 am and 9:00 am. The 3:00 am to 9:00 am restriction will not apply to normal, around-the-clock operations, such as venting, flaring, or pumping, which do not require a human presence during this period. Additionally, no new drilling will be allowed within up to 200 meters of leks known at the time of permitting. Normal vehicle use on existing roads will not be restricted. Exhaust noise from pump jack engines must be muffled or otherwise controlled so as not to exceed 75 db measured at 30 feet from the source of the noise.