District I
1625 N French Dr. Hobbs, NM 88240
District II
1301 W Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr., Santa Fe, NM 87505

## State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office
For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office

Pit, Closed-Loop System, Below-Grade Tank, or	
Proposed Alternative Method Permit or Closure Plan Application	n

Proposed Alternative Method l	Permit or Closure Plant	an Application			
Type of action: Permit of a pit, closed-loop sy Closure of a pit, closed-loop sy Modification to an existing permit of a pit, closed-loop sy Modification to an existing permit of the Closure plan only submitted the below-grade tank, or proposed alternative method	system, below-grade tank, or ermit				
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request					
lease be advised that approval of this request does not relieve theoperator of ha nvironment. Nor does approval relieve the operator of its responsibility to comp	bility should operations result in poly with any other applicable gove	pollution of surface water, ground water or the ernmental authority's rules, regulations or ordinances			
Operator CHEVRON U.S.A. INC.	OGRID#:	4323			
Address: 15 SMITH ROAD, MIDLAND, TEXAS 79705	Controlline	4323			
Facility or well name. WHITE CITY UNIT COM #2	DENIED				
	Number:				
U/L or Qtr/Qtr K Section 33 Township 24-S		County EDDY			
Center of Proposed Design. Latitude		-			
Surface Owner   Federal   State   Private   Tribal Trust or Indian /		NAD [1727 [1703			
Surface Owner Z redetai State Trivate Tribai Trust of Indian 7					
□ Pit: Subsection F or G of 19.15 17.11 NMAC   Temporary □ Drilling □ Workover   □ Permanent □ Emergency □ Cavitation □ P&A   □ Lined □ Unlined □ Unlined □ LLDPE □ HDPE □ PVC □ Other   □ String-Reinforced □ String-Reinforced □ Volume □ bbl Dimensions □ N □ N   3 □ Closed-loop System: Subsection H of 19 15 17 11 NMAC					
Type of Operation P&A Drilling a new well Workover of Different)	lling (Applies to activities which	ch require prior approval of a permit or notice of			
☐ Drying Pad ☐ Above Ground Steel Tanks ☐ Haul-off Bins ☐ Ot	her				
		Other			
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other Liner Seams Welded Factory Other					
+					
Below-grade tank: Subsection I of 19 15 17 11 NMAC					
Volume:bbl Typc of fluid					
Tank Construction material					
Secondary containment with leak detection Visible sidewalls, liner. 6-inch lift and automatic overflow shut-off					
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other					
Liner type: Thicknessmil					
5.					
Alternative Method:					

Submittal of an exception request is required | Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval

Fencing: Subsection D of 19 15 17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks)  Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, hinstitution or church)  Four foot height, four strands of barbed wire evenly spaced between one and four feet  Alternate Please specify	iospital,		
Netting: Subsection E of 19 15 17.11 NMAC (Applies to permanent pits and permanent open top tanks)  Screen Netting Other  Monthly inspections (If netting or screening is not physically feasible)			
Signs: Subsection C of 19.15.17.11 NMAC  12"x 24". 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15 3 103 NMAC			
Administrative Approvals and Exceptions:  Justifications and/or demonstrations of equivalency are required. Please refer to 19.15 17 NMAC for guidance  Please check a box if one or more of the following is requested, if not leave blank:  Administrative approval(s). Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau of consideration of approval.  Exception(s). Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for		
Siting Criteria (regarding permitting): 19.15.17 10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.			
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank.  - NM Office of the State Engineer - iWATERS database search, USGS, Data obtained from nearby wells	☐ Yes ☐ No		
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark).  - Topographic map, Visual inspection (certification) of the proposed site	Yes No		
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application (Applies to temporary, emergency, or cavitation pits and below-grade tanks)  - Visual inspection (certification) of the proposed site, Aerial photo, Satellite image	Yes No		
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application.  (Applies to permanent pits)  - Visual inspection (certification) of the proposed site; Aerial photo: Satellite image	Yes No		
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application.  - NM Office of the State Engineer - iWATERS database search, Visual inspection (certification) of the proposed site.	Yes No		
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended.  - Written confirmation or verification from the municipality, Written approval obtained from the municipality	Yes No		
Within 500 feet of a wetland - US Fish and Wildlife Wetland Identification map; Topographic map, Visual inspection (certification) of the proposed site	☐ Yes ☐ No		
Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No		
Within an unstable area  - Engineering measures incorporated into the design, NM Bureau of Geology & Mineral Resources: USGS, NM Geological Society: Topographic map	Yes No		
Within a 100-year floodplain. - FEMA map	Yes No		

- 1	II.			
	Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are			
	Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15 17 9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15 17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17 10 NMAC Design Plan - based upon the appropriate requirements of 19.15 17.11 NMAC			
	☐ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC ☐ Closure Plan (Please complete Boxes 14 through 18. if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC			
	Previously Approved Design (attach copy of design) API Number: or Permit Number:			
	12.			
	Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19 15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.			
_	Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19 15.17.9  Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19 15.17.10 NMAC  Design Plan - based upon the appropriate requirements of 19 15 17 11 NMAC  Operating and Maintenance Plan - based upon the appropriate requirements of 19 15 17 12 NMAC  Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.13 17 9 NMAC and 19 15 17.13 NMAC			
	Previously Approved Design (attach copy of design) API Number			
`	Previously Approved Operating and Maintenance Plan API Number(Applies only rolosed-loop system that is			
	above ground steel tanks or haul-off bins and propose to implement waste removal for closure)			
	Permanent Pits Permit Application Checklist: Subsection B of 19 15 17 9 NMAC  Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the lox, that the documents are attached.    Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19 15.17.9 NMAC   Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17.10 NMAC   Climatological Factors Assessment   Certified Engineering Design Plans - based upon the appropriate requirements of 19 15 17 11 NMAC   Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19 15 17.11 NMAC   Leak Detection Design - based upon the appropriate requirements of 19 15 17.11 NMAC   Quality Control/Quality Assurance Construction and Installation Plan   Operating and Maintenance Plan - based upon the appropriate requirements of 19.15 17.12 NMAC   Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19 15 17 11 NMAC   Nuisance or Hazardous Odors, including H <sub>2</sub> S. Prevention Plan   Circled Waste Stream Characterization   Monitoring and Inspection Plan   Erosion Control Plan   Erosion Control Plan   Erosion Control Plan   Erosion Control Plan   Closure Plan - based upon the appropriate requirements of Subsection C of 19.15 17 9 NMAC and 19 15 17 13 NMAC			
	Proposed Closure: 19 15 17 13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.			
	Type Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)			
	Waste Excavation and Removal Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Protocols and Procedures - based upon the appropriate requirements of 19 15 17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings)  Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15 17 13 NMAC			

16. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground					
Instructions: Please indentify the facility or facilities for the disposal of liquids facilities are required.					
Disposal Facility Name CONTROLLED RECOVERY INC.	Disposal Facility Permit Number R9166-NM-01-00	06			
Disposal Facility Name:	Disposal Facility Permit Number.				
Will any of the proposed closed-loop system operations and associated activities ☐ Yes (If yes, please provide the information below) ☒ No	Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations?				
Required for impacted areas which will not be used for future service and operated.  Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	te requirements of Subsection H of 19 15 17 13 NMAC in Lof 19.15 17.13 NMAC				
Siting Criteria (regarding on-site closure methods only): 19 15 17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.					
Ground water is less than 50 feet below the bottom of the buried waste.  - NM Office of the State Engineer - iWATERS database search, USGS, D	ata obtained from nearby wells	☐ Yes ☐ No ☐ NA			
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search, USGS: D	ata obtained from nearby wells	☐ Yes ☐ No ☐ NA			
Ground water is more than 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS, D	ata obtained from nearby wells	☐ Yes ☐ No ☐ NA			
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other slake (measured from the ordinary high-water mark)  - Topographic map; Visual inspection (certification) of the proposed site	ignificant watercourse or lakebed, sinkhole, or playa	☐ Yes ☐ No			
Within 300 feet from a permanent residence, school, hospital, institution, or chur - Visual inspection (certification) of the proposed site. Aerial photo: Satell		☐ Yes ☐ No			
Within 500 horizontal feet of a private, domestic fresh water well or spring that I watering purposes, or within 1000 horizontal feet of any other fresh water well o  NM Office of the State Engineer - iWATERS database, Visual inspection	r spring, in existence at the time of initial application	Yes No			
Within incorporated municipal boundaries or within a defined municipal fresh wadopted pursuant to NMSA 1978, Section 3-27-3, as amended - Written confirmation or verification from the municipality, Written appr	·	☐ Yes ☐ No			
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map, Topographic map, Vis	sual inspection (certification) of the proposed site	☐ Yes ☐ No			
Within the area overlying a subsurface mine - Written confirmation or verification or map from the NM EMNRD-Mini	ng and Mineral Division	☐ Yes ☐ No			
Within an unstable area  - Engineering measures incorporated into the design, NM Bureau of Geold Society, Topographic map	ogy & Mineral Resources, USGS, NM Geological	☐ Yes ☐ No			
Within a 100-year floodplain - FEMA map		☐ Yes ☐ No			
On-Site Closure Plan Checklist: (19 15 17 13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached.  Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19 15.17 10 NMAC  Proof of Surface Owner Notice - based upon the appropriate requirements of Subsection F of 19 15 17 13 NMAC  Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19 15 17 11 NMAC  Construction/Design Plan of Temporary Pit (for in-place burial of a drying pad) - based upon the appropriate requirements of 19 15 17 11 NMAC  Protocols and Procedures - based upon the appropriate requirements of 19 15 17.13 NMAC  Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15 17 13 NMAC  Waste Material Sampling Plan - based upon the appropriate requirements of Subsection F of 19.15 17 13 NMAC  Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings or in case on-site closure standards cannot be achieved)  Soil Cover Design - based upon the appropriate requirements of Subsection H of 19 15 17 13 NMAC  Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17 13 NMAC					

Form C-144 Of Contention Distribution Press 4 at 5

Operator Application Certification:  I hereby certify that the information submitted with this application is true.	accurate and complete to the best of my knowledge and belief			
Name (Print) DENISE PINKERTON	Title: REGULATORY SPECIALIST			
Signature Musich in Kerlon	Date: 03-26-2009			
e-mail address. <u>leakejd@chevron.com</u>	Telephone: 432-687-7375			
OCD Approval: Permit Application (including closure plan) Clos	sure Plan (only) OCD Conditions (see attachment)			
OCD Representative Signature:	Approval Date:			
Title:	OCD Permit Number:			
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC  Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.				
	Closure Completion Date:			
Closure Method:  Waste Excavation and Removal On-Site Closure Method  If different from approved plan, please explain	Alternative Closure Method 🛛 Waste Removal (Closed-loop systems only)			
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.				
Disposal Facility Name	Disposal Facility Permit Number.			
Disposal Facility Name	Disposal Facility Permit Number			
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations?  Yes (If yes, please demonstrate compliance to the items below)  No				
Required for impacted areas which will not be used for future service and of Site Reclamation (Photo Documentation)  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique	perations			
Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.  Proof of Closure Notice (surface owner and division)  Proof of Deed Notice (required for on-site closure)  Plot Plan (for on-site closures and temporary pits)  Confirmation Sampling Analytical Results (if applicable)  Waste Material Sampling Analytical Results (required for on-site closure)  Disposal Facility Name and Permit Number  Soil Backfilling and Cover Installation  Re-vegetation Application Rates and Seeding Technique  Site Reclamation (Photo Documentation)  On-site Closure Location Latitude  Longitude  NAD. 1927 1983				
	Longitude NAD. ☐1927 ☐ 1983			
Operator Closure Certification:  I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.				
Name (Print):	Title:			
Signature	Date			
e-mail addiess	Telephone.			

Oil Conservation Division