Form C-144 July 21, 2008

District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St Francis Dr., Santa Fe, NM 87505

State of New Mexico
Energy Minerals and Natural Resources
Department
Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.
For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application
Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method
Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request
Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances
Operator: NEARBYCO- PROJUNG COOGRID#: 015742 Address: 3300 N A 5t, Blag Ste 120, Michaely X , 79705 Facility or well-name: COMET 32 Feed # - H API Number: 30-0/5 - 35818 OCD Permit Number: U/L or Qtr/Qtr Section 22 Township 7/65 Range 238 County: EDDY Center of Proposed Design: Latitude N32 54 21. C Longitude W 104 10 16 9" NAD: 1927 1983 Surface Owner: Federal State Private Tribal Trust or Indian Allotment
Surface Owner: Federal State Private Tribat Trust of Indian Allotment
Pit: Subsection F or G of 19.15.17.11 NMAC Temporary: Drilling Workover Permanent Emergency Cavitation P&A Lined Unlined Liner type: Thickness D mil LLDPE HDPE PVC Other String-Reinforced Liner Seams: Welded Factory Other Volume: 3600 bbl Dimensions: L 80 x W 30 x D 10
3
☐ Closed-loop System: Subsection H of 19.15.17.11 NMAC Type of Operation: ☐ P&A ☐ Drilling a new well ☐ Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent)
Drying Pad Above Ground Steel Tanks Haul-off Bins Other
Lined Unlined Liner type: Thickness mil LLDPE HDPE PVC Other
Liner Seams: Welded Factory Other
4. Below-grade tank: Subsection I of 19.15.17.11 NMAC Volume: bbl Type of fluid: Tank Construction material: Secondary containment with leak detection Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off
Visible sides will and lines D. Visible sides with D. Ott.
☐ Visible sidewalls and liner ☐ Visible sidewalls only ☐ Other Liner type: Thickness mil ☐ HDPE ☐ PVC ☐ Other
5. Alternative Method:

Page 1 of 5 120856
Shams

Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.

Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school, and the strange of the stran	hospital,
institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	
Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	
Signs: Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.3.103 NMAC	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	office for
Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of accept material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the approoffice or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of a Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying above-grade tanks associated with a closed-loop system.	priate district pproval. ing pads or
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes X No ☐ NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	,
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes No
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes No
Within a 100-year floodplain FEMA map	☐ Yes No

11. Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are
attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC
afid 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:
12.
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number:(Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

16. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground S	Steel Tanks or Haul-off Bins Only: (19.15.17.13.D	NMAC)					
Instructions: Please indentify the facility or facilities for the disposal of liquids, a facilities are required.							
Disposal Facility Name:	Disposal Facility Permit Number:						
Disposal Facility Name: Disposal Facility Permit Number:							
Will any of the proposed closed-loop system operations and associated activities oc ☐ Yes (If yes, please provide the information below) ☐ No	Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? Yes (If yes, please provide the information below) No						
Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	requirements of Subsection H of 19.15.17.13 NMAC of 19.15.17.13 NMAC						
17. Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the opposite below. Requests regarding changes to certain siting criteria may require considered an exception which must be submitted to the Santa Fe Environmental demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for	e administrative approval from the appropriate distr Bureau office for consideration of approval. Justij	rict office or may be					
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data	obtained from nearby wells	Yes No					
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data	obtained from nearby wells	Yes No					
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data	obtained from nearby wells	Yes No					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other sign lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	nificant watercourse or lakebed, sinkhole, or playa	Yes No					
Within 300 feet from a permanent residence, school, hospital, institution, or church - Visual inspection (certification) of the proposed site; Aerial photo; Satellite		☐ Yes 🕅 No					
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site							
Within incorporated municipal boundaries or within a defined municipal fresh water adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approve		☐ Yes No					
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visua	l inspection (certification) of the proposed site	☐ Yes 🕅 No					
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining	and Mineral Division	☐ Yes Ño					
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology Society; Topographic map	& Mineral Resources; USGS; NM Geological	☐ Yes No					
Within a 100-year floodplain FEMA map		☐ Yes No					
On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the by a check mark in the box, that the documents are attached. Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of Construction/Design Plan of Burial Trench (if applicable) based upon the appropriate requirements of 19.15 Construction/Design Plan of Temporary Pit (for in-place burial of a drying procedures - based upon the appropriate requirements of 19.15 Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Waste Material Sampling Plan - based upon the appropriate requirements of Disposal Facility Name and Permit Number (for liquids, drilling fluids and descriptions). Soil Cover Design - based upon the appropriate requirements of Subsection Re-vegetation Plan - based upon the appropriate requirements of Subsection Site Reclamation Plan - based upon the appropriate requirements of Subsection	nirements of 19.15.17.10 NMAC Subsection F of 19.15.17.13 NMAC propriate requirements of 19.15.17.11 NMAC ad) - based upon the appropriate requirements of 19. 1.17.13 NMAC irrements of Subsection F of 19.15.17.13 NMAC Subsection F of 19.15.17.13 NMAC rill cuttings or in case on-site closure standards cannot of 19.15.17.13 NMAC	15.17.11 NMAC					

19. Operator Application Certification:					
I hereby certify that the information submitted with this application is true, accurate and complete to the best of my knowledge and belief.					
Name (Print): HERBERT WILLS Title: Drlg Manager					
Signature:					
e-mail address: bwillis eneurburg, com Telephone: 431-528-5254					
OCD Approval: Permit Application (including closure plan) Closure Plan (only) OCD Conditions (see attachment)					
OCD Representative Signature: Signed By Mily Branches Approval Date: MAY (1 6 2009					
Title: OCD Permit Number: 020854					
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.					
Closure Completion Date:					
Closure Method: Waste Excavation and Removal On-Site Closure Method Alternative Closure Method Waste Removal (Closed-loop systems only) If different from approved plan, please explain.					
23. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only:					
Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than					
two facilities were utilized.					
Disposal Facility Name: Disposal Facility Permit Number:					
Disposal Facility Name: Disposal Facility Permit Number:					
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No					
Required for impacted areas which will not be used for future service and operations:					
☐ Site Reclamation (Photo Documentation) ☐ Soil Backfilling and Cover Installation					
Re-vegetation Application Rates and Seeding Technique					
24. Closure Report Attachment Checklist: Instructions: Each of the following items must be attached to the closure report. Please indicate, by a check mark in the box, that the documents are attached.					
Proof of Closure Notice (surface owner and division)					
Proof of Deed Notice (required for on-site closure)					
☐ Plot Plan (for on-site closures and temporary pits) ☐ Confirmation Sampling Analytical Results (if applicable)					
Waste Material Sampling Analytical Results (required for on-site closure)					
☐ Disposal Facility Name and Permit Number					
Soil Backfilling and Cover Installation					
☐ Re-vegetation Application Rates and Seeding Technique ☐ Site Reclamation (Photo Documentation)					
On-site Closure Location: Latitude Longitude NAD: 1927 1983					
25. Operator Closure Certification:					
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.					
Name (Print): Title:					
Signature: Date:					
e-mail address: Telephone:					

Bill Richardson

Governor

Joanna Prukop Cabinet Secretary Reese Fullerton Deputy Cabinet Secretary Mark Fesmire
Division Director
Oil Conservation Division



Conditions of approval for a drilling pit w/onsite disposal

Notify NMOCD District 2 office 48 hours prior to construction of pit.

Notify NMOCD District 2 office 48 hours prior to commencement of closure of pit.

Notify NMOCD District 2 office 48 hours prior to obtaining samples of pit contents.

Sample analyses of pit contents are to be submitted to NMOCD and approval obtained prior to commencement of onsite disposal operations. In the event analytical requirements are not met, the alternative closure method will be required.

Notify NMOCD District 2 office 48 hours prior to obtaining samples of pit bottom where applicable.

Approval valid only if all conditions of 19.15.17 [NMAC] are met and adhered to.



Exhibit "A"

DISTRICF I 1625 N. French Dr., Hobbs, NM 68240 DISTRICT II

DISTRICT III 1000 Rio Brazos Rd., Aztec, NM 87410

DISTRICT IV 1220 S. St. Francis Dr., Santa Fe, NM 57505

1301 W. Grand Avenue, Artesia, NM 55210

State of New Mexico Energy, Minerals and Natural Resources Department

OIL CONSERVATION DIVISION 1220 South St. Francis Dr. Santa Fe, New Mexico 87505

Form C-102 Revised October 12, 2005


Submit to Appropriate District Office

State Lease - 4 Copies Fee Lease - 3 Copies

☐ AMENDED REPORT

WELL LOCATION AND ACREAGE DEDICATION PLAT

API	API Number			Pool Code			Crow Flats: Wolfcamp				
Property (Property Code			Property Nam			operty Name Well Number				
		COMET "22" FEDERAL 1									
OISTU	U No.		Near hung Drowly in a			Operator Name		© 3608'			
Surface Location Surface Location											
UL or lot No.	Section	Township	Range	Lot Idn	Feet fre	m the	North/South line	Feet from the	East/West line	County	
M	22	16 S	28 E		66	0	SOUTH	330	WEST	EDDY	
			Bottom	Hole Loc	cation 1	f Diffe	rent From Sur	face			
UL or lot No.	Section	Township	Range	Lot Idn	Feet fro		North/South line	Feet from the	East/West line	County	
P Dedicated Acres	22	16 S	28 E	Code Dr	der No.	0	SOUTH	330	EAST	EDDY	
160	Joint C				401 1101						
<u> </u>	WABLE V	VILL BE A	SSIGNED '	TO THIS	COMPLE	TION U	NTIL ALL INTER	RESTS HAVE BE	EN CONSOLIDA	TED	
	•	OR A	NON-STAN	DARD UN	IIT HAS	BEEN	APPROVED BY	THE DIVISION			
	1	•		T		1		OPERATO	R CERTIFICAT	· NOI	
	1					ļ		I hereby cer	rtify that the inform n is true and comp	uation	
	į					i		the best of my	knowledge and belief	and that	
	!					ļ		interest or unle land including lecation pursua	ased minural interest the proposed bottom t at to a contract with	in the	
	 		of such a mineral or working interest, or to a a voluntary positing agreement or a computery positing agreement or a computery positing order heratofore								
	;			↓		_ + -		the southings	7	,	
	i		,			i		11X0 h	V 4	200	
								Jure		Date	
	; 					i i		1900	ordan		
	i			Printed Name							
						 		SURVEYO	SURVEYOR CERTIFICATION		
	I hereby certify that the well location shown										
	- 1			ļ		1		on this plat was plotted from field nates of actual surveys made by me or under my supervison and that the same is true and			
	1					1		11 -	best of my belief		
SURFACE LOI LAT-N32°54 LONG-W104°	08.5"					i		MAY	04-2007		
(NAD-8	3)	PROT	TECT A	RFA :	= 160) A	RES	Date Survey			
			ICING A				TOM HOLE LOCATION AT-N32'54'08.6"	Date Surveys Signature & Professional	and services	\	
406.9 7<u>51</u>2.2	1+1	115	777	(× ×	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	\ \\	0NG-W104"09" 23.1	. Het)	
330	i					i	(NAD-83)	1 13	231		
SL						!	1		31		
600.6 8 3606.0	11	+ +	//	4590.	1			Certificate No	. Gary L. Jones	7977	
	,					<u>l</u>	- , В.н. Б	J BA	SIN SURVEYS		




On-Site Closure Plan

- Siting Criteria: See attachments.
- Proof of Surface Owner Notice: See attachment...
- Construction/Design Plan of Temporary Pit: See attachment.
- Sampling Plan: In compliance with Subsection F of 19.15.17.13 NMAC a five point composite sample will be taken from the pit contents.
- Soil Cover Design: In compliance with Subsection H of 19.15.17.13 NMAC, any portion of the pit area not used for future service or operations, three foot of native material will be placed over the pit area with one foot of top soil to ensure re-vegetation.
- Re-vegetation Plan: In compliance with Subsection I of 19.15.17.13 NMAC, any portion of the pit area not used for future service or operations will be re-seeded with a native vegetation of surface owner's choice.
- Site Reclamation Plan: In compliance with Subsection I of 19.15.17.13 NMAC the impacted and disturbed area will be re-contoured to surrounding terrain.
- Marker: A marker will be placed over the buried material. The permanent marker will have all required information permanently listed on it.

· Deed: BLM JURFACE

Temporary Pit Design and Construction



Pit Dimensions:

s: Length: **60** Depth: **0** below GL. Width: 30'.

Perimeter berm is 2' above GL.

Center berm stands 4' above floor.

Pit is fenced on 3 sides with barbed wire before & during drilling operations. Fourth side will be installed after drilling operations are completed.

Pit is lined with 20 mil string reinforced LLDPE installed with 18" anchor trench.

Approximate volume including 2' freeboard: 3,000 bbl.


Slope end walls 2:1. Slope long side walls less than 2:1.

Temporary Pit Operating and Maintenance and Closure Plan


Temporary pit will be built in a rectangular shape with a dividing berm as shown in the attached drawing. The pit will only be utilized for "fresh" water-based fluids. Brine water fluids will be hauled off location and disposed of in an approved facility. Drilling cuttings in the high chloride sections of the well will collect in haul-off bins and will be disposed at either Lea Land Farm or CRI. Drilling cuttings in the low chloride sections of the well will collect in the temporary pit. The temporary pit will be dewatered and solids will be buried in place.

Contingency-

If the temporary pit does not meet the required specifications to bury in place, an evaluation of the lab results will determine whether cuttings will be buried on site or disposed of at Lea Land Farm or CRI.




PROPOSED PIPELINE TO THE COMET "22" #1,2&4 WELLS Section 22, Township 16 South, Range 28 East, N.M.P.M., Eddy County, New Mexico.



P.O. Box 1786 1120 N. West County Rd. Hobbs, New Mexico 88241 (505) 393-7316 - Office (505) 392-3074 - Fax basinsurveys.com

wo	Number	JMS	18094T	
Surve	y Date	05-2	82007	
Scale	1" = 2	000'		
Date	05-30	- 2007		

C.O.G. OPERATING L.L.C.



On the 3^{rd} day of May, 2009 Nearburg Producing INC visually inspected the Comet 22 FED 1 location in Unit Letter M of SEC 22 , T 16 S, R 28 E, of Eddy County, New Mexico with API # 30-015-35818.

This is to certify that upon visual inspection of the above mentioned location there are no permanent residences, schools, hospitals, institutions or churches within 300 feet. The location is not within 500 feet of a private domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, nor within 1000 horizontal feet of any other fresh water well or spring, nor within 500 feet of a wetland nor within 300 feet of a continuously flowing water course, nor 200 feet of any other significant watercourse or lakebed, sinkhole or playa lake(measured from the ordinary highwater mark).

Cianatur

Date:

GROUND WATER DEPTH VERIFICATION

Ground water depth based on test well drilled in SEC 21 tested at 61 feet, elevation approx. 3590 feet in SEC 21 off attached TOPO Map.

COMET #1 located in SEC 22 based on elevation based off Plat 3608 feet ground water at approx. 79 feet.

Signature

Dated: 5



