Forn 3160-5 (August 2007)

N.M. Oil Cons. DIV-Dist. 2 1301 W. Grand Avenue

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals. FORM APPROVED OMB NO. 1004-0135 Expires: July 31, 2010

Lease Serial No. NMNM0477614

6.	If I	ndıan.	Allottee	or	Tribe	Name

<u></u>		,								
SUBMIT IN TRI	7. If Unit or CA/Agreement, Name and/or No.									
1. Type of Well ☐ Oil Well ☑ Gas Well ☐ Oth	er			8. Well Name and No. MIDWEST FEDERAL 1						
2 Name of Operator CHESAPEAKE OPERATING	Contact, INC E-Mail: linda good	D		(9. API Well No 30-005-60287-00-S1						
3a. Address 2010 RANKIN HWY MIDLAND, TX 79701		3b Phone No Ph: 405-93	. (include area code) 35-4275		10. Field and Pool, or Exploratory SAND RANCH-MORROW					
4. Location of Well (Footage, Sec., T	, R., M., or Survey Description,			11. County or Parish, and S	State					
Sec 23 T10S R29E SWSE 66		CHAVES COUNTY	, NM _.							
12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA										
TYPE OF SUBMISSION	TYPE OF ACTION									
■ Notice of Intent	☐ Acidize ☐ Deepen ☐ Product		tion (Start/Resume)							
_	☐ Alter Casing ☐ Fractu		cture Treat	□ Reclama	ation	Well Integrity				
☐ Subsequent Report	□ Casing Repair	ing Repair		☐ Recomp	lete) Other				
☐ Final Abandonment Notice	☐ Change Plans ☐ Plug :		g and Abandon	andon Temporarily Abandon						
	☐ Convert to Injection ☐ Plug Back ☐ Water		■ Water D	Disposal	•					
If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.) CHESAPEAKE, RESPECTFULLY, REQUESTS, PERMISSION TO RUN A MIT TO TEMPORARY ABANDONED THIS WELL. THE RUBICON SYSTEM THAT WAS USED TO DELIVER GAS CAN NO LONGER TAKE THE GAS. CURRENTLY CHESAPEAKE HAS NO OTHER TRANSPORTER OPTIONS TO DELIVER THE GAS. WE ARE CURRENTLY IN THE PROCESS OF EVALUATING OPTIONS FOR EITHER ANOTHER DELIVERY SYSTEM OR TO PLUG. PLEASE FIND THE PROCEDURE BELOW FOR RUNNING THE MIT TEST TO TA. 1. NOTIFY THE BLM 24 HOURS IN ADVANCE PRIOR TO PERFORMING MIT. 2. HOLD TAILGATE SAFETY MEETING PRIOR TO BEGINNING WORK EACH MORNING AND AS REQUIRED FOR SPECIFIC OPERATIONS. 3. RU PUMP TRUCK AND PUMP 2% KCL DOWN THE BACKSIDE OF THE CASING. 14. Thereby certify that the foregoing is true and correct.										
Electronic Submission #70829 verified by the BLM Well Information System For CHESAPEAKE OPERATING INC, sent to the Roswell Committed to AFMSS for processing by DAVID GLASS on 06/11/2009 (09DG0350SE) Name (Printed/Typed) LINDA GOOD Title SR. REGULATORY COMPLIANCE SPEC										
Traine (1 , time at 1) peak Ently Co	<u></u>		THE OR. ILL	,	COMIT ENAMOR OF EC					
Signature (Electronic S	Date 06/11/2009									
THIS SPACE FOR FEDERAL OR STATE OFFICE USE										
Approved By DAVID R GLASS Conditions of approval, if any, are attached certify that the applicant holds legal or equivalent would entitle the applicant to conduct the second of the se	utable title to those rights in the ct operations thereon. U.S.C. Section 1212, make it a	TitlePETROLEUM ENGINEER Date 06/29/2009 Office Roswell erson knowingly and willfully to make to any department or agency of the United								
States any false, fictitious or fraudulent s	tatements or representations as	to any matter w	ıthın its jurisdiction.		·					

Revisions to Operator-Submitted EC Data for Sundry Notice #70829

Operator Submitted

BLM Revised (AFMSS)

Sundry Type:

Lease:

NMNM0477614

TA NOI

NMNM0477614

Agreement.

Operator:

CHESAPEAKE OPERATING, INC

P.O. BOX 18496 OKLAHOMA CITY, OK 73154-0496 Ph. 405-935-4275

LINDA GOOD SR. REGULATORY COMPLIANCE SPEC E-Mail: lında.good@chk com

Ph: 405-935-4275

Tech Contact:

Admin Contact.

LINDA GOOD SR. REGULATORY COMPLIANCE SPEC E-Mail. linda.good@chk.com

Ph. 405-935-4275

Location:

State:

County. CHAVES

Field/Pool:

SAND RANCH

Well/Facility.

MIDWEST FEDERAL 1 Sec 23 T10S R29E SWSE 660FSL 1980FEL

CHESAPEAKE OPERATING INC 2010 RANKIN HWY MIDLAND, TX 79701 Ph: 432.687.2992

LINDA GOOD SR. REGULATORY COMPLIANCE SPEC

E-Mail linda.good@chk com

Ph: 405-935-4275

LINDA GOOD SR. REGULATORY COMPLIANCE SPEC E-Mail: linda good@chk.com

Ph. 405-935-4275

NM CHAVES

SAND RANCH-MORROW

MIDWEST FEDERAL 1

Sec 23 T10S R29E SWSE 660FSL 1980FEL

BUREAU OF LAND MANAGEMENT

Roswell Field Office 2909 West Second Street Roswell, New Mexico 88201 575-627-0272

Temporary Abandonment of Wells on Federal Lands Conditions of Approval

A temporary abandoned well is defined as a completion that is not capable of production in paying quantities but may have value as a service well. Pursuant to 43 CFR 3162.3-4(c), no well may be temporarily abandoned for more than 30 days without the prior approval of the authorized officer.

Temporary Abandonment (TA) status approval requires a successful casing integrity test as follows:

- 1. A Notice of Intent (NOI) Sundry Notice (Form 3160-5) requesting approval to run a mechanical integrity test (MIT) or casing integrity test (CIT).
- 2. A description of the temporary abandonment procedure.
- A. A bridge plug or packer must be installed as close to 50 feet above any open perforations or open hole as possible. If a cement plug is used, the top of the cement must be verified by tagging.
- B. The wellbore must be filled with corrosion inhibited fluid and pressure tested to 500 psi. The casing shall be capable of holding this pressure for at least 30 minutes with a 10% allowable leakoff.
- C. All downhole production/injection equipment (tubing, rods, etc.) shall be removed from the casing if they are not isolated by a packer.
- D. A bradenhead test must be conducted. If the test indicates a problem exists, a remedial plan and time frame for remediation shall be submitted within ninety (90) days of the test.
- E. Contact the BLM Roswell Field Office office at least 24 hours prior to the scheduled Casing Integrity Test. For wells in Chaves and Roosevelt County, call (575) 910-6024 or after office hours call (575) 627-0205.

Wells that successfully pass the casing integrity test will be approved for Temporary Abandonment (TA) status for a 12 month period provided by the operator.

- 1. Submits a subsequent Sundry Notice (Form 3160-5) requesting TA approval.
- 2. Attaches a clear copy of the original pressure test chart.
- 3. Provided justification why the well should be temporarily abandoned rather than permanently plugged and abandoned and an estimated date that the well will be returned to beneficial use or plugged and abandoned.
- 4. Describés the temporary abandonment procedure.

The TA status could be extended without another casing integrity test provided there was no leak-off during the test and the test was witnesses by a BLM representative.

If the well does not pass the casing integrity test, then the operator shall within 30 days submit to BLM for approval one of the following:

- 1. A procedure to repair the casing so that a TA approval can be granted.
- 2. A procedure to plug and abandon the well.

Ref: IM: NM-95-022 (12/16/1994)