State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method X Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method Modification to an existing permit

Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system,

below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

	······································		
1. Operator: Forest Oil Corporation	OGRID #:8041		
Address: 3504 NW County Road Hobbs, NM 88241			
Facility or well name: Skelly Unit 106			
API Number: 30-015-20366	OCD Permit Number:		
U/L or Qtr/Qtr CSection 15	Township 17SRange 31E	County: Eddy	
Center of Proposed Design: Latitude	Longitude	NA	D: 🔲 1927 🗌 1983
Surface Owner: X Federal 🗌 State 🗌 Private 🔲 Trib	al Trust or Indian Allotment		
2			
<u>Pit</u>: Subsection F or G of 19.15.17.11 NMAC			
Temporary: Drilling X Workover			
Permanent Emergency Cavitation P&A			
X Lined Unlined Liner type: Thickness 20	mil [] LLDPE [] HDPE [] PVC [] C	ther	,
X String-Reinforced			
Liner Seams: Welded Factory Other	Volume: 50 bl Dimer	sions: L18'x W13'	_ x D3'
3.			,
Closed-loop System: Subsection H of 19.15.17.1			
Type of Operation: P&A Drilling a new well (intent)	_] Workover or Drilling (Applies to activities w	hich require prior approval o	of a permit or notice of
Drying Pad 📋 Above Ground Steel Tanks 🔲 H	laul-off Bins 🔲 Other	-	
Lined Unlined Liner type: Thickness	mil 🔲 LLDPE 🗍 HDPE 🗍 PVC	Other	
Liner Seams: Welded Factory Other	······		
			· · · · · · · · · · · · · · · · · · ·
Below-grade tank: Subsection I of 19.15.17.11 N			
Volume:bbl Type of fluid:			
Tank Construction material:			
Secondary containment with leak detection V			!
☐ Visible sidewalls and liner ☐ Visible sidewalls of			
Liner type: Thicknessmil	HDPE PVC Other		
5			
Alternative Method:			1
Submittal of an exception request is required. Exception	ons must be submitted to the Santa Fe Environn	iental Bureau office for cons	ideration of approval.

6. Fencing: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, sch institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	hool, ha	pspital,
 Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible) 		
a. <u>Signs:</u> Subsection C of 19.15.17.11 NMAC 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Signed in compliance with 19.15.3.103 NMAC		
 Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bu consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. 	reau of	fice for
^{10.} <u>Siting Criteria (regarding permitting)</u> : 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the a office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to above-grade tanks associated with a closed-loop system.	uppropr of app	iate district vroval.
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	[Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site]Yes No
 Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image 	Ιſ] Yes [] No] NA
 Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) Visual inspection (certification) of the proposed site; Aerial photo; Satellite image) +] Yes ∏ No] NA
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site		Yes No
 Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. Written confirmation or verification from the municipality; Written approval obtained from the municipality 	[Yes 🗌 No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	[Yes 🗍 No
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	[
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 		Yes 🗌 No
Within a 100-year floodplain. - FEMA map] Yes [] No

11. <u>Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist</u> : Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are
attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.10 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC
and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:
12. <u>Closed-loop Systems Permit Application Attachment Checklist</u> : Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are
attached. Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9 Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC
Previously Approved Design (attach copy of design) API Number:
Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)
Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC Quality Control/Quality Assurance Construction and Installation Plan Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan Emergency Response Plan Oil Field Waste Stream Characterization Monitoring and Inspection Plan Erosion Control Plan Erosion Control Plan
Proposed Closure: 19.15.17.13 NMAC Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan. Type: Drilling Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System Alternative Proposed Closure Method: Waste Excavation and Removal Waste Removal (Closed-loop systems only) On-site Closure Method (Only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)
15. Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC

16	
Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.19	B.D NMAC)
Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment i facilities are required.	j more inan iwo
Disposed Excility Dennit Muscher	
Disposal Facility Name: Disposal Facility Permit Number:	
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that <i>will not</i> be used for future s Yes (If yes, please provide the information below) No	ervice and operations?
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NM Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	AC
17. <u>Siting Criteria (regarding on-site closure methods only)</u> : 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable so provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate d considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Ju demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	istrict office or may be
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No NA
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	🗌 Yes 🗌 No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	. Yes 🗌 No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. • Written confirmation or verification from the municipality; Written approval obtained from the municipality	🗌 Yes 🗌 No
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	Yes No
 Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division 	Yes No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	Yes 🗌 No
Within a 100-year floodplain. - FEMA map	Yes No
18. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure by a check mark in the box, that the documents are attached.	9.15.17.11 NMAC

19. Operator Application Certification:		
	tion is true, accurate and complete to the best of my knowledge at	nd belief.
Name (Print):	Title:	
Signature:	Date:	
	Telephone:	
28. OCD Approval: Permit Application (including closure plan	n) Closure Plan (only) OCD Conditions (see attachmer	rt)
OCD Representative Signature:	Approval Date:	
Title:	OCD Permit Number:	
	osure plan prior to implementing any closure activities and sub- ithin 60 days of the completion of the closure activities. Please mained and the closure activities have been completed.	
	Closure Completion Date: 11Jun09	
22. <u>Closure Method</u> : X Waste Excavation and Removal	od 📋 Alternative Closure Method 📋 Waste Removal (Clos	ed-loop systems only)
23. <u>Closure Report Regarding Waste Removal Closure For Close</u> Instructions: Please indentify the facility or facilities for where	ed-loop Systems That Utilize Above Ground Steel Tanks or H the liquids, drilling fluids and drill cuttings were disposed. Us	aul-off Bins Only: autachment if more than
two facilities were utilized.		
Disposal Facility Name:		
Disposal Facility Name:	Disposal Facility Permit Number:	
Yes (If yes, please demonstrate compliance to the items be		and operations?
Required for impacted areas which will not be used for future set Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	ervice and operations.	
74		
 mark in the box, that the documents are attached. X Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) X Plot Plan (for on-site closures and temporary pits) X Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for X Disposal Facility Name and Permit Number X Soil Backfilling and Cover Installation X Re-vegetation Application Rates and Seeding Technique 	of the following items must be attached to the closure report. Ple	rase indicate, by a check
X Site Reclamation (Photo Documentation) On-site Closure Location: Latitude	Longitude NAD: [1927 🔲 1983
 25. <u>Operator Closure Certification</u>: 1 hereby certify that the information and attachments submitted v 	with this closure report is true, accurate and complete to the best of e closure requirements and conditions specified in the approved c	f my knowledge and
Name (Print): Rick Rickman	Title: HSE	
Signature: RICK Kuckman	Date: 6-19-09	
e-mail address:rdrickman@forestoil.com	/ Telephone: 575 369 6176 cell	
Accepted for record NMOCD	JUL 0 8 2009	
MB		
		,

Forest Oil Corporation

Pit Closure Summary

Skelly Unit 106 API 30-015-20366 UL. C, Sec. 15, T17S, R31E Eddy County, NM GPS N32 50.409 W103 51.584 Start date: 1Jun09 Finish date: 9Jun09

Prepared By: Vernon K. Black

Environmental Technician Hungry Horse Environmental, LLC PO Box 1058 Hobbs, NM 88240

(575)-393-3386



JUL - 7 2009

Table of Contents

1.0 Introduction	pg. 1
2.0 Area Description	pg. 1
3.0 Pit Closure Process	pg. 1
Diagram of Pit/Location Area	pg. 2

Attachments

.

Attachment 1 – Overhead View
Attachment 2 – Lab Analytical & Chain of Custody
Attachment 3 – One call
Attachment 4 – Photos of Progress
Attachment 5 – Proof of Closure Notice
Attachment 6 – Plot Plan
Attachment 7 – C 144 w/Closure Plan
Attachment 8 – C 144 Final

1.0 Introduction

This report addresses the pit (work over) closure at Forest Oil Corporation's Skelly Unit 106 injection well. Analytical results, photos of the project, an overhead map, and a general scope of the work conducted are included in this document as attachments. The project manager for Hungry Horse Environmental Services was Vernon K. Black.

2.0 Area Description

This geographical area is primarily caliche/caliche rock base covered with sand. Vegetation present in this area is mesquite, yucca plants, and a variety of range grass and weeds. The depth to the ground water is >200' based on the Eddy County Depth to Ground Water Map. There are no known water wells or surface bodies of water within a half of a mile of this location. This location is in rural Eddy County, NM approximately five miles west of Maljamar north of Highway 82.

3.0 Pit Closure Process

This pit closure was accomplished using the Waste Excavation and Removal Process. The work over pit was 18'L x 13'W X 3'D and was lined with a synthetic liner. The pit contents, along with the liner, and two feet of material from underneath the liner were excavated and removed. The final depth of the excavation was five feet. All material removed was disposed of at CRI (NM OCD Order R9166). A five-point composite soil sample was obtained from the pit and taken to Cardinal Labs for analysis. Lab results indicated that chlorides, TPH, GRO/DRO, Benzene, and BTEX were all well below the limits set forth by NM OCD. Mike Bratcher, NM OCD Dist II, was notified of the results and advised that backfilling could commence. The excavated area was backfilled using clean material from a nearby source and contoured to match the existing grade of the location. All work was conducted on the existing location and no re-seeding was required.





.

۰,



ANALYTICAL RESULTS FOR HUNGRY HORSE ENVIRONMENTAL SERVICES ATTN: VERNON K. BLACK P.O. BOX 1058 HOBBS, NM 88241 FAX TO: (575) 391-4585

Receiving Date: 06/01/09 Reporting Date: 06/05/09 Project Owner: FOREST OIL Project Name: SKELLY UNIT 106 Project Location: EDDY COUNTY, NM Sampling Date: 06/01/09 Sample Type: SOIL Sample Condition: COOL & INTACT @ 6°C Sample Received By: ML Analyzed By: AB/ZL

		GRO	DRO			ETHYL	TOTAL	
LAB NO.	SAMPLE ID	(C ₆ -C ₁₀)	(>C ₁₀ -C ₂₈)	BENZENE	TOLUENE	BENZENE	XYLENES	Cl+
		(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)

ANALYSIS DATE	06/03/09	06/03/09	06/02/09	06/02/09	06/02/09	06/02/09	06/03/09
H17532-1 5PT COMPOSITE 6' BGS	<10.0	<10.0	<0.050	<0.050	<0.050	<0 300	<16
WORKOVER PIT							
Quality Control	486	453	0.059	0.048	0.043	0.129	490
True Value QC	500	500	0 050	0.050	0.050	0.150	500
% Recovery	97 2	90.6	118	96 0	86.0	86.0	98.0
Relative Percent Difference	2.5	0.6	19.7	4.2	4.3	3.6	2.0

METHODS¹ TPH GRO & DRO ~ EPA SW-846 8015 M; BTEX - SW-846 8021B; CI-; Std. Methods 4500-CI-B *Analysis performed on a 1:4 w:v aqueous extract. Reported on wet weight. TPH GRO/DRO and Chloride are not NELAP accredited.

TEXAS NELAP ACCREDITATION T104704398-08-TX FOR BENZENE, TOLUENE, ETHYL BENZENE, AND TOTAL XYLENES

Lab Director

October Date

H17532 TBCL HHE

PLEASE NOTE Liability and Damages. Cardinal's liability and client's exclusive remedy for any cleim ansing, whether based in contract or tort, shall be limited to the amount paid by client for analyses. All claims, including those for negligence and any other cause whatsoever shall be deemed waived unless made in writing and received by Cardinal within thirty (30) days after completion of the applicable service, in no event shall Cardinal be liable for incidental or consequential damages, including, without limitation, business interruptions loss of use, or loss of profits incurred by client its subsidiance, artifiates only to the samples identified above. This report shall not be reproduced except in full with written approvel of Cerdinal bebased upon any of the above-stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with written approvel of Cerdinal bebased upon any of the above-stated reasons or otherwise.



ANALYTICAL RESULTS FOR HUNGRY HORSE ENVIRONMENTAL SERVICES ATTN: VERNON K BLACK P.O. BOX 1058 HOBBS, NM 88241 FAX TO: (575) 391-4585

Receiving Date: 06/01/09 Reporting Date: 06/08/09 Project Owner: FOREST OIL Project Name: SKELLY UNIT 106 Project Location: EDDY COUNTY, NM Sampling Date: 06/01/09 Sample Type: SOIL Sample Condition: COOL & INTACT @ 6^oC Sample Received By: ML Analyzed By: AB

418.1 TOTAL TPH (mg/kg)

LAB NUMBER SAMPLE ID

ANALYSIS [DATE	06/08/09
H17532-1	5PT COMPOSITE 6' BGS	<100
		<u></u>
Quality Cont	trol	321
True Value		321

METHODS: EPA 418.1. Reported on wet weight. Analyte not NELAP accredited.

here

06/08/09 Date

H17526 THROUGH H17534 418.1 HHE

PLEASE NOTE Liability and Damagee. Cardinal's liability and client's exclusive remedy for any claim anising, whather based in contract or tert shall be limited to the amount paid by client for analyses. All claims including those for negligence and any other cause whateover shall be deemed waived unless mode in writing and received by Cardinal within thirty (30) days after completion of the applicable service in no event shall be liable for incidentel or consequential damagee, including, without limitation, business interruptions loss of use, or loss of profits incurred by client, its subsidiaries, affiliates or successors arising out of or related to the performance of services hereunder by Cardinal, regardless of whother such claim is based upon any of the above-stated reasons or otherwise. Results relate only to the samples identified above. This report shall not be reproduced except in full with writen approval of Cardinal Laboratories. ARDINAL LABORATORIES 101 East Marland, Hobbs, NM 88240

	(575) 393-2326	Fax (676) 393-2	476												Page	0	rt		
Company Name	"Hungry Hor "Vernen K	se Envicon	120	tal Services		BILL TO		Π				AN	ALYS	IS R	EQU	EST			
Project Manage	" Vernen Ki	Black		······	P.0	D. #:		Π			T						Τ	Γ	
Address:	PO BOX 10	58				mpany: SAME	-												
City:	Hobbs	8 toto: NM	Zip:	88241	ALL	n:]		!	
Phone #: 575 -	393-3386	Fax #: 575	341	- 4585	Ade	dress:											1		l l
Project #:		Profect Owner	- For	stail 61P	Cin	γ:				}	ļ					}	1		
Project Name:	Stally Unit	106	- -	• / * /	Ste	ite: Zip:			1										ĺ
Project Location	n: Eddy Cant Vernon K.	YNM			Pho	one #:									1				
Sampler Name:	Vernon K.	Black			Fax	. #:													
FOR LAB USE ONLY				MATRIX		PRESERV. SAMP	LING	10		020						l	ļ		
			NO U	er -	·			17		0	Tn								
Lab I.D.	Sample	n .	U U	VIER				6	10	9	12								
Lau I.D.	Jampie	1. D .	(G)RAB OR (C)C	GROUNDWATER WASTEWATER SOIL OIL SLUDGE	ß		,	-4	L	GRO	5		Ì						
	Workaret	it .	30	GROUND MASTEW SSOIL SLUDGE	Ĕ	ACIDARS	TIME	U			<u></u>								[]
1-17532-1	Workavert Syt Compo	steb B65	اً کُ	X		X Jun	1/20	X	X	X	X				******				{
		· · ·			• • •		· · · ·					•••••				·· •	x	•	-
							I	•			-	••••	[• •• •	•• •		• ••	•••
	· · · · ·																		
			. -		L].														
	· · · · ·		.			··											_		
				· · · · · · · · · · · · · · · · · · ·	;•• †				-				- •				• • •		
			• -	· · · · · · · · · · · · · · · · · · ·	·· - -			·	• •••					• -	-	·· · •		-	-
.'	• • • • • • • • • • • • • •			· · · · · · · · · · · · · · · · · · ·	- -	·· +••••		•••	• •	• • • • •			· ·		· • •		· · · · ·	~ -	
	nd Comages. Coldinary tabley and a					shaft to Inteled to He tombull p od by Caldeal reflat 30 days of										Ni accourt			
antes in the aveal well C.	andres be very to me devise at cards	sequential deneges. Holiding	weight dual, bran	dallah, kalenda kalampilani, k	ku ste	ale, of lose of prolifs insurate by	CARGE AN INCOME	10,			na isto Na isto					Die Highl	ictatus of an	***	
Sampler Reling	ulshed:	Date:		ived By:			Phone Res	ull:	. 0				honeA	:					
. /	1	Time:		,		۲.	REMARKS				No	Add!	JX #:		· - •	·			·· · ·
Relinquisiler B	A	Date: / Lie	Race	ived By		-Ap_1	-												
1110	M	Time: 1604		11.1.	\mathcal{A}	Phit													
Delivered Pû	: (Circle Onel 🗍	1604	Temp.	Sampte Condu		CHECKED BY:													
				Copi Intaci	. I	(Initiality)	1				-								
1 3 9 M D 10 1 • 0 P 5	- Bus - Other:	·	l c		6.1	AAIMAIN	1												

í

† Cardinal cannot accept verbal changes. Plesso fax written changes to 575-393-2476.

	NEW MED	KICO ONE CAI	L.	
		lest Confirm		
Ticket #:2009220291 Work to Begin Date:	05/28/2009	Reason Co Time:	de:STANDARD LOCAT 08:10:00 AM	E
CALLER INFORMATION				
SHANON RUSK HUNGRY HORSE LLC			or Type:CONTRACTO 575)631-0983	R
DIG LOCATION				
City:RURAL EDDY Subdivision: Address : To Street : SKELLY UNIT # Nearest Intersecting &	#106			
Second Intersecting St	treet :			
Additional Dig Informa SOIL REMEDIATION FROM MALJAMAR W ON HWY 200FT- NW 0.2MI- NE 0	Y 82 FOR 5.3- N			
SPOT 200FT RADIUS AROU		N		
SPOT 200FT RADIUS AROU Remarks:		N		
SPOT 200FT RADIUS AROU Remarks: Township: 17S Range:	UND WELL			
Remarks:	UND WELL 31E Section 1	/4: 15 NW		
Remarks: Township: 17S Range: Type of Work: OIL/GAS The following utility your proposed excavat:	UND WELL 31E Section 1 -PIPELINE CONST owners have bea	/4: 15 NW RUCTION	of	
Remarks: Township: 17S Range: Type of Work: OIL/GAS The following utility your proposed excavat: FRONTIER FIELD SERVICE TEXACO-BUCKEYE	UND WELL 31E Section 1 -PIPELINE CONST owners have bea	/4: 15 NW RUCTION en notified		
Remarks: Township: 17S Range: Type of Work: OIL/GAS The following utility your proposed excavat: FRONTIER FIELD SERVICE TEXACO-BUCKEYE	31E Section 1 -PIPELINE CONST owners have be- ion site: ES,LLC IMPORTANT CONFI been received a iew the informa nd ensure it ha us immediately xback confirmat e accuracy of t to indemnify New , fees, or dama resulting from	<pre>/4: 15 NW RUCTION en notified RMATION NOT: nd processed tion provide s been correction ticket references ion ticket references w Mexico One ges, includ:</pre>	ICE d. It is your ed on this faxback ectly interpreted ections or errors. neans you accept ion contained in t e Call Systems, In ing reasonable att	from he c. of orney

P.1/2





HUNGRY HORSE, LLC ENVIRONMENTAL SERVICES

Dirt Work	*	On-Site Remediation	*	Soil Testing	*	Excavation
	×					
	-					
18Ma	1909					
To: Ju	m Amos, BLN	A Carlsbad Office				
	•	sures and Site Reclamation				
Dear	Mr. Amos,					
As pe	r our earlier	phone conversation, Hungry Hor	se Enviror	imental Services has b	een retain	ed by
		ition to conduct pit closure and s				
		er pits will be closed using the wa g reclaimed in the process. All pi				
		C. Each affected area off the exist				
		iny questions, please feel free to		e at any time. The wo	rk to be co	nducted is
at the	e listed well k	ocations. All locations are in T175	5, R31E.		-	
Lea D	01	30-015-05411				
Lea D	2	30-015-05412				
Skeily	/ Unit 83	30-015-05418				
Skelly	/ Unit 72	30-015-05372				
Skelly	/ Units 300	30-015-29452				
Skelly	Unit 106	30-015-20366				
Skelly	/ Unit 19	30-015-05155				
Skelly	/ Unit 110	30-015-20469				
Skelly	v Unit 38	30-015-10770 (location to	be reclain	ned)		
1						

Thanks for your help,

Vernon K. Black Hungry Horse Environmental Services

P. O. Box 1058 * Hobbs New Mexico * Office 505.393.3386 * Fax 505.391.4585

57		D MAIL RE	ECEIPT Coverage Provided)
m 	Ear dalivary informa	NGDVISICOUAVEDE	Contractions come
	CARLSBAD NM	88220	· · · ·
1744	Postage	s \$0.44	3640 5 FL/V
	Centred Fee	\$2.30	MARSHIN, OCH
1000	Return Receipt Fee (Endorsement Required)	\$2.30	Postmark V> V Here MAY 18 2000
	Restricted Delivery Fee (Endorsement Required)	\$0.00	
	Total Postage & Fees	\$ \$5.54	0118/JSPS
2007	Sen: To J M O Straet Apt No or PO Box No Cry: State: ZIP-4 (U) DS Form: 68001 August 2	LMOS BU - E. GILLI Ispad, Ni	Mean is bud office H St M 88220

.

•

•

.

, , ,

, .

The center of the closed pit is **53' west** of the well head, **GPS** N32 50.409 W103 51.584.

Reference the drawing on page #2

, ,

·

District I 1625 N. French Dr., Hobbs, NM 88240 District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 District IV 1220 S. St. Francis Dr., Santa Fe, NM 87505 State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505

1055 0 5/22/09 NIMECS SISTE

Form C-144 July 21, 2008

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office. For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action:

Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method
 Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method
 Modification to an existing permit

X Closure plan only submitted for an existing permitted or non-permitted pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual plt, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinances.

	·····		
Operator: Forest Oil CorporationOGRID #:8041			
Address: 3504 NW County Road Hobbs, NM 88240			
Facility or well name: Skelly Unit 106			
API Number: 30-015-20366OCD Permit Number:			
U/L or Qtr/Qtr C Section 15 Township 17S Range 31E County: Eddy			
Center of Proposed Design: Latitude Longitude NAD	: 🔲 1927 🛄 1983		
Surface Owner: X Federal 🔲 State 🗋 Private 🛄 Tribal Trust or Indian Allotment			
2	······································		
X Pit: Subsection F or G of 19.15.17.11 NMAC			
Temporary: Drilling X Workover			
Permanent Emergency Cavitation P&A			
X Lined Unlined Liner type: Thickness 20mil LLDPE HDPE PVC Other			
X String-Reinforced			
Liner Seams: Welded Factory Other Volume: 50 bbl Dimensions: L18' x W	/13'x D3'		
	▲ ▲ → → → → → → → → → → → → → → → → → →		
Closed-loop System: Subsection H of 19.15.17.11 NMAC			
Type of Operation: P&A Drilling a new well Workover or Drilling (Applies to activities which require prior approval of a intent)	permit or notice of		
Drying Pad [] Above Ground Steel Tanks [] Haul-off Bins [] Other			
Lined Unlined Liner type: Thicknessmil LLDPE HDPE PVC Other			
Liner Seams: Welded Factory Other			
4			
Below-grade tank: Subsection I of 19.15.17.11 NMAC			
Volume:bbl Type of fluid:			
Tank Construction material:			
Secondary containment with leak detection 📋 Visible sidewalls, liner, 6-inch lift and automatic overflow shut-off			
Visible sidewalls and liner Visible sidewalls only Other			
Liner type: Thicknessmil [] HDPE [] PVC [] Other			
5			
Alternative Metbod:	1		
Submittal of an exception request is required. Exceptions must be submitted to the Santa Fe Environmental Bureau office for consider	ration of approval.		

Exacting: Subsection D of 19.15.17.11 NMAC (Applies to permanent pits, temporary pits, and below-grade tanks) Chain link, six feet in height, two strands of barbed wire at top (Required if located within 1000 feet of a permanent residence, school institution or church) Four foot height, four strands of barbed wire evenly spaced between one and four feet Alternate. Please specify	l, hospital,
7. Netting: Subsection E of 19.15.17.11 NMAC (Applies to permanent pits and permanent open top tanks) Screen Netting Other Monthly inspections (If netting or screening is not physically feasible)	
st Signs: Subsection C of 19.15.17.11 NMAC Image: 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers Image: Signed in compliance with 19.15.3.103 NMAC	
Administrative Approvals and Exceptions: Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance. Please check a box if one or more of the following is requested, if not leave blank: Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureat consideration of approval. Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.	u office for
n. <u>Siting Criteria (regarding permitting)</u> : 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acc material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appl office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of Applicant must attack justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to dr above-grade tanks associated with a closed-loop system.	opriate district annroval
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site	Yes No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	□ Yes □ No □ NA
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Acrial photo; Satellite image	□ Yes □ № □ NA
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site	☐ Yes ☐ No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	🛛 Yes 🗌 No
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	□ Yes □ No
 Within the area overlying a subsurface mine. Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division 	Yes No
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	Yes No
Within a 100-year floodplain. - FEMA map	🗍 Yes 🗌 No

1 am (-144

11. <u>Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist</u> : Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached.	
Hydrogcologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.9 NMAC Hydrogcologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.9 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC	
and 19.15.17.13 NMAC	
Previously Approved Design (attach copy of design) API Number: or Permit Number:	-
12.	
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC	
Instructions: Each of the following items must be attuched to the application. Please indicate, by a check mark in the box, that the documents are	
attached.	
Geologic and Hydrogeologic Data (only for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.9	
Siting Criteria Compliance Demonstrations (only for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC	
Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
Closure Plan (Please complete Boxes 14 through 18, if applicable) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMA(2
and 19.15.17.13 NMAC	
Previously Approved Design (attach copy of design) API Number:	
Previously Approved Operating and Maintenance Plan API Number: (Applies only to closed-loop system that use	
above ground steel tanks or haul-off bins and propose to implement waste removal for closure)	
13. Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC	
retinations: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are	
manuclions. Each of the following terms must be unicles in the applications. Trease thiscate, by a check mark in the box, that the accuments are attached.	
Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.9 NMAC	
Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC	
Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC	
Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC	I
Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC	
Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC	- 1
U Quality Control/Quality Assurance Construction and Installation Plan	
Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC	
Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC	
Nuisance or Hazardous Odors, including H ₂ S, Prevention Plan	1
Emergency Response Plan	1
Oil Field Waste Stream Characterization	
Monitoring and Inspection Plan	
Erosion Control Plan	
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC	
14	
Proposed Closure: 19.15.17.13 NMAC	
Instructions: Please complete the applicable boxes, Boxes 14 through 18, in regards to the proposed closure plan.	Í
Type: Drilling X Workover Emergency Cavitation P&A Permanent Pit Below-grade Tank Closed-loop System	
Alternative	
Proposed Closure Method: X Waste Excavation and Removal	
Waste Removal (Closed-loop systems only)	
On-site Closure Method (Only for temporary pits and closed-loop systems)	
In-place Burial On-site Trench Burial	
Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for consideration)	
15.	<u> </u>
Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the	
closure plan. Please indicate, by a check mark in the box, that the documents are attached.	
X Protocols and Procedures - based upon the appropriate requirements of 19,15,17,13 NMAC	1
X Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 1915 1713 NMAC	{
X Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttines)	
X Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 1915 1713 NMAC	
X Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC X Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC	
X Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC X Re-vegetation Plan - based upon the appropriate requirements of Subsection 1 of 19.15.17.13 NMAC X Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	

16. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.	D NMAC)
Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if facilities are required.	more than two
Disposal Facility Name: Disposal Facility Permit Number:	
Disposal Facility Name: Disposal Facility Permit Number:	=
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future ser Yes (If yes, please provide the information below) No	vice and operations?
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC	.C
^{17.} <u>Siting Criteria (regarding on-site closure methods only)</u> : 19.15.17.10 NMAC Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable som provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate dist considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Just demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.	trict office or may be
Ground water is less than 50 feet below the bottom of the buried waste NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is between 50 and 100 feet below the bottom of the buried waste - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	Yes No
Ground water is more than 100 feet below the bottom of the buried waste NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	□ Yes □ № □ №
 Within 300 feet of a continuously flowing watercourse, or 200 feet of any other significant watercourse or lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). Topographic map; Visual inspection (certification) of the proposed site 	Yes 🗋 No
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	Yes No
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	Yes No
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	Yes No
 Within 500 feet of a wetland. US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site 	
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	Yes No
Within a 100-year floodplain. - FEMA map	
14. On-Site Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure pl by a check mark in the bax, that the documents are attached.	15.17.11 NMAC

9. Operator Application Certification:		
	tion is true, accurate and complete to the best of my knowledge and	belief.
	Title: HSE	
7 11 2, 11	Date: 19May09	
Signature: <u>hick MchaAr</u>	Date: I9May09	
e-mail address:rdrickman@forestoil.com	Tclcphone: 575 369 6176	
OCD Approval: Permit Application (including closure plan OCD Rencesentative Signature: Signad By	n) XI Closure Plan (only) XI OCD Conditions (see attachment) <u>Contractor</u> Approval Date:	1 1 2009
Title:	OCD Permit Number:	
21. Closure Report (required within 60 days of closure completin Instructions: Operators are required to obtain an approved clo	osure plan prior to implementing any closure activities and submit ithin 60 days of the completion of the closure activities. Please do	ting the closure report. not complete this
<u>Closure Method:</u> Waste Excavation and Removal On-Site Closure Method: If different from approved plan, please explain.	hod 🔲 Alternative Closure Method 🔲 Waste Removal (Close	d-loop systems only)
Instructions: Please indentify the facility or facilities for when	ect-loop Systems That Utilize Above Ground Steel Tanks or Have the liquids, drilling fluids and drill cuttings were disposed. Use a	al-off Bins Only: attachment if more that
two facilities were utilized. Disposal Facility Name:	Disposal Facility Permit Number:	
Disposal Facility Name:	Disposal Facility Permit Number:	
	s performed on or in areas that will not be used for future service and	d operations?
Required for impacted areas which will not be used for future se	, <u> </u>	
Site Reclamation (Photo Documentation)		
Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique		r.
Closure Report Attachment Checklist: Instructions: Each of mark in the box, that the documents are attached Proof of Closure Notice (surface owner and division) Proof of Deed Notice (required for on-site closure) Plot Plan (for on-site closures and temporary pits) Confirmation Sampling Analytical Results (if applicable) Waste Material Sampling Analytical Results (required for		e indicate, by a check
Disposal Facility Name and Permit Number		
 Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique 		
Site Reclamation (Photo Documentation) On-site Closure Location: Latitude	Longitude NAD: 1	
25.		927 🔲 1983
Operator Closure Certification: I hereby certify that the information and attachments submitted v belief. I also certify that the closure complies with all applicable	with this closure report is true, accurate and complete to the best of r e closure requirements and conditions specified in the approved clos	ny knowledge and urc plan.
Name (Print):	Title:	
Signature:	Date:	
e-mail address:	Telephone:	

· -



Bill Richardson Governor

Joanna Prukop Cabinet Secretary Reese Fullerton Deputy Cabinet Secretary Mark Fesmire Division Director Oil Conservation Division



Conditions of approval for closure of a drilling or work over pit

Notify OCD District 2 office 48 hours prior to commencement of closure activities.

Notify OCD District 2 office 48 hours prior to obtaining samples where analyses of samples obtained are to be submitted to OCD.

Sampling requirements are listed in 19.15.17.13 [NMAC] (Pit Rule)

Final closure report is to be submitted to OCD not later than 60 days after completion of closure.

Surface restoration per OCD/BLM requirements. – \mathcal{M}/\mathcal{A}





HUNGRY HORSE, LLC ENVIRONMENTAL SERVICES

Work	*	On-Site Remediation	*	Soil Testing	*	Excavat
		•				
18May09)					
·						
	-	NM OCD Dist 2		• •		
REFEREN	CE: Work	Plan for Closure of a Temporary I	Pit			
OPERATO)R: Forest	Oil Corporation				
	N: Skelly L					
	15-20366					
		15, T175, R31E /103 51.584		• <u>.</u>		Ţ
		WATER: >200'		s.		
				<i>,</i>		
determin	e the leve	ling: A composite sample of the Is of Benzene, BTEX, TPH, GRO/D				
using NM	OCD app	roved analysis methods.			-	
Disposal	Facility: Co	ontrolled Recovery Inc (CRI)				
of the loc	ation usin	ver Design Specifications: The exc g the stockpiled material that can d for back fill, it will be obtained	ne from t	he pit construction. Sh	the existing ould additio	g grade onal
Re-vegeta conducte	ation Plan d.	due to the affected area being o	n an activ	ve well location, no re-	vegetation	will be
				, <u>;</u>		
				•		
Submitte	d By: Vern	on K. Black, Hungry Horse Enviro	nmental S	Services		
	11	11 0. 6				
Signature	:J	MXSH 18MGY DT				
	÷					

Î

Ī