District I 625 N. French Dr., Hobbs, NM 88240 En District II 1301 W. Grand Avenue, Artesia, NM 88210 District III 1000 Rio Brazos Road, Aztec, NM 87410 AUG - 8 2008

State of New Mexico Energy Minerals and Natural Resources Department

District III
1000 Rio Brazos Road, Aztec, NM 87410 AUG - 8 2008
District IV
1220 S St. Francis Dr., Santa Fe, NM 87505

Oil Conservation Division
1220 South St. Francis Dr.
Santa Fe, NM 87505

W

Form C-144 June 16, 2008

For temporary pits, closed-loop systems, and below-grade tanks, submit to the appropriate NMOCD District Office.

For permanent pits and exceptions submit to the Santa Fe Environmental Bureau office and provide a copy to the appropriate NMOCD District Office.

Pit, Closed-Loop System, Below-Grade Tank, or Proposed Alternative Method Permit or Closure Plan Application

Type of action: Permit of a pit, closed-loop system, below-grade tank, or proposed alternative method

Closure of a pit, closed-loop system, below-grade tank, or proposed alternative method

Instructions: Please submit one application (Form C-144) per individual pit, closed-loop system, below-grade tank or alternative request

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's rules, regulations or ordinance.

bly with any other applicable governmental authority's rules, regulations or ordinances.							
OGRID #: <u>14049</u>							
Address: <u>P.O. Box 227, Artesia, NM 88211-0227</u>							
Facility or well name: Really Scary Federal #2H							
OCD Permit Number:							
Range <u>28E</u> County: <u>Eddy</u>							
Longitude NAD: ☐1927 ☐ 1983							
Allotment							
☐ Closed-loop System: Subsection H of 19.15.17.11 NMAC							
☐ Drying Pad ☐ Tanks ☒ Haul-off Bins ☐ Other							
☐ Lined ☐ Unlined							
Liner type: Thicknessmil							
☐ Other							
Seams: Welded Factory Other							
Volume:bblyd ³							
Dimensions: Length 20 ft. x Width 8 ft.							
Fencing: Subsection D of 19.15.17.11 NMAC							
☐ Chain link, six feet in height, two strands of barbed wire at top							
Four foot height, four strands of barbed wire evenly spaced between one and							
four feet							
Netting: Subsection E of 19.15.17.11 NMAC							
☐ Screen ☐ Netting ☐ Other							
☐ Monthly inspections							
Signs: Subsection C of 19.15.17.11 NMAC							
12'x24', 2' lettering, providing Operator's name, site location, and							
emergency telephone numbers							
Signed in compliance with 19.15.3.103 NMAC							
Administrative Approvals and Exceptions:							
Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17 NMAC for guidance.							
Please check a box if one or more of the following is requested, if not leave							
blank:							
Administrative approval(s): Requests must be submitted to the appropriate division district or the Santa Fe Environmental Bureau office for							
consideration of approval.							
Exception(s): Requests must be submitted to the Santa Fe Environmental Bureau office for consideration of approval.							

Siting Criteria (regarding permitting): 19.15.17.10 NMAC Instructions: The applicant must demonstrate compliance for each siting criteria below in the application. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Applicant must attach justification for request. Please refer to 19.15.17.10 NMAC for guidance. Siting criteria does not apply to drying pads or above-grade tanks associated with a closed-loop system.					
Ground water is less than 50 feet below the bottom of the temporary pit, permanent pit, or below-grade tank. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site					
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to temporary, emergency, or cavitation pits and below-grade tanks) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
Within 1000 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. (Applies to permanent pits) - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image					
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database search; Visual inspection (certification) of the proposed site					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality					
Within 500 feet of a wetland. - US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No				
Within the area overlying a subsurface mine Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No				
Within an unstable area. - Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map	☐ Yes ☐ No				
Within a 100-year floodplain FEMA map	☐ Yes ☐ No				
Temporary Pits, Emergency Pits, and Below-grade Tanks Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Hydrogeologic Report (Below-grade Tanks) - based upon the requirements of Paragraph (4) of Subsection B of 19.15.17.15 NMAC Hydrogeologic Data (Temporary and Emergency Pits) - based upon the requirements of Paragraph (2) of Subsection B of 19.15.17.15 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: or Permit Number:					
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC	,				
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Geologic and Hydrogeologic Data (required for on-site closure) - based upon the requirements of Paragraph (3) of Subsection B of 19.15.17.15 Siting Criteria Compliance Demonstrations (required for on-site closure) - based upon the appropriate requirements of 19.15.17.10 NMAC Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC					
Previously Approved Design (attach copy of design) API Number:					

Permanent Pits Permit Application Checklist: Subsection B of 19.15.17.9 NMAC						
Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the do	ocuments are					
 attached. Hydrogeologic Report - based upon the requirements of Paragraph (1) of Subsection B of 19.15.17.15 NMAC Siting Criteria Compliance Demonstrations - based upon the appropriate requirements of 19.15.17.10 NMAC Climatological Factors Assessment 						
 □ Certified Engineering Design Plans - based upon the appropriate requirements of 19.15.17.11 NMAC □ Dike Protection and Structural Integrity Design - based upon the appropriate requirements of 19.15.17.11 NMAC □ Leak Detection Design - based upon the appropriate requirements of 19.15.17.11 NMAC □ Liner Specifications and Compatibility Assessment - based upon the appropriate requirements of 19.15.17.11 NMAC □ Quality Control/Quality Assurance Construction and Installation Plan □ Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC □ Freeboard and Overtopping Prevention Plan - based upon the appropriate requirements of 19.15.17.11 NMAC □ Nuisance or Hazardous Odors, including H₂S, Prevention Plan □ Emergency Response Plan 						
☐ Oil Field Waste Stream Characterization ☐ Monitoring and Inspection Plan ☐ Erosion Control Plan						
Closure Plan - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC						
Proposed Closure: 19.15.17.13 NMAC Type: ☑ Drilling ☐ Workover ☐ Emergency ☐ Cavitation ☐ Permanent Pit ☐ Below-grade Tank ☒ Closed-loop System ☐	Alternative					
Proposed Closure Method: Waste Excavation and Removal On-site Closure Method (only for temporary pits and closed-loop systems) In-place Burial On-site Trench Burial Alternative Closure Method (Exceptions must be submitted to the Santa Fe Environmental Bureau for contents.	nsideration)					
Siting Criteria (regarding on-site closure methods only): 19.15.17.10 NMAC						
Instructions: Each siting criteria requires a demonstration of compliance in the closure plan. Recommendations of acceptable source material are provided below. Requests regarding changes to certain siting criteria may require administrative approval from the appropriate district office or may be considered an exception which must be submitted to the Santa Fe Environmental Bureau office for consideration of approval. Justifications and/or demonstrations of equivalency are required. Please refer to 19.15.17.10 NMAC for guidance.						
Ground water is less than 50 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA					
Ground water is between 50 and 100 feet below the bottom of the buried waste NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA					
Ground water is more than 100 feet below the bottom of the buried waste. - NM Office of the State Engineer - iWATERS database search; USGS; Data obtained from nearby wells	☐ Yes ☐ No ☐ NA					
Within 300 feet of a continuously flowing watercourse, or 200 feet of any other watercourse, lakebed, sinkhole, or playa lake (measured from the ordinary high-water mark). - Topographic map; Visual inspection (certification) of the proposed site						
Within 300 feet from a permanent residence, school, hospital, institution, or church in existence at the time of initial application. - Visual inspection (certification) of the proposed site; Aerial photo; Satellite image	☐ Yes ☐ No					
Within 500 horizontal feet of a private, domestic fresh water well or spring that less than five households use for domestic or stock watering purposes, or within 1000 horizontal feet of any other fresh water well or spring, in existence at the time of initial application. - NM Office of the State Engineer - iWATERS database; Visual inspection (certification) of the proposed site	☐ Yes ☐ No					
Within incorporated municipal boundaries or within a defined municipal fresh water well field covered under a municipal ordinance adopted pursuant to NMSA 1978, Section 3-27-3, as amended. - Written confirmation or verification from the municipality; Written approval obtained from the municipality	☐ Yes ☐ No					
Within 500 feet of a wetland US Fish and Wildlife Wetland Identification map; Topographic map; Visual inspection (certification) of the proposed site	☐ Yes ☐ No					
Within the area overlying a subsurface mine. - Written confirmation or verification or map from the NM EMNRD-Mining and Mineral Division	☐ Yes ☐ No					
 Within an unstable area. Engineering measures incorporated into the design; NM Bureau of Geology & Mineral Resources; USGS; NM Geological Society; Topographic map 	☐ Yes ☐ No					
Within a 100-year floodplain.	☐ Yes ☐ No					

Waste Excavation and Removal Closure Plan Checklist: (19.15.17.13 NMAC) Instructions: Each of the following items must be attached to the closure plan. Please indicate, by a check mark in the box, that the documents are attached. □ Protocols and Procedures - based upon the appropriate requirements of 19.15.17.13 NMAC □ Confirmation Sampling Plan (if applicable) - based upon the appropriate requirements of Subsection F of 19.15.17.13 NMAC □ Disposal Facility Name and Permit Number (for liquids, drilling fluids and drill cuttings) □ Soil Backfill and Cover Design Specifications - based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC □ Re-vegetation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC								
Waste Removal Closure For	Closed-loop Systems That Utili	ze Haul-off Bins (Only: (19.15.17.13	3.D NMAC) Instructions: Plea	se indentify the facility			
or facilities for the disposal of	fliquids, drilling fluids and drill	cuttings.	•					
Disnosal Facility Name:	Controlled Recovery, Inc.	Disposal Facil	ity Permit Number:	R-9166				
	list: (19.15.17.13 NMAC) Instru				n lan Diagna in diagna			
by a check mark in the box, the Siting Criteria Complian Proof of Surface Owner Construction and Design Protocols and Procedure Confirmation Sampling Waste Material Samplin Disposal Facility Name Soil Cover Design - bas Re-vegetation Plan - bas	that the documents are attached. The property of the property	the appropriate re- iate requirements of based upon the ap- quirements of 19.1 the appropriate re- ate requirements of drilling fluids and ents of Subsection ments of Subsection	quirements of 19.15 of Subsection F of 1 ppropriate requirem 15.17.13 NMAC quirements of Subsection F of 1 drill cuttings or in a H of 19.15.17.13 Nn I of 19.15.17.13	5.17.10 NMAC 19.15.17.13 NMAC nents of 19.15.17.11 NMAC section F of 19.15.17.13 NMAC 9.15.17.13 NMAC case on-site closure standards candards candards				
O 4 4 A 11 4 C 4 C								
Operator Application Certifi								
I hereby certify that the inform	nation submitted with this applica	tion is true, accura	ate and complete to	the best of my knowledge and	belief.			
Name (Print):	Nancy T. Agnew	Title:	Land De	<u>epartment</u>	-			
Signature: \(\sum_{\text{constant}} \)	icy T. agner	<u>い</u>	Date:	8/7/08				
e-mail address:	landtech@marbob.com	г	Telephone:	575-748-3303				
OCD Approval: \(\sqrt{Permit}\)	Application (including closurapla	m) Closure Pl	lan (only)					
OCD Representative Signal	Application (including closur plants)	in		Approval Date:	11-08			
	1. 11 San	Partan	<i>. 1</i>					
Title:	mu - 0		OCD Permit Nu	mber: 0208294				
Closure Report (required wi	thin 60 days of closure complet	ion): Subsection	K of 19.15.17.13 N					
			Closure Con	inpletion bate.				
Closure Method: Waste Excavation and Rer If different from approved	noval On-Site Closure Met plan, please explain.	hod Alterna	ative Closure Metho	od				
mark in the box, that the docu Proof of Closure Notice Proof of Deed Notice (in Plot Plan Confirmation Sampling Waste Material Samplin Disposal Facility Name Soil Backfilling and Coo	f applicable) Analytical Results ag Analytical Results and Permit Number ver Installation on Rates and Seeding Technique		ems must be attach	ed to the closure report. Pleaso	e indicate, by a check			
Site Reclamation (Photo On-site Closure Location		Lanait	ude	MAD. DI	027 🗆 1092			
		Longit	uue	NAD: 🔲 l'	927 🗌 1983			
Operator Closure Certificati								
	ation and attachments submitted osure complies with all applicable							
Name (Print):		Title:						
Signature:			Date:					

Design Plan Operating and Maintenance Plan Closure Plan

Really Scary Federal #2H Surf: 1850' FSL & 660' FEL BHL: 1750' FSL & 2310' FEL Section 33, T24S – R28E Eddy County, New Mexico

Marbob will be using all above ground steel pits for fluid and cuttings while drilling. If any tank develops a leak we will have immediate visual discovery, we would then transfer the fluid to another tank then remove any contaminated soil and dispose of it in the cuttings bins for transportation. All leaks should be kept to less than 5 barrels. Rig crews will monitor the tanks at all times.

Equipment List:

. . . .

- 1-Rig Shale Shaker
- 1- Clacko Settling Tank
- 2- Roll Off Bins w/ Tracks
- 1- 500 BBL Frac Tank

During drilling operations all liquids, drilling fluids and cuttings will be hauled off via CRI (Controlled Recovery Inc.) Permit R-9166 or any other approved facility.