

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OCD-ARTESIA

FORM APROVED OMB NO. 1004-0135 EXPIRES: March 31, 2007

SUNDRY NOTE	CES AND REPORTS ON WELLS	The same of the sa	5. Lease Serial No.
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals		RECEIVED	LC-061783-B 6 If Indian, Allottee or Tribe Name
	BMIT IN TRIPLICATE	JAN -5 2010	on mulan, Anottee of Thise Maine
			7 Unit or CA Agreement Name and No
a. Type of Well Oil Well Gas	Well Other	NMOCD ARTESIA	8 Well Name and No.
2. Name of Operator			Mann 3 Federal 4
DEVON ENERGY PRODUCTION COMPANY, LP 9. API Well No.			
3. Address and Telephone No.			30-015-35936
20 North Broadway, Oklahoma City, OK 73102-8260 405-552-8198			10. Field and Pool, or Exploratory
Location of Well (Report location clearly and in accordance with Federal requirements)* 452 FSL & 867 FWL Sec 3 T18S R27E, Unit M			Red Lake; Glorieta-Yeso
452 FSL & 867 FWL Sec 3 T18S R27E, Unit M		11. County or Parish State	
42 CHECK ADDDODDIATE DOVA) TO INDICATE NATING OF NOTICE DEDC			Eddy NM
12. CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OS SUBMISSION TYPE OF ACTION			
[7] N. J	Acidize De	epen Production	on (Start/Resume)
✓ Notice of Intent		acture Treat 🔲 Reclamat	tion Well Integrity
Subsequent Report	=	w Construction Recomple	11000111piot Call
Final Abandonment Notice		ug and Abandon	rily Abandon Andres and DHC sposal Yeso and San Andres
Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work and approximate duration thereof. If the proposal deepen directionally or recomplete horizontally, give subsurface location and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the 3 ond No on file with BLMBIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirement, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection)			
Devon Energy Production Company, LP respectfully requests approval to recomplete the San Andres formation per the following procedure. 1. MIRU. POOH with rods and ND wellhead and NU BOP. POOH with tubing. 2. RU wireline and RIH with casing gun. Perforate from 2102' - 2324', 1 SPF at 120 degree phasing with 0.38 EHD holes. 3. RIH with treating packer and RBP and set at ~ 2724'. Test RBP to 1500 psi. Pull up and set packer to 2000'. 4. MIRU and acidize perfs with 750 gallons 15% HCl and 3,000 gallons of 30% Acetic acid. Evaluate well and if needed Frac per recommendation. 6. RIH with tubing. ND BOP and NU wellhead. RIH with rods and pump. These pools are in a Pre-Approved Pool for Downhole Commingling. Devon requests approval to downhole commingle the Yeso (Pool code 96836) and San Andres (Pool code 51300) after evaluating the San Andres.			
SUBJECT TO LIKE APPROVAL BY STATE SEE ATTACHED FOR CONDITIONS OF APPROVAL 14. Therepy certify that the foregoing is true and correct Signed Name Norvella Adams Title Sr Staff Engineering Technician Therepy Certify that the foregoing is true and correct Signed Name Title Sr Staff Engineering Technician DEC 2 9 2000			
Approved by Conditions of approval, if any:	Title	THEFT III ALIELLY III THE THEFT NAMES PROPERTY	DEC 2 8 2009 /s/ Chris Walls
3 0 0 0 000001 1001, makes it a diffie for any		its jurisdiction	CARLSBAD FIELD OFFICE

M

Mann 3 Federal 4 30-015-35936 Devon Energy Production Co. December 28, 2009 Conditions of Approval

- 1. Surface disturbance beyond the existing pad must have prior approval.
- 2. Closed loop system required.
- 3. Operator to have H2S monitoring equipment on location as H2S has been reported from wells in the vicinity.
- 4. A minimum of a 2M BOP is required and must be tested prior to beginning work.
- 5. Subsequent sundry and completion report required.

CRW 122809