


District II
1625 N. French Dr., Hobbs, NM 88240
District III
1301 W. Grand Ave., Artesia, NM 88210
District IV
1000 Rio Brazos Rd., Aztec, NM 87410
District V
1220 S. St. Francis Dr., Santa Fe, NM
87505

OIL CONSERVATION DIVISION
1220 South St. Francis Dr.
Santa Fe, NM 87505

WELL API NO. 30-015-37118
5. Indicate Type of Lease STATE FEE <input checked="" type="checkbox"/>
6. State Oil & Gas Lease No.
7. Lease Name or Unit Agreement Name Long Draw 9 O
8. Well Number 1
9. OGRID Number 14744
10. Pool name or Wildcat Cemetery Yeso



SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR USE "APPLICATION FOR PERMIT" (FORM C-101) FOR SUCH PROPOSALS)	
1. Type of Well: Oil Well <input checked="" type="checkbox"/> Gas Well Other	
2. Name of Operator Mewbourne Oil Company	
3. Address of Operator PO Box 5270 Hobbs, NM 88240	
4. Well Location Unit Letter O : 330 feet from the S line and 1650 feet from the E line Section 9 Township 20S Range 25E NMPM Eddy County	
11. Elevation (Show whether DR, RKB, RT, GR, etc.) 3456' GL	
Pit or Below-grade Tank Application <input type="checkbox"/> or Closure <input type="checkbox"/>	
Pit type Depth to Groundwater Distance from nearest fresh water well Distance from nearest surface water	
Pit Liner Thickness: mil Below-Grade Tank: Volume bbls; Construction Material	

12. Check Appropriate Box to Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐ PLUG AND ABANDON ☐
TEMPORARILY ABANDON ☐ CHANGE PLANS ☐
PULL OR ALTER CASING ☐ MULTIPLE COMPL ☐

OTHER:

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐ ALTERING CASING ☐
COMMENCE DRILLING OPNS. ☐ P AND A ☐
CASING/CEMENT JOB

OTHER: Completion Sundry

13. Describe proposed or completed operations. (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work). SEE RULE 1103. For Multiple Completions: Attach wellbore diagram of proposed completion or recompletion.

11/05/09 Ran GR/CCL. Perforate Yeso @ 2710' - 2803', 1SPF, 25', 25 holes, 0.40" EHD, 120° phasing, 19 GC. Frac with 1000 gals 15% HCl, & 150000 gals 20# slickwater carrying 75000# 20/40 Texas Gold sand. Set temporary plug @ 2630'. Perforate Yeso @ 2487' - 2543', 1SPF, 20', 24 holes, 0.40" EHD 120° phasing, 19 GC. Frac with 1000 gals 15% HCl, 200000 gals 20# slickwater & 100000# 20/40 Texas Gold sand. Flowback for cleanup.

11/11/09 MIRU completion unit. Drill out plug @ 2630. Clean out to 3283' PBTD. RIH w/tbg to 2952'.

11/12/09 RIH w/2" x 1 1/2" x 16' RHBC pump & rods. Put well on production

I hereby certify that the information above is true and complete to the best of my knowledge and belief. I further certify that any pit or below-grade tank has been/will be constructed or closed according to NMOCD guidelines ☐, a general permit ☐ or an (attached) alternative OCD-approved plan ☐.

SIGNATURE Jackie Lathan TITLE Hobbs Regulatory DATE 11/18/09

Type or print name Jackie Lathan E-mail address: jlathan@mewbourne.com Telephone No. 575-393-5905

For State Use Only

APPROVED BY: Regu Reever TITLE Geologist DATE 11/13/2010

Conditions of Approval (if any):