District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S St Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department Oil Conservation Division 1220 South St. Francis Dr.

Form C-144 CLEZ July 21, 2008

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

Closed-Loop System Permit or Closure Plan Application

Santa Fe, NM 87505

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: X Permit Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

Please be advised that approval of this request does not relieve the operator of liability should operations result in pollution of surface water, ground water or the environment. Nor does approval relieve the operator of its responsibility to comply with any other applicable governmental authority's gules, regulations or ordinan

environment. Nor does approval relieve the operator of its responsibility to comply with	any other applicable governmental	authority's rules, regul	ations or ordinances.	
operator: EOG Resources, Inc. OGRID #: 7377		RECEIV	FD	
Operator: EOG Resources, Inc. OGRID #: 7377 Address: P.O. Box 2267 Midland, TX 79702		MAR 1 7 20	010	
Facility or well name: PANUCO 26 FED 3H		NMOCD ART	ESIA	
API Number: 30-015- 37704 OCD Permit Number: 216	5158 L	THIOOD ATT	LOIA	
U/L or Qtr/Qtr: I Section 26 Township 16S Range 24E	County: Eddy			
Center of Proposed Design: LatitudeLongit	tude	NAD: []1927 [] 1983	
Surface Owner: X Federal State Private Tribal Trust or Indian Allotm	ent			
 Z. Closed-loop System: Subsection H of 19.15.17.11 NMAC Operation: Drilling a new well X Workover or Drilling (Applies to activities Above Ground Steel Tanks or X Haul-off Bins 	s which require prior approval of a	a permit or notice of i	intent)	
3. Signs: Subsection C of 19.15.17.11 NMAC ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency X Signed in compliance with 19.15.3.103 NMAC	y telephone numbers			
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. X Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC X Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC X Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC Previously Approved Design (attach copy of design) API Number: Previously Approved Operating and Maintenance Plan API Number:				
5. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.				
Disposal Facility Name: Controlled Recovery, Inc.	Disposal Facility Permit Number	r: NM-01-0006		
or Disposal Facility Name: Gandy Marley, Inc.	Disposal Facility Permit Number:	: NM-01-0019		
Will any of the proposed closed-loop system operations and associated activities of X Yes (If yes, please provide the information below) Revision No	occur on or in areas that will not be	e used for future serv	ice and operations?	
Required for impacted areas which will not be used for future service and operation Soil Backfill and Cover Design Specifications based upon the appropriate Re-vegetation Plan - based upon the appropriate requirements of Subsection X Site Reclamation Plan - based upon the appropriate requirements of Subsection	te requirements of Subsection H of n I of 19.15.17.13 NMAC	f 19.15.17.13 NMAC		

6. Operator Application Certification:				
I hereby certify that the information submitted with this application is true, accu	rate and complete to the best of my knowledge a	and belief.		
Name (Print): Donny G. Glanton Title: Sr. Lease Operations ROW Represe	ntative			
Signature: Um 2. / Why	Date: 2/5/2010			
e-mail address: donny glanton@eogresources.com Telephone: 432.686.3	642			
7. OCD Approval: Permit Application (including closure plan) ☐ Closure	1 7	. ,		
OCD Representative Signature:	KOLO Approval Date: _C	03/31/2010		
Title: Ust # Segenero	OCD Permit Number: 2/0/5	8		
8. Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed.				
	Closure Completion Date:			
S. Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.				
Disposal Facility Name:	Disposal Facility Permit Number:			
Disposal Facility Name:				
Were the closed-loop system operations and associated activities performed on a Yes (If yes, please demonstrate compliance to the items below) No	or in areas that will not be used for future service	and operations?		
Required for impacted areas which will not be used for future service and operation Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	ations:			
Operator Closure Certification: I hereby certify that the information and attachments submitted with this closure belief. I also certify that the closure complies with all applicable closure require				
Name (Print):	Title:			
Signature:	Date:			
e-mail address:	Telephone:			

OPERATING AND MAINTENANCE PLAN - CLOSED LOOP SYSTEM

19.15.17.12 OPERATIONAL REQUIREMENTS:

- A. General specifications. An operator shall maintain and operate a pit, closed-loop system, below-grade tank or sump in accordance with the following requirements.
- (1) The operator shall operate and maintain a pit, closed-loop system, below-grade tank or sump to contain liquids and solids and maintain the integrity of the liner, liner system or secondary containment system, prevent contamination of fresh water and protect public health and the environment.

Operator shall operate and maintain a closed loop system.

(2) The operator shall recycle, reuse or reclaim all drilling fluids in a manner that prevents the contamination of fresh water and protects public health and the environment.

Operator shall recycle, reuse or reclaim all drilling fluids used. Excess or unused fluid shall be disposed of at division approved facilities.

(3) The operator shall not discharge into or store any hazardous waste in a pit, closed-loop system, below-grade tank or sump.

Operator shall not knowingly discharge hazardous waste into the closed loop system.

(4) If the integrity of the pit liner is compromised, or if any penetration of the liner occurs above the liquid's surface, then the operator shall notify the appropriate division district office within 48 hours of the discovery and repair the damage or replace the liner.

No Pit liner. Closed loop system.

(5) If a lined pit develops a leak, or if any penetration of the liner occurs below the liquid's surface, then the operator shall remove all liquid above the damage or leak line from the pit within 48 hours and repair the damage or replace the liner.

No Pit liner. Closed loop system. If a leak develops in any of the closed loop tanks, all liquid shall be removed from the effected tank within 48 hours and any damage shall be repaired prior to putting the tank back in service.

OPERATING AND MAINTENANCE PLAN - CLOSED LOOP SYSTEM

(6) The operator shall install a level measuring device in a lined pit containing fluids to more level of the fluid surface, so that the operator may recognize unanticipated change in volume of fluids.	itor the
No pit. Closed loop system. Excess fluid shall be removed appropriately from the c tanks.	atch
(7) The mjection or withdrawal of liquids from a lined pit shall be accomplished through a her diverter or other hardware that prevents damage to the liner by erosion, fluid jets or impact from installation removal of hoses or pipes.	ader. and
No pit. Closed loop system. Excess fluid shall be removed appropriately from the c tanks using a re-circulating pump or vacuum trucks.	atch
(8) The operator shall operate and install a pit, below-grade tank or sump to prevent the collect surface water run-on.	tion of
Operator shall berm or collect surface water run- on and dispose of at a division approved facility.	
(9) The operator shall install, or maintain on site, an oil absorbent boom or other device to cand remove oil from a pit's surface.	ontain
Operator shall install a skimmer system on catch tanks, circulating tanks and overtanks as needed to collect oil.	flow

Closure Plan for Closed Loop Drilling System

1. METHODS OF HANDLING WASTE MATERIALS

- a. Drill cuttings shall be disposed of in steel cuttings bins (catch tanks) on the drilling pad (behind the steel mud tanks). The bin and cuttings shall be hauled to a division approved facility by an approved transporter. At the facility, the cuttings shall be removed from the bin and the bin shall be returned to the drilling site for reuse, moved to the next drilling site or returned to the provider.
- b. Remaining drilling fluids shall be hauled off by approved transports to a division approved disposal facility. Water produced during completion shall be put in storage tanks and disposed of at a division approved facility. Oil and condensate produced shall be put in a storage tank and sold or put in a sales pipeline.

2. RECLAMATION

a. Within 120 days after the drilling and completion of the well, the location area shall be reduced as determined by operator to the minimum area necessary to safely and effectively operate the well. The reclaimed location area shall be restored to the condition that existed prior to oil and gas operations.