

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

OCD Artesia

FORM APPROVED

OMB	NO. 100	4-01.
Expires	: July 3	1,20
nco Carial No		

	z.p.r.vo. v.
5.	Lease Serial No.
	NIMANIMANGGT693

5.	Lease Serial No.
	NMNM0397623

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an
abandoned well. Use form 3160-3 (APD) for such proposals

Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.			6. If Indian, Allottee or Tribe Name			
SUBMIT IN TRIPLICATE - Other instructions on reverse side.		7. If Unit or CA/Agreement, Name and/or No				
I. Type of Well ☑ Oil Well ☐ Gas Well ☐ Oth					8. Well Name and No. FOLK FEDERAL	
Name of Operator COG OPERATING LLC	Contact: E-Mail: kcarrillo@d	KANICIA Conchoresour			9. API Well No. 30-015-35728	
3a. Address 550 WEST TEXAS AVE STE 1300 MIDLAND, TX 79701		3b. Phone No. (include area code) Ph: 432-685-4332 RECEIVED		J0. Field and Pool, or GRAYBURG JA	Exploratory CKSON;SR-Q-G-S	
4. Location of Well (Footage, Sec., 7	C., R., M., or Survey Description	1)		VEU	11. County or Parish,	I
Sec 17 T17S R29E 2310FNL 32.83537 N Lat, 104.09822 W			JUL 23	2010	EDDY COUNT	, NM
12. CHECK APPI	ROPRIATE BOX(ES) TO) INDICAT	NMOCD A		EPORT, OR OTHE	R DATA
TYPE OF SUBMISSION	. ,			OF ACTION		
	Acidize	□ De	eepen	n Produc	tion (Start/Resume)	☐ Water Shut-Off
Notice of Intent	☐ Alter Casing		acture Treat	Reclan		☐ Well Integrity
☐ Subsequent Report	Casing Repair		ew Construction	Recom		Other
Final Abandonment Notice	Change Plans	_	ug and Abandon	_	rarily Abandon	_
_	Convert to Injection			□ Water	ter Disposal	
following completion of the involved testing has been completed. Final Al determined that the site is ready for f COG Operating LLC proposes Folk Fed #4 San Andres / GB	bandonment Notices shall be fil inal inspection.) s to recomplete to the GB	led only after a	Ill requirements, incl	uding reclamati	new interval, a Form 310 on, have been completed,	and the operator has
 MI. Hold safety mtg. RU. POOH w/ rods and pump. NU BOP. Release TAC and POOH w RIH w/ CIBP and set at +/- after separately production te. RIH and perforate lower San. Frac lower San Andres with 	3800?. Do not cap with o sting the San Andres and In Andres from 3560?? 3	: GB. :760? w/ 1 s	CONI	DITION mingle with Y	S OF APPRO	VAL
14. Thereby certify that the foregoing is	Electronic Submission #	#88034 verifi PERATING	ed by the BLM We	ell Informatio Carlsbad	n System	
Name (Printed/Typed) KANICIA CARRILLO Title PREPARER						
Signature (Electronic S	· · · · · · · · · · · · · · · · · · ·		Date 06/16/			
	THIS SPACE FO	OR FEDER	AL OR STATE	OFFACE	界OVFD	
Approved Ry	JUL	<u></u>	Title	1111	1 2 2010	Date
Conditions of approval, if any, are attached certify that the applicant holds legal or eq which would entitle the applicant to condition	uitable title to those rights in th	s not warrant c e subject lease	Office		1 2 2010 stin Winkler	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and UNITATION by AND MANAGEMENT or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. CARLSBAD FIELD OFFICE

Additional data for EC transaction #88034 that would not fit on the form

32. Additional remarks, continued

8. RIH w/ perf gun and composite frac plug and set plug at +/- 3530?. Perforate middle San Andres from 3290? ? 3490? w/ 1 spf, 26 holes.
9. Frac middle San Andres with 128,250 gals of gel carrying 178,400# of 16/30 sand.

10. RIH w/ perf gun and composite frac plug and set plug at +/- 3250?. Perforate middle San Andres from 3020? ? 3220? w/ 1 spf, 26 holes.

- 11. Frac middle San Andres with 128,250 gals of gel carrying 178,400# of 16/30 sand.
 12. RIH w/ perf gun and composite frac plug and set plug at +/- 2600?. Perforate Grayburg from 2346? ? 2354? w/ 2 spf, 6 holes and from 2280? ? 2300? w/ 2 spf, 12 holes and from 2180? ? 2190? w/ 2 spf, 6 holes.
- 13. Acidize and swab test each Grayburg sand separately. Based on swab results, appropriate stimulation will be performed (acid only or frac).

 14. RIH w/ bit and drill out CFP at 2600?, 3250?, and 3500?. Clean out to CIBP at 3800?.

15. POOH w/ bit and scraper.16. RIH w/ tbg and land EOT at +/- 3700?.

17. ND BOP.

18. RIH w/ rods and pump.

19. HWOB

20. RDMO.

COG intends to test GB/SA separately from Yeso to determine it producing characteristics and evaluation. COG plans to commingle GB/SA/Yeso at a later date.

COG proposes to down hole commingle the Grayburg Jackson SR Queen Grayburg SA, (28509) with the Empire; Glorieta-Yeso, (96610).

Commingling will not reduce the value of the total remaining production.

The proposed intervals are as follows: Grayburg Jackson SR Queen Grayburg SA 2396' - 3686'

Empire; Glorieta-Yeso

Percentages to be determined after completion.

Ownership in all zones are the same.

COG Operating LLC NM-0397623: Folk Federal #4 API: 30-015-35728 Eddy County, New Mexico

RE: Plug Back/Recompletion - Conditions of Approval

There is to be no surface disturbance beyond the originally approved pad. A closed loop system is to be used. H2S monitoring and protection equipment is to be on site.

2M BOP is to be used for this well. All blowout preventer (BOP) and related equipment (BOPE) shall comply with well control requirements as described in Onshore Oil and Gas Order No. 2 and API RP 53 Sec. 17.

This is approval for the plug back/recompletion only. A separate NOI to commingle is required. DHC NOI should include a copy of the NMOCD application.

Submit subsequent report and completion report once work is completed.

DHW 070110