District I
1625 N. French Dr., Hobbs, NM 88240
District II
1301 W. Grand Avenue, Artesia, NM 88210
District III
1000 Rio Brazos Road, Aztec, NM 87410
District IV
1220 S. St. Francis Dr., Santa Fe, NM 87505

State of New Mexico Energy Minerals and Natural Resources Department

Oil Conservation Division 1220 South St. Francis Dr. Santa Fe, NM 87505 Form C-144 CLEZ
July 21, 2008
sed-loop systems that only use above

For closed-loop systems that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, submit to the appropriate NMOCD District Office.

Closed-Loop System Permit or Closure Plan Application

(that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure)

Type of action: Permit Closure

Instructions: Please submit one application (Form C-144 CLEZ) per individual closed-loop system request. For any application request other than for a closed-loop system that only use above ground steel tanks or haul-off bins and propose to implement waste removal for closure, please submit a Form C-144.

Please be advised that approval of this request does not relieve the operator of liability environment. Nor does approval relieve the operator of its responsibility to comply with				
I. V. t. a D. t. al. and Communities	OCDUD #. 025575			
Operator: Yates Petroleum Corporation Address: 105 South Fourth Street, Artesia, New Mexico 88210	OGRID #: <u>025575</u>			
Facility or well name: Grapevine Draw BQV State Com #1 API Number: 30 - 015 - 383 45 OCD Per	mit Number: <u>Z/0877</u>			
U/L or Qtr/Qtr Lot 3 Section 36 Township 26S	Range 23E County: Eddy			
Center of Proposed Design: Latitude N 32.001184 Lon	gitude <u>W 104.556605</u> NAD: □1927 ⊠ 1983			
Surface Owner: Federal State Private Tribal Trust or Indian Allotm	nent			
Closed-loop System: Subsection H of 19.15.17.11 NMAC Operation: ☑ Drilling a new well ☐ Workover or Drilling (Applies to activities which require prior approval of a permit or notice of intent) ☐ P&A ☐ Above Ground Steel Tanks or ☑ Haul-off Bins				
Signs: Subsection C of 19.15.17.11 NMAC ☐ 12"x 24", 2" lettering, providing Operator's name, site location, and emergency telephone numbers ☐ Signed in compliance with 19.15.3.103 NMAC				
Closed-loop Systems Permit Application Attachment Checklist: Subsection B of 19.15.17.9 NMAC Instructions: Each of the following items must be attached to the application. Please indicate, by a check mark in the box, that the documents are attached. Design Plan - based upon the appropriate requirements of 19.15.17.11 NMAC Operating and Maintenance Plan - based upon the appropriate requirements of 19.15.17.12 NMAC Closure Plan (Please complete Box 5) - based upon the appropriate requirements of Subsection C of 19.15.17.9 NMAC and 19.15.17.13 NMAC				
Previously Approved Design (attach copy of design) API Number:	1.0000 1000			
Previously Approved Operating and Maintenance Plan API Number:				
S. Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: (19.15.17.13.D NMAC) Instructions: Please indentify the facility or facilities for the disposal of liquids, drilling fluids and drill cuttings. Use attachment if more than two facilities are required.				
Disposal Facility Name: Gandy Marley	Disposal Facility Permit Number: NM-01-0019			
Disposal Facility Name: CRI	Disposal Facility Permit Number: R-9166			
Disposal Facility Name: <u>Lea Land Farm</u> Disposal Facility Name: <u>Sundance Services Inc.</u>	Disposal Facility Permit Number: <u>WM-1-035</u> Disposal Facility Permit Number: <u>NM-01-0003</u>			
Will any of the proposed closed-loop system operations and associated activities occur on or in areas that will not be used for future service and operations? Yes (If yes, please provide the information below) No				
Required for impacted areas which will not be used for future service and operations: Soil Backfill and Cover Design Specifications based upon the appropriate requirements of Subsection H of 19.15.17.13 NMAC Re-vegetation Plan - based upon the appropriate requirements of Subsection I of 19.15.17.13 NMAC Site Reclamation Plan - based upon the appropriate requirements of Subsection G of 19.15.17.13 NMAC				

6. Operator Application Certification:					
I hereby certify that the information submitted with this application is true, accur	ate and complete to the best of my knowledge and belief.				
Name (Print): Monti Sanders	Title: Land Regulatory Technician				
Signature: Manders	Date: <u>10/25/2010</u>				
e-mail address: montis@yatespetroleum.com	Telephone: <u>575-748-4244</u>				
7. OCD Approval: Permit Application (including closure plan) Closure Plan (only)					
OCD Representative Signature:	Approval Date: 10/27/2010				
Title: J15T M Syperiss	OCD Permit Number: 21087)				
Closure Report (required within 60 days of closure completion): Subsection K of 19.15.17.13 NMAC Instructions: Operators are required to obtain an approved closure plan prior to implementing any closure activities and submitting the closure report. The closure report is required to be submitted to the division within 60 days of the completion of the closure activities. Please do not complete this section of the form until an approved closure plan has been obtained and the closure activities have been completed. Closure Completion Date:					
9.					
Closure Report Regarding Waste Removal Closure For Closed-loop Systems That Utilize Above Ground Steel Tanks or Haul-off Bins Only: Instructions: Please indentify the facility or facilities for where the liquids, drilling fluids and drill cuttings were disposed. Use attachment if more than two facilities were utilized.					
Disposal Facility Name:	Disposal Facility Permit Number:				
Disposal Facility Name:					
Were the closed-loop system operations and associated activities performed on or in areas that will not be used for future service and operations? Yes (If yes, please demonstrate compliance to the items below) No					
Required for impacted areas which will not be used for future service and operat Site Reclamation (Photo Documentation) Soil Backfilling and Cover Installation Re-vegetation Application Rates and Seeding Technique	ions:				
10. Operator Closure Certification:					
I hereby certify that the information and attachments submitted with this closure report is true, accurate and complete to the best of my knowledge and belief. I also certify that the closure complies with all applicable closure requirements and conditions specified in the approved closure plan.					
Name (Print):	Title:				
Signature:	Date:				
e-mail address:	Telephone:				

Yates Petroleum Corporation Closed Loop System

Equipment Design Plan

Closed Loop System will consist of:

- 1 double panel shale shaker
- 1 (minimum) Centrifuge, certain wells and flow rates may require 2 centrifuges On certain wells, the Centrifuge will be replaced by a Clackco Settling Tank System
- 1 minimum centrifugal pump to transfer fluids
- 2-500 bbl. FW Tanks
- 1 500 bbl. BW Tank
- $1 \text{half round frac } \tanh 250 \text{ bbl. capacity as necessary to catch cement } / \text{ excess}$ mud returns generated during a cement job.
- 1 Set of rail cars / catch bins

Certain wells will use an ASC Auger Tank

Operation Plan

All equipment will be inspected at least hourly by rig personnel and daily by contractors' personnel.

Any spills / leaks will be reported to YPC, NMOCD, and cleaned up without delay.

Closure Plan

Drilling with Closed Loop System, haul off bins will be taken to Gandy Marley, Lea Land Farm, CRI or Sundance Services Inc.

Yates Petroleum Corporation

105 S. Fourth Street Artesia, NM 88210


Hydrogen Sulfide (H₂S) Contingency Plan


For

Grapevine Draw BQV State Com #1
330' FWL and 2310' FWL
Section 36, T-26-S, R-33-E
Eddy County, NM

Grapevine Draw BQV State Com #1

This is an open drilling site. H_2S monitoring equipment and emergency response equipment will be used within 500' of zones known to contain H_2S , including warning signs, wind indicators and H_2S monitor.





GRAPEVINE DRAW "BQV" STATE COM #1 Located 330' FSL and 2310' FWL Section 36, Township 26 South, Range 23 East, N.M.P.M., Eddy County, New Mexico.

Assumed 100 ppm $ROE = 3000^{\circ}$ 100 ppm H2S concentration shall trigger activation of this plan.

Emergency Procedures

In the case of a release of gas containing H₂S, the first responder(s) must isolate the area and prevent entry by other persons into the 100 ppm ROE. Additionally the first responder(s) must evacuate any public places encompassed by the 100 ppm ROE. First responder(s) must take care not to injure themselves during this operation. Company and/or local officials must be contacted to aid in this operation. Evacuation of the public should be beyond the 100 ppm ROE.

All responders must have training in the detection of H_2S , measures for protection against the gas, equipment used for protection and emergency response. Additionally, responders must be equipped with H_2S monitors and air packs in order to control the release. Use the "buddy system' to ensure no injuries during the response.

Ignition of Gas Source

Should control of the well be considered lost and ignition considered, take care to protect against exposure to Sulfur Dioxide (SO₂). Intentional ignition must be coordinated with the NMOCD and local officials. Additionally the NM State Police may become involved. NM State Police shall be the Incident Command on scene of any major release. Take care to protect downwind whenever there is an ignition of the gas

Characteristics of H₂S and SO₂

Common Name	Chemical Formula	Specific Gravity	Threshold Limit	Hazardous Limit	Lethal Concentr- ation
Hydrogen Sulfide	H ₂ S	1.189 Air = 1	10 ppm	100 ppm/hr	600 ppm
Sulfur Dioxide	SO ₂	2.21 Air = 1	2 ppm	N/A	1000 ppm

Contacting Authorities

YPC personnel must liaison with local and state agencies to ensure a proper response to a major release. Additionally, the OCD must be notified of the release as soon as possible but no later than 4 hours. Agencies will ask for information such as type and volume of release, wind direction, location of release, etc. Be prepared with all information available. The following call list of essential and potential responders has been prepared for use during a release. YPC Company response must be in coordination with the State of New Mexico's 'Hazardous Materials Emergency Response Plan' (HMER)

Yates Petroleum Corporation Phone Numbers

YPC Office	(575) 749 1471
YPC Office Paul Ragsdale/Operations Manager	
Wade Bennett/Prod Superintendent	
LeeRoy Richards/Assistant Prod Superintendent	(575) 748-4228
Mike Larkin/Drilling	` ,
Paul Hanes/Prod. Foreman/Roswell	
Tim Bussell/Drilling Superintendent	
Artesia Answering Service	
(During non-office hours)	(2.00)
Agency Call List	
Eddy County (575)	
Artesia	
State Police	746-2703
City Police	
Sheriff's Office	
Ambulance	
Fire Department	
LEPC (Local Emergency Planning Committee)	746-2122
NMOCD	
Carlsbad	
State Police	885-3137
City Police	
Sheriff's Office	
Ambulance	
Fire Department	
LEPC (Local Emergency Planning Committee)	
US Bureau of Land Management	
New Mexico Emergency Response Commission (Santa Fe)	
24 HR	. ,
	` ,
New Mexico State Emergency Operations Center	
National Emergency Response Center (Washington, DC)	(800) 424-8802
Other	
Boots & Coots IWC1-800-256-9688 or (281) 931-8884	
Cudd Pressure Control(915) 699-0139 or (915) 563-3356	
Halliburton(575) 746-2757	
B. J. Services(575) 746-3569	
Flight For Life -4000 24th St, Lubbock, TX(806) 743-0011
Aerocare -Rr 3 Box 49f, Lubbock, TX	•
Med Flight Air Amb 2301 Yale Blvd SE #D3, Albuq, NM(
S B Air Med Svc 2505 Clark Carr Loop SE, Albuq, NM	
2 2 1 11 11 10 0 10 2000 Cital Carl Loop BL, Faouq, 1111	545 J 642 1747