Form 3160-5 (August 1999)

### **UNITED STATES** DEPARTMENT OF THE INTERIOR OCD-ARTESIA BUREAU OF LAND MANAGEMENT

Э.	Lease	Senal	NO

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an

See Attached 6. If Indian, Allottee or Tribe Name

FORM APPROVED

OMB NO. 1004-0135 Expires: November 30, 2000

abandoned well. Use Form 3	160-3 (APD) for suc	ch proposals.	ļ		
SUBMIT IN TRIPLICATE - Oth	ner instructions on	reverse side		7. If Unit or	CA/Agreement, Name and/or No
1. Type of Well  X Oil Well  Gas Well  Other  2. Name of Operator  OXY USA Inc.  3a. Address  P.O. Box 50250, Midland, TX 79710-025  4. Location of Well (Footage, Sec., T., R., M., or Survey Desc.)	0	16696 Phone No. (include are 432-685-5717	ea code)	9. API Well See attac 10. Field and	Federal See Attached
See Attached					r Parish, State
12. CHECK APPROPRIATE BO	X(ES) TO INDICA	TE NATURE OF I	NOTICE, REPO	RT, OR OT	HER DATA
TYPE OF SUBMISSION		TYF	PE OF ACTION		
X Notice of Intent  Subsequent Report  Final Abandonment Notice	Acidize  Alter Casing  Casing Repair  Change Plans  Convert to Injection	Deepen Fracture Treat New Construction Plug and Abandon Plug Back	Production ( Reclamation Recomplete Temporarily Water Dispo	Abandon	Water Shut-Off Well Integrity X Other Accumulator Variance
Attach the Bond under which the work will be perform following completion of the involved operations. If the testing has been completed. Final Abandonment Notic determined that the final site is ready for final inspection OXY USA Inc. respectfully requests a attached the document that has alrea Ingram, and Duncan Whitlock) in rega operation for the H&P Flex IV rig flwill cover all the Lost Tank wells. with the requested modification as p	operation results in a mes shall be filed only affin.)  varaince to the dy been discusserds to a requesteet. As was dis This will cover	e Accumulator Pled and agreed up the modification of the modificat	acement and non with the accepting with on in the Pot#2.	Functioni BLM on Ocumulator the BLM tash area	orm 3160-4 shall be filed once ompleted, and the operator has ng. Please find t 6-2010 (Wesley placement and his sundry notice
14. I hereby certify that the foregoing is true and correct Name (Printed/Typed)		Title			
David Stewart		Sr. Reg	julatory Anal	yst	
1/a-85		Date 10(7	28(10	· · · · · · · · · · · · · · · · · · ·	
THIS SP	ACE FOR FEDERA	L OR STATE OFF	ICE USE		
Approved by /s/ JD Whitlock Jr Conditions of approval, if any, are attached. Approval of this certify that the applicant holds legal or equitable title to those which would entitle the applicant to conduct operations thereor	rights in the subject lea	or Office CF	<del></del>	Da	ate 12/2/10

### \* Federal Lease No. NMNM0417696

Well Name	API No.	Loc: 1/4 1/4 Sec.Twp.Rng.	Formation
Lost Tank 3 Federal #13	/	2350 FSL 2250 FEL NWSE(J) Sec 3 T22S R31E	Lost Tank Delaware, West
		1650 FSL 1980 FWL NESW(K) Sec 3 T22S R31E	2.00
Lost Tank 3 Federal #14	3001537918	1450 FSL 1700 FEL NWSE(J) Sec 3 T22S R31E	Lost Tank Delaware, West
Lost Tank 3 Federal #15		2558 FNL 235 FWL SWNW(E) Sec 3 T22S R31E	Lost Tank Delaware, West
		1650 FSL 660 FWL NWSW(L) Sec 3 T22S R31E	
Lost Tank 3 Federal #16	3001537907	735 FSL 1945 FEL SWSE(O) Sec 3 T22S R31E	Lost Tank Delaware, West
Lost Tank 3 Federal #18	3001537908	770 FSL 1909 FEL SWSE(O) Sec 3 T22S R31E	Lost Tank Delaware, West
		350 FSL 1660 FWL SESW(N) SEC 3 T22S R31E	
Lost Tank 3 Federal #19	3001537952	2558 FNL 185 FWL SWNW(E) Sec 3 T22S R31E	Lost Tank Delaware, West
		549 FSL 661 FWL SWSW(M) Sec 3 T22S R31E	
Lost Tank 3 Federal #20	3001537919	2400 FSL 2250 FEL NWSE(J) Sec 3 T22S R31E	Lost Tank Delaware, West
Lost Tank 3 Federal #21		2558 FNL 285 FWL SWNW(E) Sec 3 T22S R31E	Lost Tank Delaware, West
Lost Tank 3 Federal #22	3001537921	2324 FNL 2000 FWL SENW(F) Sec 3 T22S R31E	Lost Tank Delaware, West
Lost Tank 3 Federal #24	3001537922	250 FSL 250 FEL SESE(P) Sec 3 T22S R31E	Lost Tank Delaware, West
Lost Tank 3 Federal #25	pending	1500 FNL 541 FEL SENE(H) Sec 3 T22S R31E	Lost Tank Delaware, West
Lost Tank 4 Federal #8		2490 FNL 500 FEL SENE(H) Sec 4 T22S R31E	Lost Tank Delaware, West
Lost Tank 4 Federal #9		2460 FNL 1850 FEL SWNE(G) Sec 4 T22S R31E	Lost Tank Delaware, West
Lost Tank 4 Federal #11	3001537954.	1467 FNL 2263 FWL SENW(F) Sec 4 T22S R31E	Lost Tank Delaware, West
		2021 FNL 426 FWL SWNW(E) Sec 4 T22S R31E	
Lost Tank 4 Federal #12	3001537955	2200 FSL 2260 FWL NESW(K) Sec 4 T22S R31E	Lost Tank Delaware, West
	2224527252	1956 FSL 461 FWL NWSW(L) SEC 4 T22S R32e	
Lost Tank 4 Federal #13		2150 FSL 2260 FWL NESW(K) Sec 4 T22S R31E	Lost Tank Delaware, West
Lost Tank 4 Federal #14	(3001537893-	2225 FSL 1260 FEL NESE(I) Sec 4 T22S R31E	Lost Tank Delaware, West
	0004507004	1664 FSL 1821 FEL NWDE(J) Sec 4 T22S R31E	
Lost Tank 4 Federal #15	3001537894	2225 FSL 1160 FEL NESE(I) Sec 4 T22S R31E	Lost Tank Delaware, West
Leat Tauly 4 Fadaust #40	0001507057	1654 FSL 491 FEL NESE(I) Sec 4 T22S R31E	I A To I Dolom or Most
Lost Tank 4 Federal #16	3001537957	2225 FSL 1210 FEL NESE(I) Sec 4 T22S R31E	Lost Tank Delaware, West
Look Toule 4 Fordayat #17	2001527058	405 FSL 789 FEL SESE(P) Sec 4 T22S R31E	Last Table Dalamana Mast
Lost Tank 4 Federal #17	3001537958	2225 FSL 1310 FEL NESE(I) Sec 4 T22S R31E	Lost Tank Delaware, West
Lost Tank 4 Federal #18	2001527005	497 FSL 2004 FEL SWSE(O) Sec 4 T22S R31E	Last Tank Dalawara Wast
LOST TAIR 4 FEGETAL#10	3001337695	2050 FSL 2260 FWL NESW(K) Sec 4 T22S R31E	Lost Tank Delaware, West
Lost Tank 4 Federal #19	3001537808	399 FSL 2083 FWL SESW(N) Sec 4 T22S R31E 2100 FSL 2260 FWL NESW(K) Sec 4 T22S R31E	Lost Tank Delaware, West
LOS, TAIN + LEUCIAL # 13	0001007000	391 FSL 438 FWL SWSW(M) Sec 4 T22S R31E	LOST TAIR DEIGWATE, WEST
		3311 OL 4301 WL 3W3W(W) 366 4 1223 N31E	

### Federal Lease No. NMNM0417696-SL - NMNM0417506-BHL

Well Name	API No.	Loc: 1/4 1/4 Sec.Twp.Rng.	<b>Formation</b>
Lost Tank 10 Federal # 1	3001537959	400 FSL 250 FEL SESE(P) Sec 3 T22S R31E	Lost Tank Delaware, West
		760 FNL 1838 FEL NENE(A) Sec 10 T22S R31E	
Lost Tank 10 Federal # 2	3001537960	840 FSL 1838 FEL SWSE(O) Sec 3 T22S R31E	Lost Tank Delaware, West
		950 FNL 2312 FEL NWNE(B) Sec 10 T22S R31E	
Lost Tank 10 Federal # 3	3001537897	805 FSL 1874 FEL SWSE(O) Sec 3 T22S R31E	Lost Tank Delaware, West
•		864 FNL 1866 FWL NENW(C) Sec 10 T22S R31E	
Lost Tank 10 Federal # 4	3001537961	300 FSL 250 FEL SESE(P) Sec 3 T22S R31E	Lost Tank Delaware, West
		2104 FNL 839 FEL SENE(H) Sec 10 T22S R31E	
Lost Tank 10 Federal # 5	3001537924	200 FSL 250 FEL SESE(P) Sec.3 T22S R31E	Lost Tank Delaware, West
		1536 FNL 330 FEL SENE(H) Sec 10 T22S R31E	
Lost Tank 11 Federal # 1	3001537962	350 FSL 250 FEL SESE(P) Sec.3 T22S R31E	Lost Tank Delaware, West
		937 FNL 866 FEL NWNW(D) Sec 11 T22S R31E	

### Federal Lease No. NMNM104730

Well Name	API No.	Loc: ¼ ¼ Sec.Twp.Rng.	<u>Formation</u>
Sundance 4 Federal #32	pending	660 FNL 458 FWL NWNW(D) Sec 4 T24S R31E	Sand Dunes Delaware, West

# APD VARIANCE LOST TANK AREA DRILLING H&P Flex IV ACCUMULATOR PLACEMENT AND FUNCTIONING

OPERATOR NAME / NUMBER: OXY USA Inc 16696

LEASE NAME / NUMBER: See Attached

STATE: NM COUNTY: Eddy

### 1. PRESSURE CONTROL EQUIPMENT

### Accumulator Placement for H&P Flex IV rig fleet

Prior drilling out surface casing shoe, the accumulator will be installed and functional at an appropriate distance as referenced in API 16.D to satisfy drilling contractor and operator operational best practices, and safety requirements. As per ATTACHEL Diagram ATTACHEL ( $\overline{a}$ )

The accumulator is equipped with two closing pumps set as primary and back up. Power to the closing unit pumps is constantly available so that the pumps will automatically start when the closing unit manifold pressure decreases to 90 percent of the accumulator operating pressure. Each closing unit pump is capable to close the annular BOP and open the hydraulic choke valve as per API (16.D).


Two independent sources of energy are available to each closing pump (rig generating systems). Each independent source of energy is capable of operating the pumps at a rate that will satisfy the requirements. The accumulator closing pumps will include an extra emergency source (nitrogen bottle system) to assist the closure of the BOP stack in case of an event that requires complete electric shut down of all sources.

An accumulator pre-charge pressure test will be conducted as per Onshore Order #2 prior to connecting the closing unit to the blowout preventer stack such test will be noted and signed in the drilling log/IADC report by the company representative, and rig manager. A closing test will be performed prior to pressure testing the blowout preventer stack with each closing pump separately (primary and back up) to satisfy function requirements. Within 2 minutes as per Onshore Order #2, III. A. 2. F


If an event is encountered where the emergency source (Nitrogen bottles is required the BLM field office will be notified immediately.


### Attachments:

- a. Accumulator placement & manifold diagrams.
- b. Remote Kill Line Diagram
- c. Power source systems for Manifold and Accumulator



Rig Layout including accumulator modified placement





## Nitrogen Bottle System

