Form 3160-5 (August 1999)

## **UNITED STATES** DEPARTMENT OF THE INTERIOR OCD-ARTESIA

**BUREAU OF LAND MANAGEMENT** 

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 200

6. If Indian, Allottee or Tribe Name

i.	Lease	Serial	No.

J.	LE45C	3¢I	Idi	140	•

Attached

abandoned well. Use Form 3160-3 (APD	) for such proposals.
SUBMIT IN TRIPLICATE - Other instruct	7. If Unit or CA/Agreement, Name and/or No
I. Type of Well  X Oil Well  Gas Well  Other  2. Name of Operator  OXY USA Inc.  3a. Address  P.O. Box 50250, Midland, TX 79710-0250  4. Location of Well (Footage, Sec., T., R., M., or Survey Description)  See Attached	8. Well Name and No. Lost Tank Federal See Attached  9. API Well No. See attached  432-685-5717  10. Field and Pool, or Exploratory Area Lost Tank Delaware, West
	11. County or Parish, State
12 CHECK APPROPRIATE BOYIES TO	INDICATE MATURE OF NOTICE REPORT OF OTHER DATA
12. CHECK APPROPRIATE BOX(ES) TO TYPE OF SUBMISSION	INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA  TYPE OF ACTION
Subsequent Report  Subsequent Report  Final Abandonment Notice  Casing Repai  Change Plans  Convert to In  If the proposal is to deepen directionally or recomplete horizontally, gi  Attach the Bond under which the work will be performed or provide to following completion of the involved operations. If the operation results	Deepen Production (Start/Resume) Water Shut-Off Fracture Treat Reclamation Well Integrity New Construction Recomplete X Other Accumulator Plug and Abandon Temporarily Abandon Variance
attached the document that has already been di Ingram, and Duncan Whitlock) in regards to a r operation for the H&P Flex IV rig fleet. As w	to the Accumulator Placement and Functioning. Please find scussed and agreed upon with the BLM on Oct 6-2010 (Wesley equested modification for the accumulator placement and as discussed in the meeting with the BLM this sundry notice cover Oxy's operation in the Potash area and will comply D, and Onshore Order #2.

 14. Thereby certify that the foregoing is true and correct Name (Printed/Typed) David Stewart Sr. Regulatory Analyst Date THIS SPACE FOR FEDERAL OR STATE OFFICE USE Title Approved by /s/ JD Whitlock Jr Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. CFO

Title

Title 18 U.S.C. Section 1001, and Title 43 U.S.C. Section 1212, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

### <sup>'</sup> Federal Lease No. NMNM0417696

regeral Lease No. INMINIMU4176	990		
Well Name	API No.	Loc: ¼ ¼ Sec.Twp.Rng.	<u>Formation</u>
Lost Tank 3 Federal #13	√300153795¢	0 2350 FSL 2250 FEL NWSE(J) Sec 3 T22S R31E	Lost Tank Delaware, West
		1650 FSL 1980 FWL NESW(K) Sec 3 T22S R31E	
Lost Tank 3 Federal #14	3001537918	8 1450 FSL 1700 FEL NWSE(J) Sec 3 T22S R31E	Lost Tank Delaware, West
Lost Tank 3 Federal #15	300153795	1 2558 FNL 235 FWL SWNW(E) Sec 3 T22S R31E	Lost Tank Delaware, West
		1650 FSL 660 FWL NWSW(L) Sec 3 T22S R31E	
Lost Tank 3 Federal #16	3001537907	7 735 FSL 1945 FEL SWSE(O) Sec 3 T22S R31E	Lost Tank Delaware, West
Lost Tank 3 Federal #18	3001537908	3 770 FSL 1909 FEL SWSE(O) Sec 3 T22S R31E	Lost Tank Delaware, West
		350 FSL 1660 FWL SESW(N) SEC 3 T22S R31E	
Lost Tank 3 Federal #19	3001537952	2 2558 FNL 185 FWL SWNW(E) Sec 3 T22S R31E	Lost Tank Delaware, West
		549 FSL 661 FWL SWSW(M) Sec 3 T22S R31E	·
Lost Tank 3 Federal #20	_3001537919	9>2400 FSL 2250 FEL NWSE(J) Sec 3 T22S R31E	Lost Tank Delaware, West
Lost Tank 3 Federal #21	Later Control	2558 FNL 285 FWL SWNW(E) Sec 3 T22S R31E	Lost Tank Delaware, West
Lost Tank 3 Federal #22		2324 FNL 2000 FWL SENW(F) Sec 3 T22S R31E	Lost Tank Delaware, West
Lost Tank 3 Federal #24		2 250 FSL 250 FEL SESE(P) Sec 3 T22S R31E	Lost Tank Delaware, West
Lost Tank 3 Federal #25	pending	1500 FNL 541 FEL SENE(H) Sec 3 T22S R31E	Lost Tank Delaware, West
	,5		,,,,,,,,
Lost Tank 4 Federal #8	3001537923	2490 FNL 500 FEL SENE(H) Sec 4 T22S R31E	Lost Tank Delaware, West
Lost Tank 4 Federal #9		2460 FNL 1850 FEL SWNE(G) Sec 4 T22S R31E	Lost Tank Delaware, West
Lost Tank 4 Federal #11		. 1467 FNL 2263 FWL SENW(F) Sec 4 T22S R31E	Lost Tank Delaware, West
		2021 FNL 426 FWL SWNW(E) Sec 4 T22S R31E	
Lost Tank 4 Federal #12	3001537955	2200 FSL 2260 FWL NESW(K) Sec 4 T22S R31E	Lost Tank Delaware, West
		1956 FSL 461 FWL NWSW(L) SEC 4 T22S R32e	,
Lost Tank 4 Federal #13	3001537956	2150 FSL 2260 FWL NESW(K) Sec 4 T22S R31E	Lost Tank Delaware, West
Lost Tank 4 Federal #14		2225 FSL 1260 FEL NESE(I) Sec 4 T22S R31E	Lost Tank Delaware, West
		1664 FSL 1821 FEL NWDE(J) Sec 4 T22S R31E	
Lost Tank 4 Federal #15	3001537894	2225 FSL 1160 FEL NESE(I) Sec 4 T22S R31E	Lost Tank Delaware, West
		1654 FSL 491 FEL NESE(I) Sec 4 T22S R31E	
Lost Tank 4 Federal #16	3001537957	2225 FSL 1210 FEL NESE(I) Sec 4 T22S R31E	Lost Tank Delaware, West
		405 FSL 789 FEL SESE(P) Sec 4 T22S R31E	
Lost Tank 4 Federal #17	3001537958	2225 FSL 1310 FEL NESE(I) Sec 4 T22S R31E	Lost Tank Delaware, West
		497 FSL 2004 FEL SWSE(O) Sec 4 T22S R31E	
Lost Tank 4 Federal #18	3001537895	2050 FSL 2260 FWL NESW(K) Sec 4 T22S R31E	Lost Tank Delaware, West
		399 FSL 2083 FWL SESW(N) Sec 4 T22S R31E	
Lost Tank 4 Federal #19	3001537896	2100 FSL 2260 FWL NESW(K) Sec 4 T22S R31E	Lost Tank Delaware, West
		391 FSL 438 FWL SWSW(M) Sec 4 T22S R31E	
Federal Lease No. NMNM041769			<u>.</u>
Well Name	_	Loc: ¼ ¼ Sec.Twp.Rng.	<u>Formation</u>
Lost Tank 10 Federal # 1	3001537959	400 FSL 250 FEL SESE(P) Sec 3 T22S R31E	Lost Tank Delaware, West
Lost Tank 10 Federal # 2	2001527060	760 FNL 1838 FEL NENE(A) Sec 10 T22S R31E	Last Taul Dalawara Mast
_ost rank to rederal # 2		840 FSL 1838 FEL SWSE(O) Sec 3 T22S R31E	Lost Tank Delaware, West
ost Tank 10 Federal # 3		950 FNL 2312 FEL NWNE(B) Sec 10 T22S R31E 805 FSL 1874 FEL SWSE(O) Sec 3 T22S R31E	Last Tank Dalawara Wort
LOST TAIR TO LEGETAL # 3		864 FNL 1866 FWL NENW(C) Sec 10 T22S R31E	Lost Tank Delaware, West
.ost Tank 10 Federal # 4		300 FSL 250 FEL SESE(P) Sec 3 T22S R31E	Last Tank Dalawara, Wast
.ost Tank To rederal # 4		2104 FNL 839 FEL SENE(H) Sec 10 T22S R31E	Lost Tank Delaware, West
ost Tank 10 Federal # 5		200 FSL 250 FEL SESE(P) Sec.3 T22S R31E	Lost Tonk Dolawara, Most
OSC TAIN TO T COCIAI # 5		1536 FNL 330 FEL SENE(H) Sec. 10 T22S R31E	Lost Tank Delaware, West
ost Tank 11 Federal # 1		350 FSL 250 FEL SESE(P) Sec.3 T22S R31E	Lost Tank Dolowers 14/55
OSCIAIN III GGCIAI # J	,	937 FNL 866 FEL NWNW(D) Sec 11 T22S R31E	Lost Tank Delaware, West
		307 114L 0001 LL 14441444(D) 38C 11 1225 H31E	
ederal Lease No. NMNM104730			

## ederal Lease No. NMNM104730

'ell NameAPI No.Loc: ¼ ¼ Sec.Twp.Rng.Formationundance 4 Federal #32pending660 FNL 458 FWL NWNW(D) Sec 4 T24S R31ESand Dunes Delaware, West

# APD VARIANCE LOST TANK AREA DRILLING H&P Flex IV ACCUMULATOR PLACEMENT AND FUNCTIONING

OPERATOR NAME / NUMBER: OXY USA Inc 16696

LEASE NAME / NUMBER: See Attached

STATE: NM COUNTY: Eddy

#### 1. PRESSURE CONTROL EQUIPMENT

#### Accumulator Placement for H&P Flex IV rig fleet

Prior drilling out surface casing shoe, the accumulator will be installed and functional at an appropriate distance as referenced in API 16.D to satisfy drilling contractor and operator operational best practices, and safety requirements.

As per ATTACHEL Diagram ATTACHELT (3)

The accumulator is equipped with two closing pumps set as primary and back up. Power to the closing unit pumps is constantly available so that the pumps will automatically start when the closing unit manifold pressure decreases to 90 percent of the accumulator operating pressure. Each closing unit pump is capable to close the annular BOP and open the hydraulic choke valve as per API (16.D).


Two independent sources of energy are available to each closing pump (rig generating systems). Each independent source of energy is capable of operating the pumps at a rate that will satisfy the requirements. The accumulator closing pumps will include an extra emergency source (nitrogen bottle system) to assist the closure of the BOP stack in case of an event that requires complete electric shut down of all sources.

An accumulator pre-charge pressure test will be conducted as per Onshore Order #2 prior to connecting the closing unit to the blowout preventer stack such test will be noted and signed in the drilling log/IADC report by the company representative, and rig manager. A closing test will be performed prior to pressure testing the blowout preventer stack with each closing pump separately (primary and back up) to satisfy function requirements. Within 2 minutes as performed order #2 III A. Z. F


If an event is encountered where the emergency source (Nitrogen bottles is required the BLM field office will be notified immediately.


#### Attachments:

- a. Accumulator placement & manifold diagrams.
- b. Remote Kill Line Diagram
- c. Power source systems for Manifold and Accumulator



Rig Layout including accumulator modified placement





## Nitrogen Bottle System

