Form 3160-5 (February 2005)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

OCD-ARTESIA

FORM APPROVED OMB No. 1004-0137 Expires: March 31, 2007

5. Lease Serial No. NM - 3606

6. If Indian, Allottee or Tribe Name

	SOME	JKI	NOTIC	,EO 1	AND P	EPU	K15	JN 77	ELL2	
Do i	not use	this	form	for p	ropos	als to	drill	or to	re-ent	er ar

abandoned well. Use Form 3160-3 (APD) for such proposals. 7. If Unit of CA/Agreement, Name and/or No. SUBMIT IN TRIPLICATE - Other instructions on page 2. 1. Type of Well 8. Well Name and No. Lake Shore "10" Federal No. 3 Oil Well Gas Well Other 2. Name of Operator Fasken Oil and Ranch, Ltd. 9. API Well No. 30-015-30480 10. Field and Pool or Exploratory Area 3b. Phone No. (include area code) 3a. Address 303 West Wall St., Suite 1800, Midland, TX 79701 Avalon; Strawn (Gas) 432-687-1777 4. Location of Well (Footage, Sec. T.,R.,M., or Survey Description) 1650 FSL & 1997 FWL, Sec. 10, 721S, R26E 11. Country or Parish, State Eddy, NM 12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Acidize Deepen Production (Start/Resume) Water Shut-Off ✓ Notice of Intent Alter Casing Fracture Treat Reclamation Well Integrity Other Install External Tank Casing Repair New Construction Recomplete Subsequent Report Change Plans Plug and Abandon Temporarily Abandon Final Abandonment Notice Plug Back Water Disposal Convert to Injection

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

Fasken Oil and Ranch, Ltd. requests a variance to allow external tank gauges on oil and water tanks in the battery as the battery for the Lake Shore "10" Federal No. 3 is sour. External tank gauges will allow our pumpers to get a reasonable idea of the volumes in each tank without having to physically gauge each tank on a daily basis. This minimizes our employees exposure to both hydrocarbon vapors and hydrogen sulfide. Prior to oil sales, each tank will be physically gauged to insure the proper volumes are reported in a sales run.

Accepted for record NMOCD

RECEIVED

MAR 2 8 2011

NMOCD ARTESIA

SEE ATTA	CHed Lotler	
14. I hereby certify that the foregoing is true and correct. Name (Printed/Typed) Kim Tyson	Title Regulatory Analyst	
Signature Rim Tynn	Date 03/21/2011	
	DERAL OR STATE OFFICE USE	
Approved by JD Whitlock Jr Conditions of approval, if any, are attached. Approval of this notice does not warrant	or certify Date 1/24/11	
that the applicant holds legal or equitable title to those rights in the subject lease which		

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Pecos District 2909 West Second Street Roswell, New Mexico 88201-2019 www.nm.blm.gov



In Reply Refer To: 3160 (P0000)

JAN 20 2011

Attention: Oil & Gas Operators of Federal Leases within the Pecos District of New Mexico

This letter represents written notice that external gauging devices will not be allowed on any liquid hydrocarbon storage tanks and/or storage facilities containing federal minerals. The operator and/or responsible party will have the devices removed, and any penetrations to the tank that jeopardize tank integrity shall be repaired. This policy is effective immediately.

Due to inspections on Federal leases involving storage facilities w/ external gauging devices and after extensive research and consideration, the Bureau of Land Management's Pecos District has concluded that external gauging devices do not meet 43 CFR 3162.1(a) & Onshore Oil and Gas Order #4.III.C.

43 CFR 3162.1 General requirements.

(a) The operating rights owner or operator, as appropriate, shall comply with applicable laws and regulations; with the lease terms, Onshore Oil and Gas Orders, NTL's; and with other orders and instructions of the authorized officer. These include, but are not limited to, conducting all operations in a manner which ensures the proper handling, measurement, disposition, and site security of leasehold production; which protects other natural resources and environmental quality; which protects life and property; and which results in maximum ultimate economic recovery of oil and gas with minimum waste and with minimum adverse effect on ultimate recovery of other mineral resources.

Onshore Oil and Gas Order #4.III.C Oil Measurement by Tank Gauging:

Oil measurement by tank gauging shall accurately compute the volume of oil withdrawn from a properly calibrated sales tank by measuring the height of the oil level in the tank before delivery (opening gauge) and then measuring the height of the oil level in the tank after delivery (closing gauge). The opening and closing gauges are then used with the tank calibration charts (tank tables) to compute accurately the volume of oil withdrawn. Gauging may be accomplished by measuring the height of the oil level from the tank bottom or a fixed datum plate upward to the surface of the oil in the tank (innage gauging) or by measuring from a fixed reference point at the top of the tank downward to the surface of the oil in the tank (outage gauging). Samples shall be taken from the oil before gauging to determine API gravity and sediment and water content. Prior to gauging, the temperature of the oil shall be determined from measurements made in the tank. The measured oil volume shall then be corrected for sediment and water content, and to the standard sales temperature of 60 F.

The following requirements and minimum standards shall be accomplished in accordance with API Standard 2545 (ANSI/ASTM D-1085), "Method of Gauging Petroleum and Products," 1965, reaffirmed in 1987, and (ANSI/ASTM D-1250). Tables 5A and 6A.

Onshore Oil and Gas Order #4.III.C.1 Sales Tank Equipment:

Each oil storage tank to be used for oil sales by tank gauging shall be properly equipped for such gauging, using the "API Recommended Practice for Setting Connecting, Maintenance, and Operation of

Lease Tanks, API RP 12 RI,"1986. Tanks shall also be connected, maintained, and operated so as to comply with the Site Security Regulations, 43 CFR 3162.7-5, and Onshore Oil and Gas Order No. 3 and sales tanks shall meet the following requirements Onshore Oil & Gas Order #4.III.C.1. (a)(b)(c).

Any Federal Lease found to have external gauging devices shall deem it necessary for the Bureau of Land Management's Pecos District to issue a Major Violation Notice Of Incidents Of Noncompliance (Form 3160-9).

Douglas J. Burger District Manager

Accepted for record - NMOCD